

DAFTAR PUSTAKA

- [1] S. Nagano, S. Moriyuki, K. Wakamori, H. Mineno, and H. Fukuda, “Leaf-movement-based growth prediction model using optical flow analysis and machine learning in plant factory,” *Front. Plant Sci.*, vol. 10, no. March, pp. 1–10, 2019, doi: 10.3389/fpls.2019.00227.
- [2] A. B. Prasetio, Irwanto, M. Y. Sobari, and B. Anwar, “Implementasi Segmentasi Citra Dengan Metode Threshold Pada Pengolahan Citra Digital Tanaman Beracun Di Indonesia,” *J. Inform. Terap.*, vol. 4, no. 2, pp. 2–5, 2016, [Online]. Available: file:///C:/Users/hp/Downloads/implementasi Segmentasi citra dengan metode threshold pada pengolahan citra digital tanaman beracun di indonesia (1).pdf.
- [3] A. Ramdan, B. Sugiarto, P. D. Rianto, E. Prakasa, and H. F. Pardede, “Support Vector Machine-based Detection of Pak Choy Leaves Conditions Using RGB and HIS Features,” *2018 Int. Conf. Comput. Control. Informatics its Appl. Recent Challenges Mach. Learn. Comput. Appl. IC3INA 2018 - Proceeding*, no. November 2018, pp. 114–117, 2019, doi: 10.1109/IC3INA.2018.8629540.
- [4] M. Razaq, P. Zhang, H. L. Shen, and Salahuddin, “Influence of nitrogen and phosphorous on the growth and root morphology of Acer mono,” *PLoS One*, vol. 12, no. 2, pp. 1–13, 2017, doi: 10.1371/journal.pone.0171321.
- [5] D. Priadi and F. Nuro, “Seedling Production of Pak Choy (*Brassica rapa L. var chinensis*) using Organic and Inorganic Nutrients,” *Biosaintifika J. Biol. Biol. Educ.*, vol. 9, no. 2, 2017, doi: 10.15294/biosaintifika.v9i2.8537.
- [6] N. Ahmed, D. De, and I. Hussain, “Internet of Things (IoT) for Smart Precision Agriculture and Farming in Rural Areas,” *IEEE Internet Things J.*, vol. 5, no. 6, pp. 4890–4899, 2018, doi: 10.1109/JIOT.2018.2879579.
- [7] F. T. Informasi, “Implementasi Segmentasi Citra Natural Thresholding Neural Network untuk Model Prediksi Implementation of Natural Image Segmentation Using Thresholding- Based Techniques Neural,” 2015.
- [8] H. Jeong, B. Jeong, M. Han, and D. Cho, “applied sciences Analysis of Fine Crack Images Using Image Processing Technique and High-Resolution

- Camera,” 2021.
- [9] S. Minaee, Y. Y. Boykov, F. Porikli, A. J. Plaza, N. Kehtarnavaz, and D. Terzopoulos, “Image Segmentation Using Deep Learning: A Survey,” *IEEE Trans. Pattern Anal. Mach. Intell.*, pp. 1–22, 2021, doi: 10.1109/TPAMI.2021.3059968.
- [10] A. Çuhadar, A. C. Downton, and M. Fleury, “Structured parallel design for embedded vision systems: A case study,” *Microprocess. Microsyst.*, vol. 21, no. 2, pp. 131–141, 1997, doi: 10.1016/S0141-9331(97)00012-4.
- [11] R. Udendhran, M. Balamurugan, A. Suresh, and R. Varatharajan, “Enhancing image processing architecture using deep learning for embedded vision systems,” *Microprocess. Microsyst.*, vol. 76, p. 103094, 2020, doi: 10.1016/j.micpro.2020.103094.
- [12] H. Cho *et al.*, “Development of raspberry Pi single-board computer architecture based ultra-compact optical coherence tomography,” *Opt. Lasers Eng.*, vol. 148, no. January 2021, p. 106754, 2022, doi: 10.1016/j.optlaseng.2021.106754.
- [13] R. Chandana, S. a K. Jilani, and S. J. Hussain, “Smart Surveillance System using Thing Speak and Raspberry Pi,” *Int. J. Adv. Res. Comput. Commun. Eng.*, vol. 4, no. 7, pp. 214–218, 2015, doi: 10.17148/IJARCCCE.2015.4749.
- [14] G. Anand and A. K. Kumawat, “Object detection and position tracking in real time using Raspberry Pi,” *Mater. Today Proc.*, vol. 47, no. xxxx, pp. 3221–3226, 2021, doi: 10.1016/j.matpr.2021.06.437.
- [15] Pramuda A. Cahyan, dkk., “Segmentasi Citra Digital Menggunakan Algoritma Watershed dan Lowpass Filter Sebagai Proses Awal”, Brawijaya, Malang, 2013
- [16] M. Ahammad, “Machine Learning Model *Accuracy* and *Loss*.” <https://www.kaggle.com/getting-started/186841>.
- [17] Stack Overflow, “How to interpret *loss* and *accuracy* for a machine learning model [closed],” 2020. <https://stackoverflow.com/questions/34518656/how-to-interpret-loss-and-accuracy-for-a-machine-learning-model>.

- [18] F. Sulianta and A. Wahyu, "Pemanfaatan Teknologi Smart Farming & Intelligent Imaging untuk Meningkatkan Sikap dan Kesadaran Konservasi Area Perkebunan Kopi," *J. Inf. Technol.*, vol. 1, no. 1, pp. 31–38, 2019, doi: 10.47292/joint.v1i1.7.
- [19] X. Mai, H. Zhang and M. Q. -. Meng, "Faster R-CNN with Classifier Fusion for Small Fruit Detection," 2018 IEEE International Conference on Robotics and Automation (ICRA), Brisbane, QLD, 2018, pp. 7166-7172. doi: 10.1109/ICRA.2018.8461130
- [20] Android. (2019). Meet Android Studio. (Online) <https://developer.android.com/studio/intro> (8 Oktober 2019).
- [21] Taufiq, Imam. 2018. Deep Learning Untuk Deteksi Tanda Nomor Kendaraan Bermotor Menggunakan Algoritma Convolutional Neural Network Dengan Python Dan Tensorflow. Skripsi. Program Studi Sistem Informasi Sekolah Tinggi Manajemen Informatika dan Komputer AKAKOM.
- [22] Russa, Helder Filipe de Sausa. 2017. Computer Vision: Object Recognition With Deep Learning Applied to Fashion Items Detection in Images. Tesis. Faculdade de Economia Universidade Do Porto.
- [23] Jalled, Fares. 2016. Object Detection Using Image Processing. Diakses dari <https://arxiv.org/pdf/1611.07791.pdf>
- [24] McCarthy. 2007. Artificial Intelligence. Binus University.
- [25] Dobrev. 2004. Artificial Intelligence. Binus University.
- [26] Perkovic, Ljubomir. 2012. Introduction to Computing Using Python: An Application Development Focus.
- [27] Tan, M., Pang, R., & Le, Q. V. (2020). Efficientdet: Scalable and efficient object detection. In Proceedings of the IEEE/CVF conference on computer vision and pattern recognition (pp. 10781-10790).