

## DAFTAR PUSTAKA

- [1] Ericsson, "5G to account for all mobile data growth within 5 years," *ERICSSON MOBILITY REPORT DATA AND FORECASTS*, 2022.
- [2] R. Purnama, "DEVICE-TO-DEVICE (D2D) COMMUNICATION PADA JARINGAN SELULAR," *TEKNOKOM*, vol. 2, 2019.
- [3] R. A. Mulyadi and U. K. Usman, "Komunikasi device-to-device pada jaringan seluler 5g menggunakan mmwave," *Information Technology, Telecommunications, Electricals, Controls*, vol. 2, pp. 64-74, 2020.
- [4] S. Samy, E. A. Maher and A. El-Mahdy, "Full-Duplex Decode and Forward Relay-Aided Device-to-Device Communication," *SIGNAL PROCESSING: algorithms, architectures, arrangements, and applications (SPA)*, pp. 131-136, 2019.
- [5] F. Yassine, O. Bazzi and Y. Nasser, "Performance Analysis of Relayed D2D," *International Conference on Telecommunications and Signal Processing (TSP)*, vol. 43rd, pp. 377-381, 2020.
- [6] D. M. Nugraha, D. A. Fahmi and V. S. W.P, "ANALISIS PERFORMANSI ALOKASI SUMBER DAYA DENGAN BARGAINING ALGORITHM PADA JARINGAN KOMUNIKASI RELAY-ASSISTED DEVICE-TO-DEVICE," *e-Proceeding of Engineering*, vol. 7, p. 419, 2020.
- [7] F. Akhyar, N. and R. Muharar, "Efisiensi Energi Sistem Komunikasi Kooperatif Multi-relay Quantize and Forward Berdasarkan Pemilihan Relay," *JNTETI*, vol. 6, p. 66, 2017.
- [8] B. S. Kusuma Sakti, A. Fahmi and V. Sigit, "Analisis Performansi Alokasi Sumber Daya Radio Berbasis Algoritma Greedy pada Sistem Komunikasi

- D2d Underlaying," *SENTER 2019: Seminar Nasional Teknik Elektro 2019*, pp. 260-268, 2019.
- [9] A. Patkar, "5G Wireless Technology," *International Journal for Research in Applied Science & Engineering Technology (IJRASET)*, vol. X, no. 3, pp. 1519-1524, 2022.
- [10] ETSI, "System Architecture for the 5G System," in *ETSI TS 123 501*, ETSI, 2018, pp. 20-30.
- [11] E. A and Meilina, "Perbedaan 4G dan 5G Dari Performansi dan Komponen Arsitektur," Telkom University, 23 April 2023. [Online]. Available: <https://it.telkomuniversity.ac.id/perbedaan-4g-dan-5g/>. [Accessed 24 June 2023].
- [12] AGELLIZA and VANESA, PERENCANAAN JARINGAN 5G NEW RADIO MENGGUNAKAN METODE INTER-BAND CARRIER AGGREGATION DI KAWASAN AGUNG PODOMORO LAND TOWER CENTRAL PARK, 2023.
- [13] Ericsson, "5G RAN NR Coverage and Capacity Dimensioning," 2020.
- [14] S. Rani, A. Fahmi and V. Sigit, "SIMULASI RESOURCE ALLOCATION MENGGUNAKAN REVERSE ITERATIVE COMBINATORIAL AUCTION PADA SKEMA UNDERLAY D2D COMMUNICATION," *e-Proceeding of Engineering*, vol. 7, p. 4187, 2020.
- [15] M. C. Lucas-Estan and J. G. alvez, "Distributed radio resource allocation for device-to-device communications underlaying cellular networks," *Journal of Network and Computer Applications*, vol. 99, pp. 120-130, 2017.
- [16] D. F. S. X. a. C. H. X. Huang, "Power pectrum trading for full-duplex d2d communication," *IEEE Wireless Communications and Signal Processing (WCSP)*., pp. 1-5, 2019.

- [17] J. Iqbal, M. A. Iqbal, A. Ahmad, M. Khan, A. Qamar and K. Han, "Comparison of Spectral Efficiency Techniques in Device-to-Device Communication for 5G," *IEEE Access*, vol. 7, p. 57440–57449, 2019.
- [18] M. R. Azmi, M. Melinda and N. Nasaruddin, "Analisis Kinerja Jaringan Hybrid Kooperatif," *ELKOMIKA*, vol. 8, pp. 178-188, 2020.
- [19] H. Chour, Y. Nasser, O. Bazzi and F. Bader, "Full-Duplex or Half-Duplex D2D Mode? Closed Form Expression of the Optimal Power Allocation," *2018 25th International Conference on Telecommunications (ICT). IEEE*, pp. 498-504, 2018.
- [20] T. Thepsongkroh, P. Phunchongharn and K. Akkarajitsakul, "A Game Theoretical Resource Allocation for Relay-Assisted Device-to-Device Communication Networks," *IEEE International Conference on Information, Communication and Engineering*, pp. 484-487, 2017.
- [21] A. Abadi, "Manajemen interferensi dengan menggunakan power control untuk komunikasi device-to-device (d2d) dalam jaringan komunikasi seluler," *Universitas Lampung*, 2017.
- [22] Nurhasanah and B. Juan Pradana, "Measurement of SINR (Signal Noise Interference Noise to Ratio) and RSRP (Reference Signal Received Power) on 4G LTE Area Surakarta," *Jurnal ICT Akademi Telkom Jakarta*, vol. 8, 2017.
- [23] D. Lidya Tamtama and E. Yovita Dwi Utami, "ANALISIS KINERJA COVERAGE & KUALITAS SINYAL 4G LTE PADA OPERATOR SELULER DI KOTA PURBALINGGA," *Media Elektrika*, vol. 10, 2017.
- [24] B. J. Pradana and Nurhasanah, "Measurement of SINR (Signal Noise Interference Noise to Ratio) and RSRP (Reference Signal Received Power) on 4G LTE Area Surakarta," *Journal ICT*, vol. 8, 2017.

- [25] T. P. P. SDPPI, Studi Lanjutan 5G Indonesia 2018 Spektrum Outlook dan Use Case untuk Layanan 5G Indonesia, Jakarta: KOMINFO, 2018.
- [26] M. U. a. N. Djamal, "“Perhitungan pathloss teknologi long term evolution “Perhitungan pathloss teknologi long term evolution di Balikpapan," *Jurnal Nasional Teknik Elektro*, vol. 5, pp. 376-383, 2016.
- [27] Viswanathan and M, *Wireless Communication Systems in Matlab Second Edition.*, Independently Published, 2020.
- [28] I. P. Yowan Nugraha Suparta, N. M. Adriansyah and V. S. Widhi Prabowo, "ANALISIS INTERFERENSI DAN ALGORITMA MANAJEMEN DAYA PADA KOMUNIKASI D2D UNDERLAY JARINGAN SELULER 5G," *e-Proceeding of Engineering*, vol. 9, p. 319, 2022.
- [29] G. Y. L. W. C. a. D. W. K. N. Q. Wu, "Energy-Efficient D2D Overlaying Communications With Spectrum-Power Trading," *IEEE Transactions on Wireless Communication*, vol. 6, no. 17, p. 4404–4419, 2017.