

DAFTAR PUSTAKA

- [1] U. A. Patel, "Development of a Student Attendance Management System Using RFID and Face Recognition: A Review," vol. 2, no. 8, 2014.
- [2] P. K. M. S, Dr. K. Suresh, I. T. | K. K. R, and Dept. Of TCE,DBIT College ,Bangalore-560074.Karnataka, INDIA, "Smart Attendance System using Raspberry Pi," *Int. J. Trend Sci. Res. Dev.*, vol. Volume-1, no. Issue-5, pp. 514–518, Aug. 2017, doi: 10.31142/ijtsrd2306.
- [3] M. A. Anwar and D. Gangodkar, "Design and implementation of mobile phones based attendance marking system," in *2015 Communication, Control and Intelligent Systems (CCIS)*, Mathura, India: IEEE, Nov. 2015, pp. 120–123. doi: 10.1109/CCIntelS.2015.7437890.
- [4] M.-C. Huang, I.-P. Chen, H.-L. Huang, S.-F. Sung, and A.-G. Wang, "Project Design and Implementation of Face Recognition, Fever Detection, and Attendance Record Based on Sensing Technology," *Sens. Mater.*, vol. 33, no. 6, p. 1787, Jun. 2021, doi: 10.18494/SAM.2021.3203.
- [5] Student, Department of Mechanical Engineering in MIT Academy of Engineering, Pune, India. *et al.*, "Automatic Attendance System using Face Recognition Technique," *Int. J. Recent Technol. Eng. IJRTE*, vol. 9, no. 1, pp. 2134–2138, May 2020, doi: 10.35940/ijrte.A2644.059120.
- [6] D. V. Suresh, S. C. Dumpa, C. D. Vankayala, and J. Rapa, "Facial Recognition Attendance System Using Python and OpenCv".
- [7] S. Patel *et al.*, "Face Recognition based smart attendance system using IOT," *Int. J. Comput. Sci. Eng.*, vol. 6, no. 5, pp. 871–877, May 2018, doi: 10.26438/ijcse/v6i5.871877.
- [8] R. Lepage, "Introduction to programming with OpenCV".
- [9] N. Rusk, "Deep learning," *Nat. Methods*, vol. 13, no. 1, pp. 35–35, Jan. 2016, doi: 10.1038/nmeth.3707.
- [10] M. Sandler, A. Howard, M. Zhu, A. Zhmoginov, and L.-C. Chen, "MobileNetV2: Inverted Residuals and Linear Bottlenecks," in *2018 IEEE/CVF Conference on Computer Vision and Pattern Recognition*, Salt Lake City, UT: IEEE, Jun. 2018, pp. 4510–4520. doi: 10.1109/CVPR.2018.00474.

- [11] T.-Y. Lin *et al.*, “Microsoft COCO: Common Objects in Context,” in *Computer Vision – ECCV 2014*, vol. 8693, D. Fleet, T. Pajdla, B. Schiele, and T. Tuytelaars, Eds., in Lecture Notes in Computer Science, vol. 8693. , Cham: Springer International Publishing, 2014, pp. 740–755. doi: 10.1007/978-3-319-10602-1_48.
- [12] R. L. Atimi and Enda Esyudha Pratama, “Implementasi Model Klasifikasi Sentimen Pada Review Produk Lazada Indonesia,” *J. Sains Dan Inform.*, vol. 8, no. 1, pp. 88–96, Jul. 2022, doi: 10.34128/jsi.v8i1.419.
- [13] Prof. S. Ahire, R. Jadhao, V. Gawai, and P. Giri, “Automated Student Attendance Management System Using Face Recognition,” *Int. J. Adv. Res. Sci. Commun. Technol.*, pp. 187–192, Oct. 2021, doi: 10.48175/IJARSCT-2019.
- [14] S. Bhosale, A. Patil, V. Ovhal, M. Sonawane, and D. S. Gulhane, “Facial Recognition Based Smart Attendance System”.
- [15] A. Jha, “Class Room Attendance System Using Facial Recognition System,” vol. 2, no. 3.
- [16] A. S. Karthikk, “Automated Attendance System using Facial Recognition”.
- [17] Y. Anjara, H. Shirke, S. Padmanabhan, and A. Loke, “Facial Recognition Based Attendance System,” vol. 08, no. 04, 2021.
- [18] Khairun Nisa Meiah Ngafidin, A. Arista, and R. Nisa Sofia Amriza, “Implementasi Firebase Realtime Database pada Aplikasi FeedbackMe sebagai Penghubung Guru dan Orang Tua,” *J. RESTI Rekayasa Sist. Dan Teknol. Inf.*, vol. 5, no. 2, pp. 327–334, Apr. 2021, doi: 10.29207/resti.v5i2.2909.
- [19] I. Astuti, W. W. Ariestya, and B. Solehudin, “Deteksi Objek Daun Semanggi Secara Real Time Menggunakan CNN-Single Shot Multibox Detector (SSD),” *J. Ilm. FIFO*, vol. 14, no. 1, p. 47, May 2022, doi: 10.22441/fifo.2022.v14i1.005.
- [20] S. Fuady, N. Nehru, and G. Anggraeni, “Deteksi Objek Menggunakan Metode Single Shot Multibox Detector Pada Alat Bantu Tongkat Tunanetra Berbasis Kamera,” *J. Electr. Power Control Autom. JEPCA*, vol. 3, no. 2, p. 39, Dec. 2020, doi: 10.33087/jepca.v3i2.38.

- [21] D. S. Sitepu, “PENGUNAAN SINGLE SHOT MULTIBOX DETECTOR (SSD) UNTUK MENDETEKSI KERUSAKAN DNA PADA CITRA COMET ASSAY.” 2022. [Online]. Available: <https://etd.repository.ugm.ac.id/penelitian/detail/212931>
- [22] N. N. A. Marlina *et al.*, “Sistem Pendeteksi Pejalan Kaki di Lingkungan Terbatas Berbasis SSD Mobilenetv1 Menggunakan Gambar 360° Ternormalisasi,” *Pros. Semin. Nas. Sains Teknol. Dan Inov. Indones. SENASTINDO*, vol. 3, pp. 111–122, Dec. 2021, doi: 10.54706/senastindo.v3.2021.121.
- [23] W. Liu *et al.*, “SSD: Single Shot MultiBox Detector,” in *Computer Vision – ECCV 2016*, vol. 9905, B. Leibe, J. Matas, N. Sebe, and M. Welling, Eds., in *Lecture Notes in Computer Science*, vol. 9905. , Cham: Springer International Publishing, 2016, pp. 21–37. doi: 10.1007/978-3-319-46448-0_2.
- [24] W. Liu *et al.*, “SSD: Single Shot MultiBox Detector,” vol. 9905, 2016, pp. 21–37. doi: 10.1007/978-3-319-46448-0_2.
- [25] W. Liu *et al.*, “SSD: Single Shot MultiBox Detector,” vol. 9905, 2016, pp. 21–37. doi: 10.1007/978-3-319-46448-0_2.
- [26] M. Abadi *et al.*, “TensorFlow: Large-Scale Machine Learning on Heterogeneous Distributed Systems.” arXiv, Mar. 16, 2016. Accessed: Jan. 17, 2024. [Online]. Available: <http://arxiv.org/abs/1603.04467>
- [27] M. Tan and Q. V. Le, “EfficientNet: Rethinking Model Scaling for Convolutional Neural Networks”.
- [28] C. Currier, “Protocol Buffers,” in *Mobile Forensics – The File Format Handbook*, C. Hummert and D. Pawlaszczyk, Eds., Cham: Springer International Publishing, 2022, pp. 223–260. doi: 10.1007/978-3-030-98467-0_9.
- [29] E. Beauxis-Aussalet and L. Hardman, “Simplifying the Visualization of Confusion Matrix”.
- [30] A. K. Jain, “Biometric Recognition: How Do I Know Who You Are?,” *Biom. Recognit.*.
- [31] N. L. Tinkham and D. E. Provine, “The stage one Turing test as an artificial intelligence class exercise,” vol. 6, no. 4.

- [32] X. Feng, Y. Jiang, X. Yang, M. Du, and X. Li, “Computer vision algorithms and hardware implementations: A survey,” *Integration*, vol. 69, pp. 309–320, Nov. 2019, doi: 10.1016/j.vlsi.2019.07.005.
- [33] S. Ruder, “An overview of gradient descent optimization algorithms.” arXiv, Jun. 15, 2017. Accessed: Jan. 17, 2024. [Online]. Available: <http://arxiv.org/abs/1609.04747>
- [34] C. Shorten and T. M. Khoshgoftaar, “A survey on Image Data Augmentation for Deep Learning,” *J. Big Data*, vol. 6, no. 1, p. 60, Dec. 2019, doi: 10.1186/s40537-019-0197-0.
- [35] C. Soto and S. Yoo, “Visual Detection with Context for Document Layout Analysis,” in *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP)*, Hong Kong, China: Association for Computational Linguistics, 2019, pp. 3462–3468. doi: 10.18653/v1/D19-1348.
- [36] Y. Cui, W. Che, T. Liu, B. Qin, S. Wang, and G. Hu, “Revisiting Pre-Trained Models for Chinese Natural Language Processing,” in *Findings of the Association for Computational Linguistics: EMNLP 2020*, 2020, pp. 657–668. doi: 10.18653/v1/2020.findings-emnlp.58.
- [37] S. Shao *et al.*, “Objects365: A Large-Scale, High-Quality Dataset for Object Detection,” in *2019 IEEE/CVF International Conference on Computer Vision (ICCV)*, Seoul, Korea (South): IEEE, Oct. 2019, pp. 8429–8438. doi: 10.1109/ICCV.2019.00852.
- [38] W. Vallejo, C. Díaz-Uribe, and C. Fajardo, “Google Colab and Virtual Simulations: Practical e-Learning Tools to Support the Teaching of Thermodynamics and to Introduce Coding to Students,” *ACS Omega*, vol. 7, no. 8, pp. 7421–7429, Mar. 2022, doi: 10.1021/acsomega.2c00362.