

DAFTAR PUSTAKA

- [1] Aszani, “Penerapan Probabilistic Neural Network(Pnn) Untuk Prakiraan Cuaca Kota Pekanbaru,” UIN SUSKA RIAU, 2018.
- [2] B. Prasetyo, N. Pusparini, I. Irwandi, and W. Fitria, “Aplikasi Radar Cuaca Untuk Identifikasi Fluktuasi Kondisi Cuaca Ekstrim (Studi Kasus: Banjir Di Kota Medan Tanggal 5 Oktober 2018),” *J. Sains Teknol. Modif. Cuaca*, vol. 20, no. 1, pp. 13–21, 2020, doi: 10.29122/jstmc.v20i1.3901.
- [3] MENTERI KOMUNIKASI DAN INFORMATIKA REPUBLIK INDONESIA, “Peraturan Menteri Komunikasi Dan Informatika Republik Indonesia Nomor 12 Tahun 2022 Tentang Tabel Alokasi Spektrum Frekuensi Radio Indonesia Dengan,” p. 79, 2022, [Online]. Available: https://jdih.kominfo.go.id/produk_hukum/view/id/834/t/peraturan+menteri+komunikasi+dan+informatika+nomor+12+tahun+2022.
- [4] Cadence, “S-Band Radar Advantages and Disadvantages,” 2022. <https://resources.system-analysis.cadence.com/blog/msa2022-s-band-radar-advantages-and-disadvantages> (accessed Oct. 31, 2023).
- [5] Y. Fauzi, “Rancang Bangun Bandpass Filter Untuk Aplikasi Radar X-Band Menggunakan Resonator Mikrostrip Hairpin Dengan Menggunakan Open Stub Dan Square Groove,” p. 9, 2012.
- [6] S. Khillar, “Difference Between Narrowband and Wideband,” 2022. <http://www.differencebetween.net/technology/difference-between-narrowband-and-wideband/> (accessed Oct. 31, 2023).
- [7] a Salleh, N. R. Mohanad, N. M. Z. Hashim, M. Z. a A. Aziz, and M. H. Misran, “Design of Wideband Microstrip Bandpass Filter for S-Band Application,” *Aust. J. Basic Appl. Sci.*, vol. 8, no. 4, pp. 843–848, 2014.
- [8] M. Z. Hasan *et al.*, “Bandpass Filter Mikrostrip Untuk Radar Cuaca S-Band S-Band Microstrip Bandpass Filter for Weather Radar Using,” vol. 6, no. 2, pp. 3628–3635, 2019.
- [9] W. Octa Refnaldi, E. Ali, and A. Adya Pramudita, “Perancangan Bandpass Filter Mikrostrip Untuk Cw Radar pada Frekuensi S-Band,” *e-Proceeding Eng.*, vol. 8, no. 1, no. 1, pp. 206–213, 2021.
- [10] R. A. Maulidini, M. R. Hidayat, and T. Praludi, “Band-Pass Filter Mikrostrip

- at 3 GHz Frequency Using Square Open-Loop Resonator for S-Band Radar Applications,” *J. Elektron. dan Telekomun.*, vol. 20, no. 2, p. 53, 2020, doi: 10.14203/jet.v20.53-59.
- [11] G. A. Hussain, “Design of parallel coupled microstrip band-pass filters,” *Int. J. Electron.*, vol. 15, no. 5, pp. 6768–6775, 2016, doi: 10.1080/00207217808900884.
- [12] M. Skolnik, *Editor-in-Chief’s 2006 report*, 3rd ed., vol. 3. New York: The McGraw-Hill Company, 2008.
- [13] R. Mustafa, “TUGAS RADAR,” Universitas Hasanudin, 2010.
- [14] R. J. Doviak, D. S. Zrnic, and D. S. Sirmans, “Doppler Weather Radar,” *Proc. IEEE*, vol. 67, no. 11, pp. 1522–1553, 1979, doi: 10.1109/PROC.1979.11511.
- [15] T. Sinatra and Noersomadi, “Pemanfaatan Transportable Radar Cuaca Doppler X-Band Untuk Pengamatan Awan,” 2015.
- [16] H. Zumbahlen, *Linear Circuit Design Handbook*, vol. 14, no. 5. Burlington: Analog Devices, 2008.
- [17] B. . Sheno, *Digital Signal*. New Jersey: John Wiley & Sons, Inc., 2006.
- [18] S. S. R. K. M. S. P., “Design, Simulation and Fabrication of a Microstrip Bandpass Filter,” *Int. J. Sci. Eng. Appl.*, vol. 3, no. 5, pp. 154–158, 2014.
- [19] I. A. Utami, T. Prakoso, and I. Santoso, “Perancangan Band Pass Filter Mikrostrip Parallel,” vol. 7, no. 3, p. 716, 2018.
- [20] F. Farida, “Optimasi Lowpass Filter Mikrostrip Frekuensi 10,6 GHz dengan Metode Step-Impedansi,” *J. Sustain. J. Has. Penelit. dan Ind. Terap.*, vol. 06, no. 02, pp. 89–95, 2017.
- [21] David M. Pozar, *Microwave Engineering 4th Edition*, 4th ed., vol. 01. Amherst: John Wiley & Sons, Inc., 2017.
- [22] N. Kinayman and M. I. Aksun, *modern Microwave Circuits*, vol. 53, no. 9. New York: Artech House, 2005.
- [23] J. Hong and M. J. Lancaster, *Microstrip Filters for RF / Microwave Applications*, vol. 7. New York: John Wiley & Sons, Inc., 2001.
- [24] S. N. A. Rohman, “Perancangan Filter Bandpass pada Frekuensi 2.9-3.1 Ghz sebagai Penunjang Kinerja Radar Coastal di Wilayah Perairan Indonesia,”

Institut Teknologi Sepuluh Nopember, 2019.

- [25] S. F. Nurjihan, “Filter Bandpass Mikrostrip Berbasis Defected Ground Structure Dan Rangkaian Penggantinya,” Institut Teknologi Bandung, 2017.
- [26] J. García-García *et al.*, “Spurious passband suppression in microstrip coupled line band pass filters by means of split ring resonators,” *IEEE Microw. Wirel. Components Lett.*, vol. 14, no. 9, pp. 416–418, 2004, doi: 10.1109/LMWC.2004.832066.
- [27] Y. I. A. Al-Yasir, N. OjaroudiParchin, A. Abdulkhaleq, K. Hameed, M. Al-Sadoon, and R. Abd-Alhameed, “Design, Simulation and Implementation of Very Compact Dual-band Microstrip Bandpass Filter for 4G and 5G Applications,” *SMACD 2019 - 16th Int. Conf. Synth. Model. Anal. Simul. Methods Appl. to Circuit Des. Proc.*, pp. 41–44, 2019, doi: 10.1109/SMACD.2019.8795226.