

DAFTAR PUSTAKA

- [1] M. Ali *et al.*, “Peningkatan Kesadaran Masyarakat Terhadap Pentingnya Pencegahan Dini Stroke,” *J. Pengabdi. Masy. Fisioter.*, vol. 02, no. 01, pp. 65–71, 2023.
- [2] C. Tjhai and K. O’Keefe, “Using step size and lower limb segment orientation from multiple low-cost wearable inertial/magnetic sensors for pedestrian navigation,” *Sensors (Switzerland)*, vol. 19, no. 14, pp. 1–26, 2019, doi: 10.3390/s19143140.
- [3] H. Kim, J. W. Kim, and J. Ko, “Adaptive Control Method for Gait Detection and Classification Devices with Inertial Measurement Unit,” *Sensors*, vol. 23, no. 14, 2023, doi: 10.3390/s23146638.
- [4] H. N. Pradani and F. Mahananto, “Studi Literatur Human Activity Recognition (HAR) Menggunakan Sensor Inersia,” *J. RESTI (Rekayasa Sist. dan Teknol. Informasi)*, vol. 5, no. 6, pp. 1193–1206, 2021, doi: 10.29207/resti.v5i6.3665.
- [5] N. Prajapati, A. Kaur, and D. Sethi, “A Review on Clinical Gait Analysis,” *Proc. 5th Int. Conf. Trends Electron. Informatics, ICOEI 2021*, no. August, pp. 967–974, 2021, doi: 10.1109/ICOEI51242.2021.9452951.
- [6] A. Saboor *et al.*, “Latest research trends in gait analysis using wearable sensors and machine learning: A systematic review,” *IEEE Access*, vol. 8, pp. 167830–167864, 2020, doi: 10.1109/ACCESS.2020.3022818.
- [7] R. Hidayati, A. Zubair, A. H. Pratama, and L. Indiana, “Analisis Silhouette Coefficient pada 6 Perhitungan Jarak K-Means Clustering Silhouette Coefficient Analysis in 6 Measuring Distances of K-Means Clustering,” *Techno.COM*, vol. 20, no. 2, pp. 186–197, 2021.
- [8] D. Miler, D. Birt, and M. Hoić, “Multi-Objective Optimization of the Chebyshev Lambda Mechanism,” *Stroj. Vestnik/Journal Mech. Eng.*, vol. 68, no. 12, pp. 725–734, 2022, doi: 10.5545/sv-jme.2022.349.
- [9] M. Asif *et al.*, “Analysis of Human Gait Cycle with Body Equilibrium Based on Leg Orientation,” *IEEE Access*, vol. 10, no. November, pp. 123177–123189, 2022, doi: 10.1109/ACCESS.2022.3222859.

- [10] J. J. Ferreira, C. I. Fernandes, H. G. Rammal, and P. M. Veiga, “Wearable technology and consumer interaction: A systematic review and research agenda,” *Comput. Human Behav.*, vol. 118, no. November 2020, 2021, doi: 10.1016/j.chb.2021.106710.
- [11] S. H. Liu, N. H. Sabrina, and H. Hardson, “Comparison of FIR and IIR Filters for Audio Signal Noise Reduction,” *Ultim. Comput. J. Sist. Komput.*, vol. 15, no. 1, pp. 19–24, 2023, doi: 10.31937/sk.v15i1.3171.
- [12] Hanif Rizky N, Wahmisari Priharti, and Dien Rahmawati, “Perancangan Force Platform untuk Analisis Gaya Berjalan,” *e-Proceeding Eng.*, vol. 9, No.2, no. 2, pp. 145–151, 2022.
- [13] G. Putri, I. Rani, A. Aziz, M. Priyono, and T. Sulistyono, “IMPLEMENTASI EUCLIDEAN DAN CHEBYSHEV DISTANCE PADA K-MEDOIDS CLUSTERING,” vol. 6, no. 2, 2022.
- [14] R. Setiawan, H. H. Triharminto, and M. Fahrurrozi, “Gesture Control Menggunakan IMU MPU 6050 Metode Kalman Filter Sebagai Kendali Quadcopter,” *Pros. Semin. Nas. Sains Teknol. dan Inov. Indones.*, vol. 3, no. November, pp. 411–422, 2021, doi: 10.54706/senastindo.v3.2021.133.
- [15] M. Liandana, “Wearable System untuk Mendeteksi Aktivitas Fisik menggunakan Nilai Ambang Batas Akselerasi (Wearable System for Detecting Physical Activity using Acceleration Threshold),” *J. Teknol. Inf. dan Multimed*, vol. 1, no. 4, pp. 287–293, 2020.
- [16] A. Abdillah, M. I. Sani, and M. I. Sari, “Perancangan Dan Implementasi Smart Shoes Untuk Monitoring Gait Menggunakan Giroskop,” *eProceedings Appl. Sci.*, vol. 6, no. 3, p. 3428, 2020.
- [17] S. Ramdani, M. Z. Arifin, and S. Sujono, “Alat Bantu Berjalan Tunanetra Berbasis Mikrokontroler Arduino,” *Saintekbu*, vol. 13, no. 02, pp. 22–32, 2021, doi: 10.32764/saintekbu.v13i02.665.
- [18] R. BUDI, “Perancangan Sistem Otomasi Alat Uji Fatigue Telapak Kaki Buatan Berbasis Arduino,” 2021, [Online]. Available: <https://dspace.uii.ac.id/handle/123456789/36099%0Ahttps://dspace.uii.ac.id/bitstream/handle/123456789/36099/16525074> Reskia Budi.pdf?sequence=1&isAllowed=y

- [19] R. Ridarmin, F. Fauzansyah, E. Elisawati, and E. Prasetyo, “Prototype Robot Line Follower Arduino Uno Menggunakan 4 Sensor Tcr5000,” *I N F O R M a T I K a*, vol. 11, no. 2, p. 17, 2019, doi: 10.36723/juri.v11i2.183.
- [20] Q. Wang, “Digital Signal Processing Oriented Electronic Communication Engineering Applications and Practices,” *3C TIC Cuad. Desarro. Apl. a las TIC*, vol. 13, no. 1, pp. 96–115, 2024, doi: 10.17993/3ctic.2024.131.96-115.
- [21] H. Dalmia and S. K. Sinha, “Analog to Digital Converters (ADC): A Literature Review,” *E3S Web Conf.*, vol. 184, pp. 1–9, 2020, doi: 10.1051/e3sconf/202018401025.
- [22] F. Baskoro, M. Rohman, and A. P. Nurdiansyah, “Serial Peripheral Interface (SPI) Communication Application as Output Pin Expansion in Arduino Uno,” *Ina. Indones. J. Electr. Eletronics Eng.*, vol. 3, no. 2, pp. 63–69, 2020, doi: 10.26740/inajeee.v3n2.p63-69.
- [23] D. R. R. Ruwahida, I. Rachman, H. A. Widodo, R. Y. Adhitya, and Y. Irawan, “Sistem Komunikasi Mikrokontroler dan PLC Berbasis Komunikasi Serial Host Link dan Protokol C-Command RS232,” *Infotekmesin*, vol. 14, no. 2, pp. 354–361, 2023, doi: 10.35970/infotekmesin.v14i2.1924.
- [24] S. Patel, P. Talati, and S. Gandhi, “Design of I2C Protocol International Journal of Technical Innovation in Modern Engineering & Science (IJTIMES) Design of I2C Protocol,” no. March, pp. 2–6, 2019.
- [25] and S. G. J. Frigo, M., “FFTW: An Adaptive Software Architecture for the FFT,” in *Proceedings of the International Conference on Acoustics, Speech, and Signal Processing*, 1998, pp. 1381–1384.
- [26] P. A. S. Sutanti and G. A. V. Mastrika Giri, “Low Filtering Method for Noise Reduction at Text to Speech Application,” *JELIKU (Jurnal Elektron. Ilmu Komput. Udayana)*, vol. 8, no. 3, p. 339, 2020, doi: 10.24843/jlk.2020.v08.i03.p17.