

DAFTAR PUSTAKA

- [1] World Health Organization, “Diabetes,” *World Health Organization*, 2022. https://www.who.int/health-topics/diabetes#tab=tab_1 (accessed Nov. 10, 2022).
- [2] V. Shant M. *et al.*, “Outcomes of neuroischemic wounds treated by a multidisciplinary amputation prevention service,” *Ann. Vasc. Surg.*, vol. 29, no. 3, pp. 534–542, 2015, doi: 10.1016/j.avsg.2014.10.030.
- [3] A. Ndip and E. B. Jude, “Emerging evidence for neuroischemic diabetic foot ulcers: Model of care and how to adapt practice,” *Int. J. Low. Extrem. Wounds*, vol. 8, no. 2, pp. 82–84, 2009, doi: 10.1177/1534734609336948.
- [4] N. W. Trisnadewi, I. M. S. Adiputra, and N. K. Mitayanti, “Gambaran Pengetahuan Pasien Diabetes Mellitus (Dm) Dan Keluarga Tentang Manajemen Dm Tipe 2,” *Bali Med. J.*, vol. 5, no. 2, pp. 165–187, 2018, doi: 10.36376/bmj.v5i2.33.
- [5] N. Triastuti, D. N. Irawati, Y. Levani, and R. D. Lestari, “Faktor yang Mempengaruhi Tingkat Kepatuhan Konsumsi Obat Antidiabetes Oral pada Pasien Diabetes Melitus Tipe 2 di RSUD Kabupaten Jombang,” *Medica Arter.*, vol. 2, no. 1, p. 27, 2020, doi: 10.26714/medart.2.1.2020.27-37.
- [6] L. Guariguata, D. Whiting, C. Weil, and N. Unwin, “The International Diabetes Federation diabetes atlas methodology for estimating global and national prevalence of diabetes in adults,” *Diabetes Res. Clin. Pract.*, vol. 94, no. 3, pp. 322–332, 2011, doi: 10.1016/j.diabres.2011.10.040.
- [7] Kementerian Kesehatan RI, “Infodatin tetap produktif, cegah, dan atasi Diabetes Melitus 2020,” *Pusat Data dan Informasi Kementerian Kesehatan RI*. Pusat Data dan Informasi Kementerian Kesehatan RI, Jakarta, pp. 1–10, 2020. [Online]. Available: <https://pusdatin.kemkes.go.id/resources/download/pusdatin/infodatin/Infodatin-2020-Diabetes-Melitus.pdf>
- [8] P. N. Ramadhani, “Efek Variasi Komposisi Kolagen - Kitosan - Gliserol Terhadap Karakterisasi Scaffold Untuk Gingival Recession Therapy,” *Toler. Masy. beda Agama*, vol. 30, no. 28, p. 65, 2018.

- [9] N. Anggasari, M. Alauhdin, and A. T. Prasetya, "Sintesis dan karakterisasi membran kitosan-tripolifosfat sebagai alternatif pengontrol sistem pelepasan obat," *Indones. J. Chem. Sci.*, vol. 2, no. 3, pp. 190–193, 2013.
- [10] Z. Luo *et al.*, "In situ fabrication of nano zno/bcm biocomposite based on modified bacterial cellulose membrane for antibacterial and wound healing," *Int. J. Nanomedicine*, vol. 15, pp. 1–15, 2020, doi: 10.2147/IJN.S231556.
- [11] A. W. Paramadini, "Efek Variasi Konsentrasi Kolagen Terhadap Karakteristik Biokomposit Selulosa Bakteri-Kolagen Sebagai Kandidat Duramater Artifisial," *Univ. AIRLANGGA*, 2015, [Online]. Available: <http://repository.unair.ac.id/id/eprint/28170>
- [12] S. T. Hauser, D. Pollets, and B. L. Turner, "Ego development and self-esteem in diabetic adolescents," *Diabetes Care*, vol. 2, no. 6, pp. 465–471, 1979, doi: 10.2337/diacare.2.6.465.
- [13] R. Sarwono, "Pemanfaatan Kitin / Kitosan Sebagai Bahan Anti Mikroba," *J. Kim. Terap. Indones.*, vol. 12, no. 1, pp. 32–38, 2010.
- [14] Wardana Dian, Ahmad Ramadhan, "Utilization of Gliserol From Used Oil as an Ester Glycerol Surfactant," *Indones. J. Chem. Sci. Technol.*, vol. 01, pp. 1–23, 2019.
- [15] P. O. Stanescu *et al.*, "Novel chitosan and bacterial cellulose biocomposites tailored with polymeric nanoparticles for modern wound dressing development," *Drug Deliv.*, vol. 28, no. 1, pp. 1932–1950, 2021, doi: 10.1080/10717544.2021.1977423.
- [16] P. Widiyanti, H. Jabbar, and D. I. Rudyardjo, "Effects of variation of chitosan concentration on the characteristics of membrane cellulose bacteria-chitosan biocomposites as candidates for artificial dura mater," *AIP Conf. Proc.*, vol. 1817, 2017, doi: 10.1063/1.4976763.
- [17] N. F. Akhamar, "Fabrication of bacterial cellulose, chitosan and essential oil biocomposite for antimicrobial effect noor faridatul akhamar simbun universiti malaysia pahang," pp. 1–26, 2010.
- [18] R. P. R. Hartanti, Jatie K. Pudjibudojo, Lisa Aditama, *Pencegahan dan Penanganan Diabetes Mellitus*, 01 ed. Surabaya: Fakultas Psikologi Universitas Surabaya, 2013.

- [19] J. Apelqvist, T. Elgzyri, J. Larsson, M. Lndahl, P. Nyberg, and J. Thrne, “Factors related to outcome of neuroischemic/ischemic foot ulcer in diabetic patients,” *J. Vasc. Surg.*, vol. 53, no. 6, pp. 1582-1588.e2, 2011, doi: 10.1016/j.jvs.2011.02.006.
- [20] U. Alam, O. Asghar, S. Azmi, and R. A. Malik, *General aspects of diabetes mellitus*, 1st ed., vol. 126. Elsevier B.V., 2014. doi: 10.1016/B978-0-444-53480-4.00015-1.
- [21] F. Nurlidar, L. Hardiningsih, and D. Darwis, “Sintesis Dan Karakterisasi Selulosa Bakteri-Sitratkitosan Sebagai Pembalut Luka Antimikroba,” *J. Kim. Terap. Indones.*, vol. 15, no. 2, pp. 56–64, 2013, doi: 10.14203/jkti.v15i2.164.
- [22] Aliyyah Amanda, “Analisis Intervensi perawatan Luka Gangren dengan Metode Moderen Dressing pada Lansia penderita Diabetes Mellitus di Wilayah inpres IV Larangan Utara,” vol. 10, p. 160, 2021.
- [23] R. P. Febrinasari, T. A. Sholikhah, D. N. Pakha, and S. E. Putra, *Buku Saku Diabetes untuk Awam*, 01 ed., no. November. Surakarta: Penerbitan dan Pencetakan UNS (UNS Press), 2020. [Online]. Available: <https://www.researchgate.net/publication/346495581%0ABUKU>
- [24] A. R. Study *et al.*, “Protein Kinase C: After The Combination of Metformin and hyperbaric Oxygen Therapy In Type 2 Diabetes Patients,” *Folia Medica Indones.*, vol. 47, p. 7, 2011.
- [25] S. Soelistijo, “Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2021,” *Glob. Initiat. Asthma*, p. 46, 2021, [Online]. Available: www.ginasthma.org.
- [26] M. E. Edmonds and A. V. M. Foster, “Diabetic foot ulcers,” *Br. Med. J.*, vol. 332, no. 7538, pp. 407–410, 2006, doi: 10.1136/bmj.332.7538.407.
- [27] S. Jais, “Various Types of Wounds That Diabetic Patients Can Develop: A Narrative Review,” *Clin. Pathol.*, vol. 16, 2023, doi: 10.1177/2632010X231205366.
- [28] R. Portela, C. R. Leal, P. L. Almeida, and R. G. Sobral, “Bacterial cellulose: a versatile biopolymer for wound dressing applications,” *Microb. Biotechnol.*, vol. 12, no. 4, pp. 586–610, 2019, doi: 10.1111/1751-

7915.13392.

- [29] F. Esa, S. M. Tasirin, and N. A. Rahman, "Overview of Bacterial Cellulose Production and Application," *Agric. Agric. Sci. Procedia*, vol. 2, pp. 113–119, 2014, doi: 10.1016/j.aaspro.2014.11.017.
- [30] Tsuchida Takayasu and F. Yoshinaga, "Production of bacterial cellulose by agitation culture systems," *Pure Appl. Chem.*, vol. 69, no. 11, pp. 2453–2458, 1997, doi: 10.1351/pac199769112453.
- [31] E. S. Stanley Falkow, Eugene Rosenberg, Martin Dworkin, "The Prokaryotes: A Handbook on the Biology of Bacteria," *Springer.*, no. Bacteria, pp. 183–184, 2006.
- [32] W. S. Chang and H. H. Chen, "Physical properties of bacterial cellulose composites for wound dressings," *Food Hydrocoll.*, vol. 53, pp. 75–83, 2016, doi: 10.1016/j.foodhyd.2014.12.009.
- [33] A. M. A. Gallegos, S. H. Carrera, R. Parra, T. Keshavarz, and H. M. N. Iqbal, "Bacterial Cellulose: A Sustainable Source to Develop Value-Added Products – A Review," *BioResources*, vol. 11, no. 2, pp. 5641–5655, 2016, doi: 10.15376/BIORES.11.2.5641-5655.
- [34] M. Iguchi;, S. Yamanaka;, and A. Budhiono;, "Bacterial cellulose - a masterpiece of nature's arts," *J. Mater. Sci.*, vol. 35, no. 2, pp. 261–270, 2000.
- [35] H. M. N. Iqbal, G. Kyazze, T. Tron, and T. Keshavarz, "Laccase-assisted grafting of poly(3-hydroxybutyrate) onto the bacterial cellulose as backbone polymer: Development and characterisation," *Carbohydr. Polym.*, vol. 113, pp. 131–137, 2014, doi: 10.1016/j.carbpol.2014.07.003.
- [36] hasri, "Prospek Kitosan dan Kitosan Termodifikasi Sebagai Biopolimer Alami yang Menjanjikan," *J. Chem.*, vol. 11, no. 2, pp. 1–10, 2010.
- [37] S. L. Ihsani and C. R. Widyastuti, "Sintesis Biokoagulan Berbasis Kitosan Dari Kulit Udang Untuk Pengolahan Air Sungai Yang Tercemar Limbah Industri Jamu Dengan Kandungan Padatan Tersuspensi Tinggi," *J. Bahan Alam Terbarukan*, vol. 3, no. 2, pp. 66–70, 2014, doi: 10.15294/jbat.v3i2.3700.
- [38] A. Marhatillah, "Karakteristik Sifat Fisik dan Kimia Kitosan Cangkang

- Udang Hasil Iradasi Sinar Gamma,” pp. 1–88, 2017.
- [39] P. T. Hardani, D. Perwito, and N. A. Mayzika, “Isolasi Kitin Dan Kitosan Dari Berbagai Sumber Bahan Alam,” *Pros. Semin. Nas. Has. Ris. dan Pengabd.*, vol. III, pp. 469–475, 2021.
- [40] B. Setha, B.; Rumata, F.; Sillaban, “Karakteristik Kitosan Dari Kulit Udang Vaname Dengan Menggunakan Suhu dan Waktu Yang Berbeda dalam Proses Deasetilasi,” *J. Pengolah. Has. Perikan. Indones.*, vol. 22, no. 3, pp. 498–507, 2019.
- [41] N. Istiqomah, “Pembuatan Hidrogel Kitosan – Glutaraldehid Untuk Aplikasi Penutup Luka Secara In Vivo. Nur,” *Skripsi*, pp. 7–29, 2012.
- [42] K. Ogawa, T. Yui, and K. Okuyama, “Three D structures of chitosan,” *Int. J. Biol. Macromol.*, vol. 34, no. 1–2, pp. 1–8, 2004, doi: 10.1016/j.ijbiomac.2003.11.002.
- [43] A. R. P. Gustian, M. Alauhudin, and dan Winarni Pratjojo, “Sintesis dan Karakterisasi membran Kitosan-PRG (Polietilen Glikol) sebagai Pengontrol Sistem Pelepasan Obat,” *Indones. J. Chem. Sci.*, vol. 2, no. 3, 2013.
- [44] Y. Novi, T. A. Zaharah, and L. Destiarti, “Sintesis Dan Karakterisasi Membran Komposit Kitosan-Kaolin,” *Jkk*, vol. 5, no. 4, pp. 47–56, 2016.
- [45] D. Ciechańska, “Multifunctional bacterial cellulose/chitosan composite materials for medical applications,” *Fibres Text. East. Eur.*, vol. 12, no. 4, pp. 69–72, 2004.
- [46] wahyona Sugita, p., Sjahriza A. Wukirasari T., *Sumber Biomaterial Massa Depan*. Bogor: IPB Press, 2009.
- [47] A. D. dan S. Sulistino G,S, Wulanawati, “Sintesis Bahan Dasar tibial tray Berbasis HDPE yang di Perkuat dengan Gamma,” *J. Kim. Kemasan*, vol. 31(1), pp. 197–206, 2013.
- [48] Dutta p.K, *Chitin and Chitosan for regenerative Medice*, Springer. India, 2016.
- [49] K. Hesse, S., T, “Behavior of cellulose production of *Acetobacter xylinum* in ¹³C-enriched cultivation media including movement on nematic ordered cellulose templates,” *J. Carbohydr. Polym.*, vol. 60, pp. 457–465, 2005.
- [50] Pambuyun, *Teknologi Pengolahan Nata De Coco*, 1st ed. Yogyakarta:

Kanisius, 2002.

- [51] Adanti Wido Paramadini, “Efek Variasi Konsentrasi Kalogen Terhadap Karakteristik Biokomposit Selulosa Bakteri-Kalogen Sebagai kandidat Durameter Artifisial,” *Ekp*, vol. 13, no. 3, pp. 1576–1580, 2015.
- [52] Mutiara Valentina M, Ekelesia Martina, and Zuhrina Masyithah, “Pembuatan Gliserol Tribenzoat Dengan Proses Esterifikasi Menggunakan Katalis H-Zeolit Teraktivasi Oleh Asam Klorida Dan Asam Sulfat,” *J. Tek. Kim. USU*, vol. 5, no. 1, pp. 58–64, 2016, doi: 10.32734/jtk.v5i1.1526.
- [53] D. N. Kurniawan, “Prarencana Pabrik Gliserol Monostearat (GMS) dari Gliserol dan Metil Stearat,” *Galang Tanjung*, no. 2504, pp. 1–9, 2015.
- [54] E. Rohaeti, E. W. Laksono FX, and A. Rakhmawati, “Kemudahan Biodegradasi Selulosa Bakteri dari Limbah Cucian Beras dengan Penambahan Gliserol, Kitosan, dan Nanopartikel Perak,” *J. Kim. Val.*, vol. 2, no. 1, pp. 35–44, 2016, doi: 10.15408/jkv.v2i1.3083.
- [55] S. A. Azizah Ilham, Rahmaniah, and Fitriyanti, “Studi Kualitas Edible Film Berbasis Limbah Air Cucian Beras (*Oryza Sativa*) Dan Pektin Kulit Pepaya (*Carica Papaya L.*) Dengan Penambahan Gliserol,” *JFT J. Fis. dan Ter.*, vol. 9, no. 1, pp. 34–44, 2022, doi: 10.24252/jft.v9i1.25810.
- [56] K. V. S. Hodel *et al.*, “Evaluation of different methods for cultivating gluconacetobacter hansenii for bacterial cellulose and montmorillonite biocomposite production: Wound-dressing applications,” *Polymers (Basel)*, vol. 12, no. 2, 2020, doi: 10.3390/polym12020267.
- [57] I. S. Savitskaya, D. H. Shokatayeva, A. S. Kistaubayeva, L. V. Ignatova, and I. E. Digel, “Antimicrobial and wound healing properties of a bacterial cellulose based material containing *B. subtilis* cells,” *Heliyon*, vol. 5, no. 10, p. e02592, 2019, doi: 10.1016/j.heliyon.2019.e02592.
- [58] N. Meilia, “Penetapan Kadar Asam Mefenamat Dalam Tablet Dengan Metode Spektroskopi Ftir (Fourier Transform Infrared) Kombinasi Kemometrik,” *Fak. Farm. UMP*, 2019, [Online]. Available: <http://repository.ump.ac.id/id/eprint/9347>
- [59] D. J. Indrani, F. Lukitowati, and Y. Yulizar, “Preparation of Chitosan/Collagen Blend Membranes for Wound Dressing: A Study on FTIR

- Spectroscopy and Mechanical Properties,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 202, no. 1, 2017, doi: 10.1088/1757-899X/202/1/012020.
- [60] R. Denti Salindeho, J. Soukota, R. Poeng, J. Teknik, M. Universitas, and S. Ratulangi, “Pemodelan Pengujian Tarik Untuk Menganalisis Sifat Mekanik Material,” *Poros Tek. Mesin Unsrat*, vol. 2, pp. 1–11, 2013.
- [61] D. P. K. D, Archana, Joydeep Dutta, “Evaluation of chitosan nano dressing for wound healing: Characterization, in vitro and in vivo studies,” *Int. J. Biol. Macromol.*, vol. 57, pp. 193–203, 2013, doi: 10.1016/j.ijbiomac.2013.03.002.
- [62] N. Masta, “Buku Materi Pembelajaran Scanning Electron Microscopy,” *Patra Widya Seri Pnb. Penelit. Sej. dan Budaya.*, vol. 21, no. 3, pp. i–iii, 2020.
- [63] I. S. Savitskaya, A. S. Kistaubayeva, I. E. Digel, and D. H. Shokatayeva, “Physicochemical and antibacterial properties of composite films based on bacterial cellulose and chitosan for wound dressing materials,” *Eurasian Chem. J.*, vol. 19, no. 3, pp. 255–264, 2017, doi: 10.18321/ectj670.
- [64] M. Ulum, I. M. Tirta, and D. Anggraen, “Analisis Structural Equationmodeling(Sem) Untuk Sampel Kecil Dengan Pendekatan Partial Least Square (Pls),” *Semin. Nas. Mat.*, no. November, p. 6, 2014.
- [65] N. Atykyan, V. Revin, and V. Shutova, “Raman and FT-IR Spectroscopy investigation the cellulose structural differences from bacteria *Gluconacetobacter sucrofermentans* during the different regimes of cultivation on a molasses media,” *AMB Express*, vol. 10, no. 1, p. 11, 2020, doi: 10.1186/s13568-020-01020-8.
- [66] S. A. Munim, M. T. Saddique, Z. A. Raza, and M. I. Majeed, “Fabrication of cellulose-mediated chitosan adsorbent beads and their surface chemical characterization,” *Polym. Bull.*, vol. 77, no. 1, pp. 183–196, 2020, doi: 10.1007/s00289-019-02711-4.
- [67] F. L. Mi, S. S. Shyu, Y. B. Wu, S. T. Lee, J. Y. Shyong, and R. N. Huang, “Fabrication and characterization of a sponge-like asymmetric chitosan membrane as a wound dressing,” *Biomaterials*, vol. 22, no. 2, pp. 165–173, 2001, doi: 10.1016/S0142-9612(00)00167-8.

- [68] H. U. Zaman, J. M. M. Islam, M. A. Khan, and R. A. Khan, “Physico-mechanical properties of wound dressing material and its biomedical application,” *J. Mech. Behav. Biomed. Mater.*, vol. 4, no. 7, pp. 1369–1375, 2011, doi: 10.1016/j.jmbbm.2011.05.007.
- [69] J. F. W.L.J hinrichs, E.J.C.M.P.Lommen, Ch.R.H Wildevuur, “fabrication and Characterization of an asymmetric Polyurethane Membrane for Use as a Wound Dressing,” *Appl. Biomater.*, vol. 3, no. 2, pp. 287–303, 2001, doi: 10.1016/S0142-9612(00)00167-8.
- [70] S. H. Wen-Chun Lin, Chun-Chieh Lien, Hsiu-Jen Yeh, Chao-Ming Yu, “Bacterial cellulose and bacterial cellulose-chitosan membranes for wound dressing applications,” *Carbohydr. Polym.*, vol. 94, no. 1, pp. 603–611, 2013, doi: 10.1016/j.carbpol.2013.01.076.
- [71] J. Lu *et al.*, “Corrigendum to ‘Construction and function of robust and moist bilayer chitosan-based hydrogel wound dressing’ [Mater. Design 226 (2023) 111604] (Materials & Design (2023) 226, (S0264127523000199), (10.1016/j.matdes.2023.111604)),” *Mater. Des.*, vol. 230, p. 111961, 2023, doi: 10.1016/j.matdes.2023.111961.
- [72] A. Ko and C. Liao, “Hydrogel wound dressings for diabetic foot ulcer treatment: Status-quo, challenges, and future perspectives,” *BMEMat*, vol. 1, no. 3, 2023, doi: 10.1002/bmm2.12037.
- [73] H. Ao *et al.*, “Engineering quaternized chitosan in the 3D bacterial cellulose structure for antibacterial wound dressings,” *Polym. Test.*, vol. 86, no. January, p. 106490, 2020, doi: 10.1016/j.polymertesting.2020.106490.
- [74] A. Eskandarinia *et al.*, “A Novel Bilayer Wound Dressing Composed of a Dense Polyurethane/Propolis Membrane and a Biodegradable Polycaprolactone/Gelatin Nanofibrous Scaffold,” *Sci. Rep.*, vol. 10, no. 1, pp. 1–15, 2020, doi: 10.1038/s41598-020-59931-2.
- [75] M. L. Cacicedo, G. Pacheco, G. A. Islan, V. A. Alvarez, H. S. Barud, and G. R. Castro, “Chitosan-bacterial cellulose patch of ciprofloxacin for wound dressing: Preparation and characterization studies,” *Int. J. Biol. Macromol.*, vol. 147, pp. 1136–1145, 2020, doi: 10.1016/j.ijbiomac.2019.10.082.
- [76] S. Wichai, P. Chuysinuan, S. Chairwut, P. Ekabutr, and P. Supaphol,

- “Development of bacterial cellulose/alginate/chitosan composites incorporating copper (II) sulfate as an antibacterial wound dressing,” *J. Drug Deliv. Sci. Technol.*, vol. 51, no. March, pp. 662–671, 2019, doi: 10.1016/j.jddst.2019.03.043.
- [77] K. M. Pasaribu, S. Gea, S. Ilyas, T. Tamrin, and I. Radecka, “Characterization of bacterial cellulose-based wound dressing in different order impregnation of chitosan and collagen,” *Biomolecules*, vol. 10, no. 11, pp. 1–15, 2020, doi: 10.3390/biom10111511.
- [78] M. S. Khil, D. Il Cha, H. Y. Kim, I. S. Kim, and N. Bhattarai, “Electrospun Nanofibrous Polyurethane Membrane as Wound Dressing,” *J. Biomed. Mater. Res. - Part B Appl. Biomater.*, vol. 67, no. 2, pp. 675–679, 2003, doi: 10.1002/jbm.b.10058.
- [79] H. R. Bakhsheshi-Rad *et al.*, “In vitro and in vivo evaluation of chitosan-alginate/gentamicin wound dressing nanofibrous with high antibacterial performance,” *Polym. Test.*, vol. 82, p. 106298, 2020, doi: 10.1016/j.polymertesting.2019.106298.
- [80] Pratiwi Pudjiastuti, “SALUDI (SAlep Luka DIabetes) Kombinasi Ekstrak Rumput Laut dan Ekstrak Kulit Buah Manggis,” *Unair News*, 2021. <https://news.unair.ac.id/2021/06/18/saludi-salep-luka-diabetes-kombinasi-ekstrak-rumput-laut-dan-ekstrak-kulit-buah-manggis/?lang=id>