

## DAFTAR PUSTAKA

- [1] Admin and Sherly Widianti, “Penanganan Ispa Pada Anak Balita (Studi Literatur),” *J. Kesehat. dan Pembang.*, vol. 10, no. 20, pp. 79–88, 2020, doi: 10.52047/jkp.v10i20.81.
- [2] S. Wulandhani and A. B. Purnamasari, “Analisis Faktor Risiko Kejadian Infeksi Saluran Pernapasan Akut ditinjau dari Lingkungan Fisik,” *Sainsmat J. Ilm. Ilmu Pengetah. Alam*, vol. 8, no. 2, p. 70, 2019, doi: 10.35580/sainsmat82107212019.
- [3] R. Garmini and R. Purwana, “Polusi Udara Dalam Rumah Terhadap Infeksi Saluran Pernafasan Akut pada Balita di TPA Sukawinatan Palembang,” vol. 19, no. 1, pp. 1–6, 2020.
  
- [1] N. Achmad Yusup, dan Lilis Sulistyoriini, A. Fakultas Kesehatan Masyarakat UNAIR, and D. di Bagian Kesehatan, “Hubungan Sanitasi Rumah Secara Fisik Dengan Kejadian Ispa Pada Balita,” pp. 110–120, [Online]. Available: <http://journal.unair.ac.id/download-fullpapers-KESLING-1-2-02.pdf>.
- [2] V. Van Tran, D. Park, and Y. C. Lee, “Indoor air pollution, related human diseases, and recent trends in the control and improvement of indoor air quality,” *Int. J. Environ. Res. Public Health*, vol. 17, no. 8, 2020, doi: 10.3390/ijerph17082927.
- [3] S. U. Amin and M. S. Hossain, “Edge Intelligence and Internet of Things in Healthcare: A Survey,” *IEEE Access*, vol. 9, pp. 45–59, 2021, doi: 10.1109/ACCESS.2020.3045115.
- [4] F. Nurahmadi and A. Ashari, “Sistem Kontrol dan Monitoring Suhu Jarak Jauh Memanfaatkan Embedded system Mikroprosesor W5100 dan ATMega8535,” *Ijeis*, vol. 1, no. 2, pp. 55–66, 2011.
- [5] A. J. Grande, J. Keogh, V. Silva, and A. M. Scott, “Exercise versus no exercise for the occurrence, severity, and duration of acute respiratory infections,”

- Cochrane Database Syst. Rev.*, vol. 2020, no. 4, 2020, doi: 10.1002/14651858.CD010596.pub3.
- [6] F. Lima, P. Ferreira, and V. Leal, “Temperature and Health Outcomes,” *Energies*, vol. 13, no. 2881, pp. 1–24, 2020.
  - [7] A. Baughman and E. Arens, “Indoor Humidity and Human Health-Part I: Literature Review of Health Effects of Humidity-Influenced Indoor Pollutants,” *ASHRAE Trans.*, vol. 102, 1996.
  - [8] J. Bennett *et al.*, “Sources of indoor air pollution at a New Zealand urban primary school; a case study,” *Atmos. Pollut. Res.*, vol. 10, no. 2, pp. 435–444, 2019, doi: 10.1016/j.apr.2018.09.006.
  - [9] M. U. Ali *et al.*, “Health impacts of indoor air pollution from household solid fuel on children and women,” *J. Hazard. Mater.*, vol. 416, no. May, p. 126127, 2021, doi: 10.1016/j.jhazmat.2021.126127.
  - [10] H. Alkabbani, A. Ramadan, Q. Zhu, and A. Elkamel, “An Improved Air Quality Index Machine Learning-Based Forecasting with Multivariate Data Imputation Approach,” *Atmosphere (Basel)*, vol. 13, no. 7, 2022, doi: 10.3390/atmos13071144.
  - [11] N. N. Thilakarathne, M. K. Kagita, and D. T. R. Gadekallu, “The Role of the Internet of Things in Health Care: A Systematic and Comprehensive Study,” *Int. J. Eng. Manag. Res.*, vol. 10, no. 4, pp. 145–159, 2020, doi: 10.31033/ijemr.10.4.22.
  - [12] M. J. Manurung, P. Poningsi, S. R. Andani, M. Safii, and I. Irawan, “Door Security Design Using Fingerprint and Buzzer Alarm Based on Arduino,” *J. Comput. Networks, Archit. High-Performance Comput.*, vol. 3, no. 1, pp. 42–51, 2021, doi: 10.47709/cnahpc.v3i1.929.
  - [13] H. Alkabbani, A. Ramadan, Q. Zhu, and A. Elkamel, “An Improved Air Quality Index Machine Learning-Based Forecasting with Multivariate Data Imputation

- Approach,” *Atmosphere (Basel)*., vol. 13, no. 7, 2022, doi: 10.3390/atmos13071144.
- [14] N. N. Thilakarathne, M. K. Kagita, and D. T. R. Gadekallu, “The Role of the Internet of Things in Health Care: A Systematic and Comprehensive Study,” *Int. J. Eng. Manag. Res.*, vol. 10, no. 4, pp. 145–159, 2020, doi: 10.31033/ijemr.10.4.22.
- [15] Y. Q. O. Fauziah, C. P. Vecky, D. . M. Pinrolinvic, and F. R. Reynold, “Implementasi Internet of Things Pada Sistem Monitoring Suhu dan Kelembaban Pada Ruangan Pengering Berbasis Web,” *J. Tek. Elektro dan Komput.*, vol. 7, no. 3, pp. 331–338, 2018, [Online]. Available: [www.cec-unsrat.com](http://www.cec-unsrat.com).
- [16] J. H. Nord, A. Koohang, and J. Paliszewicz, “The Internet of Things: Review and theoretical framework,” *Expert Syst. Appl.*, vol. 133, pp. 97–108, 2019, doi: 10.1016/j.eswa.2019.05.014.
- [17] H. Soeroso, A. Zuhri Arfianto, N. Eka Mayangsari, and M. Taali, “Penggunaan Bot Telegram Sebagai Announcement System pada Intansi Pendidikan,” *Semin. Master PPNS*, vol. 2, no. 1, pp. 45–48, 2017.
- [18] D. Ismawati and I. Prasetyo, “The Development of Telegram BOT Through Short Story,” vol. 456, no. Bicmst, pp. 209–212, 2020, doi: 10.2991/assehr.k.201021.049.
- [19] D. Srivastava, A. Keswani, and S. Dubey, “Measurement of Temperature and Humidity by using Arduino Tool and DHT11,” *Int. Res. J. Eng. Technol.*, vol. 05, no. 12, pp. 1–3, 2018.
- [20] Pleva GmbH, “Temperature sensor,” *Melliand Textilberichte*, vol. 76, no. 12, p. 1112, 1995, doi: 10.11117/3.1002910.ch11.
- [21] I. A. Rombang, L. B. Setyawan, and G. Dewantoro, “Perancangan Prototipe Alat Deteksi Asap Rokok dengan Sistem Purifier Menggunakan Sensor MQ-135 dan

- MQ-2,” *Techné J. Ilm. Elektrotek.*, vol. 21, no. 1, pp. 131–144, 2022, doi: 10.31358/techne.v21i1.312.
- [22] P. By ALLDATASHEETCOM, “MQ135 WINSEN | Alldatasheet,” 2015, [Online]. Available: [www.winsen-sensor.com](http://www.winsen-sensor.com).
- [23] K. V. S. S. Ganesh, S. P. S. Jeyanth, and A. R. Bevi, “IOT based portable heart rate and SpO2 pulse oximeter,” *HardwareX*, vol. 11. 2022, doi: 10.1016/j.ohx.2022.e00309.
- [24] M. J. Manurung, P. Poningsi, S. R. Andani, M. Safii, and I. Irawan, “Door Security Design Using Fingerprint and Buzzer Alarm Based on Arduino,” *J. Comput. Networks, Archit. High-Performance Comput.*, vol. 3, no. 1, pp. 42–51, 2021, doi: 10.47709/cnahpc.v3i1.929.
- [25] M. Raini, “Toksikologi Insektisida Rumah Tangga dan Pencegahan Keracunan,” *Media Litbangkes*, vol. 19, no. 2, pp. 27–33, 2009, [Online]. Available:  
<http://ejournal.litbang.depkes.go.id/index.php/MPK/article/viewFile/753/16>