

DAFTAR PUSTAKA

- [1] Vaya Herlyna Putri , Djoko Kuswanto, M. Yoma Alief Samboro, Indri Lakhsmi Putri ,”Desain Alat Kontrol Akurasi Perletakan dan Geometri Implan Telinga Pada Kasus Rekonstruksi *Microtia Ears* Tahap 1”, 28 Agustus 2021.
- [2] Daniela V. Luquetti, Carrie L. Heike, Anne V. Hing, Michael L. Cunningham, and Timothy C. Cox,”*Microtia: Epidemiology & Genetics*”, 12 September 2011.
- [3] Riyan Charlie Milyantono, Artono,”mikrotia”, 2014.
- [4] Scribante,”*Properties of CAD/CAM Three Dimension (3D) Printing Dental Materials and Their Clinical Applications in Orthodontics: Where Are We Now*”, Journal applied sciences, 12 (551), 1-11.2022.
- [5] Department of Plastic and Maxillofacial Surgery,”*Microtia & Ear Anomalies in Children*”,2016.
- [6] Prasan Kumar , Joshi Shubha , Sowjanya P , Shalini bn, Jesudass G,”*An silicone auricular prosthesis along with retentive aids - A case Report*”, 2014,doi: 10.7860/JCDR/2014/9653.4663.
- [7] Endang Prawesthi, Dita Syafitri, “*Temporary Auricular Prosthesis Acrylic Resin With Eyeglasses Retention To Improve Aesthetics In Patient With Ear Loss Case (Case Report)*”, Jurnal Teknologi dan Seni Kesehatan, 2019.
- [8] Shin Etsu Company,”*Characteristic properties of Silicone Rubber Compounds Meeting the increasingly diverse and sophisticated needs of industry with the unique properties of silicone rubbers*”, 2020.
- [9] Carol López Dicastillo, Matias Guerrero Correa, Fernanda B. Martínez, Camilo Streitt and Maria José Galotto,”*Antimicrobial Effect of Titanium Dioxide Nanoparticles*”,2020,doi: 10.5772/intechopen.90891.
- [10] Mazher Iqbal Mohammed, Joseph Tatineni , Brenton Cadd , Greg Peart , and Ian Gibson, “*Advanced Auricular Prosthesis Development by 3D Modelling and Multi-material Printing*”, KnE Engineering, 2017,doi :10.18502/keg.v2i2.593.

- [11] Arora, Aman Pasam, Nirmala Gilra, Shilpi Arora, Preeti C,," *Prosthetic rehabilitation of auricular defect: A clinical report*", 2013, doi:10.1177/0309364612457407.
- [12] Krishna Prasad D. , Archana Ashok Swaminathan & Anupama Prasad D.,,"*Fabrication of a Silicone Auricular Prosthesis – A Case Report*",2016, doi:10.12968/denu.2011.38.6.414.
- [13] Pramod K Chahar, Abir S, E Mahesh Gowda, Poonam Prakash,"*An Innovative Technique for Fabrication of Silicone Auricular Prosthesis* ",2018, doi : 10.5005/jp-journals-10019-1220.
- [14] Nasruddin, Rustan Ambo Asse, Eri Hendra Jubhari,"*Silicone auricular prosthetics with adhesive retention: a case report*",2022, doi: 10.46934/ijp.v3i2.145.
- [15] Mufidah Roshina, Shalihah Salwa Almas, Kenrasuna Aurora Qoria, Tasya Shafira, Ittaqillah, Sayyidul Istighfar ,Widiyanti Prihartini, "*Silicone Rubber / ZnO Nanoparticle Auricular Prosthesis Microtia*",pp.1-16.
- [16] Yulia wahyuni,S.kep, M.Gizi,,"Modul Anatomi Fisiologi", page 1-148, 2020.
- [17] Fanny Yudhiono, Shinta Fitri Boesoerie,"Aurikuloplasti (Serial Kasus) pada Mikrotia *Post Graft* dan Rekonstruksi Tahap 1", urnal Sistem Kesehatan, pp. 36-41,2018.
- [18] Maureen T. Ross, Rena Cruz, Courtney Hutchinson, Wendy L. Arnott, Maria A. Woodruff & Sean K. Powell (2018) Rekonstruksi estetika mikrotia: tinjauan teknik terkini dan pendekatan pencetakan 3D baru, *Virtual dan Pembuatan Prototipe Fisik*, 13:2, 117-130, doi: 10.1080/17452759.2018.1430246.
- [19] Ramkumar, K, Sabarigirinathan, C, Vinayagavel, K, Gunasekar, C, Dhanaraj,Implants for Auricular Prosthesis.
- [20] A. Firdaus,"Pembuatan dan Analisis Material Silikon untuk Alat Peraga Khitan", 2020.

- [21] Ella Agustin Dwi Kiswanti dan Suminar Pratapa, "Sintesis Titanium Dioksida (TiO_2) Menggunakan Metode Logam-Terlarut Asam", pages 18-21, 2013.
- [22] Sulistyani, Martin, Huda, Nuril, "Perbandingan Metode Transmisi dan Reflektansi Pada Pengukuran Polistirena Menggunakan Instrumentasi Spektroskopi Fourier Transform Infra Red", Indonesian Journal of Chemical Science, 2018.
- [23] Sarjono, Koos, Chanif, Achmad, "Pengaruh Las Tahanan Listrik Terhadap Kekuatan Mekanis Pipa Baja Api 5L – X52", 2009.
- [24] Thermo Nicolet Corp., Introduction to Fourier Transform Infrared Spectrometry. 2001.
- [25] Muqoddam, Masyhud Kartika, Wisnu Wibowo, Susilo Ari, "Modul Digitalisasi Mikroskop", 2020.
- [26] E. K. Putra, "Pengaruh Kekuatan Tarik Dan Tekan Pada Bahan Di 3D 118Printer," [Http://Repository.Umsu.Ac.Id/Xmlui/Handle/123456789/8154](http://Repository.Umsu.Ac.Id/Xmlui/Handle/123456789/8154), pp. 4–8, 2019.
- [27] A. Wicaksana and T. Rachman, "濟無 No Title No Title No Title," *Angew. Chemie Int. Ed.* 6(11), 951–952., vol. 3, no. 1, pp. 10–27, 2018, [Online]. Available: <https://medium.com/@arifwicaksanaa/pengertian-use>.
- [28] Authors, "3d Printing Teknikal Guide Transfer of knowledge about basics of 3D printing", 2017.
- [29] R. P. P.N, "Optimasi Parameter pada 3D Print Resin untuk Menghasilkan Karakteristik Tribologi yang Terbaik menggunakan Metode Taguchi," *Jur. Tek. Mesin, Fak. Teknol. Ind.*, 2022.
- [30] Edoward Ramadhan, Mochamad, Darsin, Mahros, Ilham Akbar, "Akurasi Dimensi Produk Filamen 3D Printing Berbahan Polipropilen Menggunakan Mesin Ekstrusi", 2022.
- [31] Linlin Wang a , Qi Liu , Dongdong Jing , Shanyu Zhou , Longquan Shao, " *Biomechanical properties of nano-TiO₂ addition to a medical silicone elastomer: The effect of artificial ageing*", *Journal of Dentistry*, vol.42, pp.475-483.

- [32] Nandiyanto, Asep Bayu Dani, Oktiani Rosi, Ragadhita Risti,"*How to read and interpret ftir spectroscopy of organic material*", Indonesian Journal of Science and Technology, vol.4,pp.97-118,2019.
- [33] Dhuha A. Shakir, BDS and Faiza M. Abdul-Ameer, MSc," *Effect of nano-titanium oxide addition on some mechanical properties of silicone elastomers for maxillofacial prostheses*", Journal of Taibah University Medical Sciences, vol.13,pp.281-290,2018.
- [34] Rashid Arooj, Saleem Jawad Amin, Muhammad Ali, Sahibzada Muhammad," *Long-term aging characteristics of co-filled nano-silica and micro-ATH in HTV silicone rubber composite insulators*", Polymers and Polymer Composites, vol.29,pp.40-56,2021.
- [35] Leila Nayyer, PhD , Martin Birchall, MD, FRCS, FMed Sci,Alexander M. Seifalian, PhD, Gavin Jell, PhD," *Design and development of nanocomposite scaffolds for auricular reconstruction* ",Nanomedicine: Nanotechnology, Biology, and Medicine, vol.10, pp.253-246,2014.
- [36] Prihartini Widiyanti, Elia Abraham, Jan Adi, "*Synthesis of auricular prosthesis based on nanoparticle silicone/TiO₂ for microtia case*",Journal AIP Conference Proceedings, vol.2720,2023.
- [37] Sonnahalli Nithin, Chowdhary Ramesh,"*Effect of nanoparticles on color stability and mechanical and biological properties of maxillofacial silicone elastomer: A systematic review*", Journal of Indian Prosthodontic Society,vol.20,pp.244-245,2020.
- [38] Han Ying, Zhao YiMin, Xie Chao, Powers John M, Kiat-amnuay, Sudarat,"*Color stability of pigmented maxillofacial silicone elastomer: Effects of nano-oxides as opacifiers*", Journal Of Dentistry, vol.38, pp100-105, 2010.