

DAFTAR PUSTAKA

- [1] A. Cancer Council, *Understanding brain tumours _ A guide for people with cancer, their families and friends_*. 2020.
- [2] P. Pendidikan and P. Dokter, “SPACE OCCUPYING LESION (SOL) CEREBRI Kapakisan I Ketut S, Kesanda I Made Phala, Adnyana Putra I Made Angga,” 2022.
- [3] H. Sung *et al.*, “Global Cancer Statistics 2020: GLOBOCAN Estimates of Incidence and Mortality Worldwide for 36 Cancers in 185 Countries,” *CA. Cancer J. Clin.*, vol. 71, no. 3, pp. 209–249, 2021, doi: 10.3322/caac.21660.
- [4] “Direktorat Jenderal Pelayanan Kesehatan.” Accessed: Dec. 19, 2022. [Online]. Available: https://yankes.kemkes.go.id/view_artikel/1879/ketahui-apa-itu-pneumonia
- [5] E. Sembiring, “Self Efficacy dan Kualitas Hidup Pasien Tumor Otak Self Efficacy and Quality of Life of Brain Tumor Patients,” *Med. Respati J. Ilm. Kesehat.*, vol. 17, no. 3, pp. 151–160.
- [6] Z. Zhang *et al.*, “A general image misalignment correction method for tomography experiments,” *iScience*, p. 107932, Oct. 2023, doi: 10.1016/j.isci.2023.107932.
- [7] S. Chotimah Noor, “Implementasi Sistem Informasi Kesehatan di Fasilitas Pelayanan Kesehatan Indonesia Literature Review,” *JurnalRekamMedisdanManajemenInformasiKesehatan*, vol. 2, pp. 8–12, 2022.
- [8] S. Wahyuni and L. Amalia, “Perkembangan dan Prinsip Kerja Computed Tomography (CT SCAN),” 2022.
- [9] J. A. Chalela *et al.*, “Magnetic resonance imaging and computed tomography in emergency assessment of patients with suspected acute stroke: a prospective comparison,” 2007.
- [10] A. Faisal, “POSITRON EMISSION TOMOGRAPHY,” 2015.
- [11] N. Handayani, K. F. H, F. Haryanto, S. N. K, M. R. Baidillah, and W. P. Taruno, “Simulasi Rekonstruksi Citra Pada Sensor Brain ECVT (Electrical Capacitance Volume Tomography) dengan Metode ILBP (Iterative Linear Back Projection),” *Indones. J. Appl. Phys.*, vol. 6, no. 02, p. 107, Feb. 2017,

doi: 10.13057/ijap.v6i02.1480.

- [12] “ECVT 4D Brain Scanner – CTECH Laboratories.” Accessed: Oct. 22, 2023. [Online]. Available: <https://c-techlabs.com/ecvt-4d-brain-scanner/>
- [13] B. Sasongko, M. Komarudin, and S. S. Ratna, “Perancangan Pengukur Kapasitansi Orde Femtofarad Berbasis Rangkaian Aktif Differensial Untuk Sistem Electrical Capacitance Volume Tomography (ECVT),” 2013.
- [14] M. R. Baidillah and M. Takei, “Exponential model normalization for electrical capacitance tomography with external electrodes under gap permittivity conditions,” *Meas. Sci. Technol.*, vol. 28, no. 6, Apr. 2017, doi: 10.1088/1361-6501/aa6a02.
- [15] Y. Jiangbao, Z. Lei, Z. Feng, X. Tan, and Z. Changsheng, “An Improved Normalized Model of Electrical Capacitance Tomography,” vol. 176, Jul. 2018, doi: 10.1051/mateconf/201817601032.
- [16] J. Z. Xu, B. Z. Gao, and F. Y. Kang, “A reconstruction of Maxwell model for effective thermal conductivity of composite materials,” *Appl. Therm. Eng.*, vol. 102, pp. 972–979, Jun. 2016, doi: 10.1016/j.applthermaleng.2016.03.155.
- [17] R. Maharani, R. E. Edison, M. F. Ihsan, and W. P. Taruno, “Average Subtraction Method for Image Reconstruction of Brain using ECVT for Tumor Detection,” *Int. J. Technol.*, vol. 11, no. 5, pp. 995–1004, Nov. 2020, doi: 10.14716/ijtech.v11i5.4325.
- [18] IEEE Signal Processing Society, IEEE Engineering in Medicine and Biology Society, IEEE International Conference on Service-Oriented Computing and Applications, C. IEEE International Symposium on Biomedical Imaging: from Nano to Macro 10 2013.04.07-11 San Francisco, and C. ISBI 10 2013.04.07-11 San Francisco, *IEEE 10th International Symposium on Biomedical Imaging (ISBI), 2013 7-11 April 2013, San Francisco, CA*.
- [19] Q. M. Marashdeh, F. L. Teixeira, and L. S. Fan, “Adaptive electrical capacitance volume tomography,” *IEEE Sens. J.*, vol. 14, no. 4, pp. 1253–1259, Apr. 2014, doi: 10.1109/JSEN.2013.2294533.
- [20] J. Zheng and L. Peng, “A Deep Learning Compensated Back Projection for Image Reconstruction of Electrical Capacitance Tomography,” *IEEE Sens.*

- J.*, vol. 20, no. 9, pp. 4879–4890, May 2020, doi: 10.1109/JSEN.2020.2965731.
- [21] Q. Marashdeh, W. Warsito, L. S. Fan, and F. L. Teixeira, “Nonlinear forward problem solution for electrical capacitance tomography using feed-forward neural network,” *IEEE Sens. J.*, vol. 6, no. 2, pp. 441–448, Apr. 2006, doi: 10.1109/JSEN.2005.860316.
- [22] P. N. Darma, M. R. Baidillah, M. W. Sifuna, and M. Takei, “Improvement of image reconstruction in electrical capacitance tomography (ECT) by sectorial sensitivity matrix using a K-means clustering algorithm,” *Meas. Sci. Technol.*, vol. 30, no. 7, Jun. 2019, doi: 10.1088/1361-6501/ab1022.
- [23] X. Dong and S. Guo, “Image reconstruction method for electrical capacitance tomography based on the combined series and parallel normalization model,” *Meas. Sci. Technol.*, vol. 19, no. 4, Apr. 2008, doi: 10.1088/0957-0233/19/4/045502.
- [24] H. G. Wang and W. Q. Yang, “Measurement of fluidised bed dryer by different frequency and different normalisation methods with electrical capacitance tomography,” *Powder Technol.*, vol. 199, no. 1, pp. 60–69, Apr. 2010, doi: 10.1016/j.powtec.2009.04.019.
- [25] Y. Jiangbao, Z. Lei, Z. Feng, X. Tan, and Z. Changsheng, “An Improved Normalized Model of Electrical Capacitance Tomography,” *EDP Sciences*, Jul. 2018. doi: 10.1051/mateconf/201817601032.
- [26] S. Sun, X. Lu, L. Xu, Z. Cao, J. Sun, and W. Yang, “Real-Time 3-D Imaging and Velocity Measurement of Two-Phase Flow Using a Twin-Plane ECT Sensor,” *IEEE Trans. Instrum. Meas.*, vol. 70, 2021, doi: 10.1109/TIM.2021.3073934.
- [27] G. Chaplin, T. Pugsley, L. Van Der Lee, A. Kantzas, and C. Winters, “The dynamic calibration of an electrical capacitance tomography sensor applied to the fluidized bed drying of pharmaceutical granule,” *Meas. Sci. Technol.*, vol. 16, no. 6, pp. 1281–1290, Jun. 2005, doi: 10.1088/0957-0233/16/6/007.
- [28] T. R. Mckeen and T. S. Pugsley, “The influence of permittivity models on phantom images obtained from electrical capacitance tomography,” vol. 1822, 1822.

- [29] H. I. Javaid, "Anatomy and Physiology of Brain in Context of Learning: A Review from Current Literature," *Biomed. J. Sci. Tech. Res.*, vol. 26, no. 5, Apr. 2020, doi: 10.26717/bjstr.2020.26.004415.
- [30] "Anatomi Otak, Anatomi Otak Manusia | Otak & Tulang Belakang Mayfield Cincinnati, Ohio." Accessed: Dec. 04, 2023. [Online]. Available: <https://mayfieldclinic.com/pe-anatbrain.htm>
- [31] R. Andre, B. Wahyu, and R. Purbaningtyas, "KLASIFIKASI TUMOR OTAK MENGGUNAKAN CONVOLUTIONAL NEURAL NETWORK DENGAN ARSITEKTUR EFFICIENTNET-B3," 2021. [Online]. Available: <https://jurnal.umj.ac.id/index.php/just-it/index>
- [32] Annual IEEE Computer Conference, Middle East Conference on Biomedical Engineering 2 2014.02.17-20 Doha, and MECBME 2 2014.02.17-20 Doha, *Middle East Conference on Biomedical Engineering (MECBME), 2014 Doha, Qatar, 17-20 Feb. 2014.*
- [33] H. McCann, G. Pisano, and L. Beltrachini, "Variation in Reported Human Head Tissue Electrical Conductivity Values," *Brain Topogr.*, vol. 32, no. 5, pp. 825–858, Sep. 2019, doi: 10.1007/s10548-019-00710-2.
- [34] N. F. Saminan, "Frekuensi Gelombang Otak dalam Menangkap Ilmu Imajinasi dan Realita (Berdasarkan Ontologi)," *J. Filsafat Indones.*, vol. 3, 2020.
- [35] N. Grossman *et al.*, "Noninvasive Deep Brain Stimulation via Temporally Interfering Electric Fields," *Cell*, vol. 169, no. 6, pp. 1029-1041.e16, Jun. 2017, doi: 10.1016/j.cell.2017.05.024.
- [36] W. Warsito, Q. Marashdeh, and L. S. Fan, "Electrical capacitance volume tomography," *IEEE Sens. J.*, vol. 7, no. 4, pp. 525–535, Apr. 2007, doi: 10.1109/JSEN.2007.891952.
- [37] S. Sun *et al.*, "Sensitivity Guided Image Fusion for Electrical Capacitance Tomography," *IEEE Trans. Instrum. Meas.*, vol. 70, 2021, doi: 10.1109/TIM.2020.3043501.
- [38] R. K. Rasel, S. M. Chowdhury, Q. M. Marashdeh, and F. L. Teixeira, "Review of Selected Advances in Electrical Capacitance Volume Tomography for Multiphase Flow Monitoring," *Energies*, vol. 15, no. 14.

MDPI, Jul. 01, 2022. doi: 10.3390/en15145285.

- [39] E. Budiman and U. Hairah, “COMPARISON OF LINEAR AND VECTOR DATA NORMALIZATION TECHNIQUES IN DECISION MAKING FOR LEARNING QUOTA ASSISTANCE,” 2021.
- [40] E. Lette, M. Zunaidi, and W. R. Maya, “Prediksi Penjualan Crude Palm Oil (CPO) Menggunakan Metode Regresi Linear Berganda,” vol. 1, 2022.
- [41] F. R. Nugraha, J. Wahyudi, and A. S. Kurniawansyah, “Application of Parking Retribution Income Forecasting at PT Bumi Daya Plaza Bengkulu City Using Trend Method Non Linear Squadratic Model Aplikasi Peramalan Pendapatan Retribusi Parkir pada PT Bumi Daya Plaza Kota Bengkulu Menggunakan Metode Trend Non Line,” vol. 2, no. 1, pp. 129–136, 2022.
- [42] Y. A. S. N. Sulandari and Y. A. Pranata, “Metode Elemen Hingga Sambungan Balok-Kolom,” *J. Tek. Sipil*, vol. 8, no. 2, pp. 76–141, 2012.
- [43] S. AlZu’bi, M. Shehab, M. Al-Ayyoub, Y. Jararweh, and B. Gupta, “Parallel implementation for 3D medical volume fuzzy segmentation,” *Pattern Recognit. Lett.*, vol. 130, pp. 312–318, 2020, doi: 10.1016/j.patrec.2018.07.026.
- [44] A. E. Chakroun *et al.*, “Gear mesh stiffness of polymer-metal spur gear system using generalized Maxwell model,” *Mech. Mach. Theory*, vol. 175, p. 104934, Sep. 2022, doi: 10.1016/J.MECHMACHTHEORY.2022.104934.
- [45] L. Casas, J. A. Ortega, A. Gómez, J. Escandón, and R. O. Vargas, “Analytical solution of mixed electroosmotic/ pressure driven flow of viscoelastic fluids between a parallel flat plates micro-channel: The maxwell model using the oldroyd and jaumann time derivatives,” *Micromachines*, vol. 11, no. 11, Nov. 2020, doi: 10.3390/mi11110986.
- [46] R. Singh, W. Wu, G. Wang, and M. K. Kalra, “Artificial intelligence in image reconstruction: The change is here,” *Physica Medica*, vol. 79. Associazione Italiana di Fisica Medica, pp. 113–125, Nov. 01, 2020. doi: 10.1016/j.ejmp.2020.11.012.
- [47] S. N. Ahmed, “Essential statistics for data analysis,” in *Physics and Engineering of Radiation Detection*, Elsevier, 2015, pp. 541–593. doi: 10.1016/b978-0-12-801363-2.00009-7.

- [48] C. Jiang, Q. Zhang, R. Fan, and Z. Hu, “Super-resolution CT Image Reconstruction Based on Dictionary Learning and Sparse Representation,” *Sci. Rep.*, vol. 8, no. 1, Dec. 2018, doi: 10.1038/s41598-018-27261-z.
- [49] Y. Lin, W. Yang, Z. Wu, and H. Wang, “Monitoring of high-moisture content particle drying in a fluidized bed by microwave and capacitance tomographic sensors,” *Dry. Technol.*, vol. 40, no. 6, pp. 1153–1167, 2022, doi: 10.1080/07373937.2020.1861005.
- [50] C. Moler and J. Little, “A history of MATLAB,” *Proc. ACM Program. Lang.*, vol. 4, no. HOPL, Jun. 2020, doi: 10.1145/3386331.
- [51] A. Li and S. L. Butler, “Forward modeling of magnetotellurics using Comsol Multiphysics,” *Appl. Comput. Geosci.*, vol. 12, Dec. 2021, doi: 10.1016/j.acags.2021.100073.
- [52] “Persamaan maxwell dan efek nonlinear,” *J. Sains dan Seni ITS*, vol. 6, no. 1, pp. 51–66, 2017, [Online]. Available: <http://repositorio.unan.edu.ni/2986/1/5624.pdf>
- [53] A. Dwisafitri, D. Darmawan, and A. Qurthobi, “Pengukuran Kapasitansi Dan Resistansi Untuk Pendeteksian Lubang Pada Kayu Measurement of Capacitance and Resistance for Detecting Holes in the Wood,” vol. 6, no. 2, pp. 5297–5304, 2019.
- [54] K. R. Liyadi, H. Pratiwi, P. Aditya, and M. Ibnu, “Penerapan Metode Single Moving Average Dalam Peramalan Persediaan Bahan Pangan,” vol. 4, no. 1, pp. 72–80, 2022.