

DAFTAR PUSTAKA

- [1] A. Rendon and K. Schäkel, “Psoriasis Pathogenesis and Treatment.,” *Int. J. Mol. Sci.*, vol. 20, no. 6, Mar. 2019, doi: 10.3390/ijms20061475.
- [2] T. Vasowala, S. Gharat, M. Mhase, and M. Momin, “Advances in hydrogels based cutaneous drug delivery system for management of psoriasis,” *Eur. Polym. J.*, vol. 202, no. 2, p. 112630, 2024, doi: 10.1016/j.eurpolymj.2023.112630.
- [3] Putri Oktriana Rachman, Budi Eko Prasetyorini, Nathania Amelinda, Fatimah Fitriani, and Arie Kusumawardani, “Peran Balneoterapi pada Psoriasis,” *Medicinus*, vol. 35, no. 2, pp. 62–70, 2022, doi: 10.56951/medicinus.v35i2.95.
- [4] I. Kurniasari, I. Yasmin, and K. Muslimin, “Karakteristik psoriasis di poliklinik kulit dan kelamin RSUP Dr,” *Kariadi Semarang. Dalam Julianto I, Mawardi P, penyunting. Kumpul. Makal. Lengkap II PIT XII PERDOSKI Solo*, pp. 71–73, 2012.
- [5] E. F. Mustifah, R. Hastuti, A. Rafika, P. Sari, and N. Mulianto, “Peranan Diet pada Tatalaksana Psoriasis,” *Cdk*, vol. 44, no. 10, pp. 730–734, 2017.
- [6] M. M. Topik and N. Tacha, “Penatalaksanaan Psoriasis Terkini,” *J. Ilmu Kedokt. dan Kesehat. Indones.*, vol. 3, no. 3, pp. 134–156, 2023, [Online]. Available: <https://doi.org/10.55606/jikki.v3i3.2166>
- [7] R. Narayanaswamy and V. P. Torchilin, “Hydrogels and their applications in targeted drug delivery,” *Molecules*, vol. 24, no. 3, 2019, doi: 10.3390/molecules24030603.
- [8] N. Chunshom, P. Chuysinuan, S. Techasakul, and S. Ummartyotin, “Dried-state bacterial cellulose (*Acetobacter xylinum*) and polyvinyl-alcohol-based hydrogel: An approach to a personal care material,” *J. Sci. Adv. Mater. Devices*, vol. 3, no. 3, pp. 296–302, 2018, doi: 10.1016/j.jsamd.2018.06.004.
- [9] A. P. C. Almeida *et al.*, “Crosslinked bacterial cellulose hydrogels for biomedical applications,” *Eur. Polym. J.*, vol. 177, no. June, 2022, doi: 10.1016/j.eurpolymj.2022.111438.
- [10] J. Wang, C. Gao, Y. Zhang, and Y. Wan, “Preparation and in vitro characterization of BC/PVA hydrogel composite for its potential use as

- artificial cornea biomaterial,” *Mater. Sci. Eng. C*, vol. 30, no. 1, pp. 214–218, 2010, doi: 10.1016/j.msec.2009.10.006.
- [11] L. Yang, C. Wang, L. Chen, X. Wang, P. Cui, and T. Zhang, “Effect of aldehydes crosslinkers on properties of bacterial cellulose-poly(vinyl alcohol) (BC/PVA) nanocomposite hydrogels,” *Fibers Polym.*, vol. 18, no. 1, pp. 33–40, 2017, doi: 10.1007/s12221-017-6873-9.
 - [12] E. Tamahkar, “Bacterial cellulose/poly vinyl alcohol based wound dressings with sustained antibiotic delivery,” *Chem. Pap.*, vol. 75, no. 8, pp. 3979–3987, 2021, doi: 10.1007/s11696-021-01631-w.
 - [13] S. Song *et al.*, “Antibacterial polyvinyl alcohol/bacterial cellulose/nano-silver hydrogels that effectively promote wound healing,” *Mater. Sci. Eng. C*, vol. 126, no. February, p. 112171, 2021, doi: 10.1016/j.msec.2021.112171.
 - [14] Y. Han *et al.*, “Studies on bacterial cellulose/poly(vinyl alcohol) hydrogel composites as tissue-engineered corneal stroma,” *Biomed. Mater.*, vol. 15, no. 3, p. 35022, 2020, doi: 10.1088/1748-605X/ab56ca.
 - [15] A. Raharja, S. K. Mahil, and J. N. Barker, “Psoriasis: a brief overview,” *Clin. Med.*, vol. 21, no. 3, pp. 170–173, May 2021, doi: 10.7861/clinmed.2021-0257.
 - [16] R. G. B. Langley, G. G. Krueger, and C. E. M. Griffiths, “Psoriasis: Epidemiology, clinical features, and quality of life,” *Ann. Rheum. Dis.*, vol. 64, no. SUPPL. 2, pp. 18–24, 2005, doi: 10.1136/ard.2004.033217.
 - [17] W. B. Kim, D. Jerome, and J. Yeung, “Diagnosis and management of psoriasis.,” *Can. Fam. Physician*, vol. 63, no. 4, pp. 278–285, Apr. 2017.
 - [18] A. B. Kuchekar *et al.*, “Psoriasis: A comprehensive review,” 2011. [Online]. Available: <https://api.semanticscholar.org/CorpusID:23239875>
 - [19] P. Dwinidya Yuliastuti, “Psoriasis : Tinjauan Pustaka,” vol. 42, no. 12, pp. 901–906, 2015.
 - [20] Febriyani Dyah Kusuma Dewi, “Terapi Pada Psoriasis,” *J. Med. Hutama*, vol. 02, no. 02, pp. 402–406, 2021.
 - [21] D. wuragil rahayuningdyah, D. Lyrawati, and F. Widodo, “Pengembangan Formula Hidrogel Balutan Luka Menggunakan Kombinasi Polimer

- Galaktomanan dan PVP,” *Pharm. J. Indones.*, vol. 005, no. 02, pp. 117–122, 2020, doi: 10.21776/ub.pji.2020.005.02.8.
- [22] N. Kashyap, N. Kumar, and M. N. V. R. Kumar, “Hydrogels for pharmaceutical and biomedical applications.,” *Crit. Rev. Ther. Drug Carrier Syst.*, vol. 22 2, pp. 107–149, 2005, [Online]. Available: <https://api.semanticscholar.org/CorpusID:36955584>
- [23] R. Kartika, A. Gadri, and G. C. E. Darma, “Formulasi Basis Sediaan Pembalut Luka Hidrogel dengan Teknik Beku Leleh Menggunakan Polimer Kappa Karagenan,” *Pros. Penelit. Spes. Unisba*, vol. 0, no. 0, pp. 643–648, 2015.
- [24] K. Sharma, V. Kumar, B. S. Kaith, S. Kalia, and H. Swart, “Conducting Polymer Hydrogels and Their Applications,” 2016. doi: 10.1007/978-3-319-46458-9_7.
- [25] F. Esa, S. M. Tasirin, and N. A. Rahman, “Overview of Bacterial Cellulose Production and Application,” *Agric. Agric. Sci. Procedia*, vol. 2, pp. 113–119, 2014, doi: 10.1016/j.aaspro.2014.11.017.
- [26] T. Tsuchida and F. Yoshinaga, “Production of bacterial cellulose by agitation culture systems,” *Pure Appl. Chem.*, vol. 69, no. 11, pp. 2453–2458, 1997, doi: 10.1351/pac199769112453.
- [27] F. Nouban and M. Abazid, “Plastic degrading fungi Trichoderma viride and Aspergillus nomius isolated fromNouban, F. and Abazid, M. (2017) ‘Plastic degrading fungi Trichoderma viride and Aspergillus nomius isolated from local landfill soil in Medan’, Iopscience.Iop.Org, 8(February , ” *Iopscience.Iop.Org*, vol. 8, no. February 2018, pp. 68–74, 2017, doi: 10.1088/1755-1315.
- [28] M. Velásquez-Riaño and V. Bojacá, “Production of bacterial cellulose from alternative low-cost substrates,” *Cellulose*, vol. 24, pp. 2677–2698, 2017, [Online]. Available: <https://api.semanticscholar.org/CorpusID:99048600>
- [29] N. Ben Halima, “Poly(vinyl alcohol): review of its promising applications and insights into biodegradation,” *RSC Adv.*, vol. 6, no. 46, pp. 39823–39832, 2016, doi: 10.1039/C6RA05742J.
- [30] M. I. Baker, S. P. Walsh, Z. Schwartz, and B. D. Boyan, “A review of

- polyvinyl alcohol and its uses in cartilage and orthopedic applications.,” *J. Biomed. Mater. Res. B. Appl. Biomater.*, vol. 100, no. 5, pp. 1451–1457, Jul. 2012, doi: 10.1002/jbm.b.32694.
- [31] R. Singh, N. Kumar, T. Mehrotra, K. Bisaria, and S. Sinha, *Environmental hazards and biodegradation of plastic waste: Challenges and future prospects*. INC, 2020. doi: 10.1016/B978-0-12-820524-2.00009-2.
 - [32] C. C. Demerlis and D. R. Schoneker, “Review of the oral toxicity of polyvinyl alcohol (PVA) - PDF Free Download,” *Food Chem. Toxicol.*, vol. 41, no. 3, pp. 319–326, 2003, [Online]. Available: <https://kundoc.com/pdf-review-of-the-oral-toxicity-of-polyvinyl-alcohol-pva-.html>
 - [33] Delete, “Linked references are available on JSTOR for this article,” *Acad. Manag. Rev.*, vol. 31, no. 2, pp. 386–408, 2006.
 - [34] W. A. Rutala and D. J. Weber, *Disinfection, Sterilization, and Control of Hospital Waste*, Eighth Edi., vol. 2. Elsevier Inc., 2014. doi: 10.1016/B978-1-4557-4801-3.00301-5.
 - [35] K. Pal, A. T. Paulson, and D. Rousseau, *Biopolymers in Controlled-Release Delivery Systems*. 2013. doi: 10.1016/B978-1-4557-2834-3.00014-8.
 - [36] L. E. Maier, H. P. Lampel, T. Bhutani, and S. E. Jacob, “Hand Dermatitis: A Focus on Allergic Contact Dermatitis to Biocides,” *Dermatol. Clin.*, vol. 27, no. 3, pp. 251–264, 2009, doi: <https://doi.org/10.1016/j.det.2009.05.007>.
 - [37] R. Satar, M. Jafri, M. Rasool, and S. Ansari, “Role of Glutaraldehyde in Imparting Stability to Immobilized β -Galactosidase Systems,” *Brazilian Arch. Biol. Technol.*, vol. 60, 2018, doi: 10.1590/1678-4324-2017160311.
 - [38] S. Wahyuni *et al.*, “Esterifikasi Gliserol Dan Asam Lemak Jenuh Sawit Dengan Katalis Mesa Esterification of Glycerol Andsaturatedfatty Acids of Palm Oil Withmesa As Catalyst,” *J. Teknol. Ind. Pertan.*, vol. 26, no. 3, pp. 333–342, 2016.
 - [39] A. E. Prasetyo, A. Widhi, and W. Widayat, “Potensi Gliserol Dalam Pembuatan Turunan Gliserol Melalui Proses Esterifikasi,” *J. Ilmu Lingkung.*, vol. 10, no. 1, p. 26, 2012, doi: 10.14710/jil.10.1.26-31.
 - [40] U. A. Repository, “225529042,” 2018.
 - [41] D. Lantara, R. Kalla, and I. Asnawi, “Produksi Akrolein Dengan Proses

- Degradasi Menggunakan Gelombang Suara,” *J. Chem. Process Eng.*, vol. 4, no. 2, pp. 97–102, 2019, doi: 10.33536/jcpe.v4i2.469.
- [42] S. Hesse and T. Kondo, “Behavior of cellulose production of Acetobacter xylinum in 13C-enriched cultivation media including movements on nematic ordered cellulose templates,” *Carbohydr. Polym.*, vol. 60, no. 4, pp. 457–465, 2005, doi: 10.1016/j.carbpol.2005.02.018.
- [43] R. E. Cannon, “Acetobacter xylinum --- Biotechnology and Food Technology,” in *Electrotransformation of Bacteria*, N. Eynard and J. Teissié, Eds. Berlin, Heidelberg: Springer Berlin Heidelberg, 2000, pp. 104–107. doi: 10.1007/978-3-662-04305-9_12.
- [44] R. Pambayun, “TEKNOLOGI PENGOLAHAN NATA DE COCO,” 2002. [Online]. Available: <https://api.semanticscholar.org/CorpusID:238539553>
- [45] G. S. P.L. King, M.S. Ramsey, P.F. McMillan, “for Geologic Samples,” *Transform*, 2004.
- [46] N. Meilia, “PENETAPAN KADAR ASAM MEFENAMAT DALAM TABLET DENGAN METODE SPEKTROSKOPI FTIR (FOURIER TRANSFORM INFRARED) KOMBINASI KEMOMETRIK,” *Universitas Muhammadiyah Purwokerto*, 2019. <https://repository.ump.ac.id/9347/> (accessed Dec. 17, 2023).
- [47] S. Padhi and A. Behera, “Chapter 17 - Biosynthesis of Silver Nanoparticles: Synthesis, mechanism, and characterization,” in *Nanobiotechnology for Plant Protection*, K. A. Abd-Elsalam, R. Periakaruppan, and S. B. T.-A.-W. and M. for P. of S. N. Rajeshkumar, Eds. Elsevier, 2022, pp. 397–440. doi: <https://doi.org/10.1016/B978-0-12-823575-1.00008-1>.
- [48] N. N. Daéid, “FORENSIC SCIENCES | Systematic Drug Identification,” in *Encyclopedia of Analytical Science (Second Edition)*, Second Edi., P. Worsfold, A. Townshend, and C. Poole, Eds. Oxford: Elsevier, 2005, pp. 471–480. doi: <https://doi.org/10.1016/B0-12-369397-7/00197-7>.
- [49] S. Meliana, “The Role of Fourier Transform Infrared (FTIR) Analysis in the Field of Pharmacy,” *Department of Pharmacy, Faculty of Health Science, University of Darussalam Gontor*, 2020. <https://unida.gontor.ac.id/the-role-of-fourier-transform-infrared-ftir-analysis-in-the-field-of-pharmacy/>

- (accessed Dec. 22, 2023).
- [50] P. Lumbantoruan and E. Yulianti, “Pengaruh Suhu terhadap Viskositas Minyak Pelumas (Oli),” *J. Sainmatika*, vol. 13, no. 2, pp. 26–34, 2019.
 - [51] D. Z. Fickri, “Journal of Pharmaceutical Care Anwar Medika Artikel Penelitian,” *J. Pharm. Care Anwar Med.*, vol. 1, no. 1, pp. 16–24, 2019.
 - [52] “EN 13726 Primary Wound Dressing Test Methods,” *Surgical Materials Testing Laboratory*, 2011. <http://smtl.co.uk/testing-services/54-wound-dressings-testing-services/127-primary-wound-dressings.html> (accessed Dec. 25, 2023).
 - [53] S. Thomas, “Testing dressings and wound management materials,” *Adv. Text. Wound Care A Vol. Woodhead Publ. Ser. Text.*, pp. 20–47, 2009, doi: 10.1533/9781845696306.1.20.
 - [54] B. S. I. Staff, *Test Methods for Primary Wound Dressings. Aspects of Absorbency*. B S I Standards, 2002. [Online]. Available: <https://books.google.co.id/books?id=qgvQPQAAQAAJ>
 - [55] L. Indrarti, Indriyati, A. Syampurwadi, and S. Pujiastuti, “Physical and mechanical properties of modified bacterial cellulose composite films,” *AIP Conf. Proc.*, vol. 1711, 2016, doi: 10.1063/1.4941633.
 - [56] E. Felasih, “Pemanfaatan Selulosa Bakteri - Polivinil Alkohol (Pva) Hasil Iradiasi (Hidrogel) sebagai Matriks Topeng Masker Wajah,” p. 4, 2010, [Online]. Available: <https://repository.uinjkt.ac.id/dspace/handle/123456789/2414>
 - [57] Z. Zhang, Y. Liu, S. Lin, and Q. Wang, “Preparation and properties of glutaraldehyde crosslinked poly(vinyl alcohol) membrane with gradient structure,” *J. Polym. Res.*, vol. 27, no. 8, pp. 0–6, 2020, doi: 10.1007/s10965-020-02223-0.
 - [58] R. S. Angtika, P. Widiyanti, and A. Aminatun, “Bacterial Cellulose-Chitosan-Glycerol Biocomposite as Artificial Dura Mater Candidates for Head Trauma,” *J. Biomimetics, Biomater. Biomed. Eng.*, vol. 36, pp. 7–16, 2018, doi: 10.4028/www.scientific.net/JBBBE.36.7.
 - [59] S. Khattak, X. T. Qin, L. H. Huang, Y. Y. Xie, S. R. Jia, and C. Zhong, “Preparation and characterization of antibacterial bacterial cellulose/chitosan

- hydrogels impregnated with silver sulfadiazine,” *Int. J. Biol. Macromol.*, vol. 189, no. August, pp. 483–493, 2021, doi: 10.1016/j.ijbiomac.2021.08.157.
- [60] A. M. P. T. A. A. Adanti Wido Paramadini Panarin Chinavinijkul and N. Nasongkla, “Fabrication and in vitro characterization of zinc oxide nanoparticles and hyaluronic acid-containing carboxymethylcellulose gel for wound healing application,” *Pharm. Dev. Technol.*, vol. 28, no. 1, pp. 95–108, 2023, doi: 10.1080/10837450.2022.2164304.
- [61] B. Dwiki Yusuf Fachriza, I. Wayan Arnata, and L. Putu Wrasiati, “Pengaruh Konsentrasi Natrium Hidroksida terhadap Karakteristik Selulosa Mikrobia dari SCOPY,” *J. Ilm. Teknol. Pertan. Agrotechno*, vol. 9, no. 1, pp. 16–22, 2024.
- [62] T. Kusumaningsih, A. Masykur, A. S. Aninditha, and M. R. Utami, “Preparation and Characterization of PVA/Na-CMC Hydrogel from OPEFB Cross-Linked by Maleic Anhydride,” *EduChemia (Jurnal Kim. dan Pendidikan)*, vol. 7, no. 1, p. 36, 2022, doi: 10.30870/educhemia.v7i1.12637.
- [63] H. S. Mansur, C. M. Sadahira, A. N. Souza, and A. A. P. Mansur, “FTIR spectroscopy characterization of poly (vinyl alcohol) hydrogel with different hydrolysis degree and chemically crosslinked with glutaraldehyde,” *Mater. Sci. Eng. C*, vol. 28, no. 4, pp. 539–548, 2008, doi: 10.1016/j.msec.2007.10.088.
- [64] S. Locarno, P. Arosio, F. Curtoni, M. Piazzoni, E. Pignoli, and S. Gallo, “Microscopic and Macroscopic Characterization of Hydrogels Based on Poly(vinyl-alcohol)-Glutaraldehyde Mixtures for Fricke Gel Dosimetry,” *Gels*, vol. 10, no. 3. 2024. doi: 10.3390/gels10030172.
- [65] J. Shahajan Haima, S. Narayanan Nair, S. Juliet, A. Ravindran Nisha, B. Nair, and B. Nair Dhanushkrishna, “Synthesis and characterisation of glutaraldehyde cross-linked κ -carrageenan-gelatin hydrogel,” ~ 459 ~ *J. Pharmacogn. Phytochem.*, vol. 10, no. 1, pp. 459–463, 2021, [Online]. Available: www.phytojournal.com
- [66] M. Fargharazi and M. M. Bagheri-Mohagheghi, “PVA:GA polymer hydrogel/activated carbon (AC) nanocomposite as solar photothermal materials: study of structural, optical absorption and water purification

- properties," *J. Mater. Sci. Mater. Electron.*, vol. 35, no. 6, p. 449, 2024, doi: 10.1007/s10854-024-12265-5.
- [67] G. Yurong and L. Dapeng, "Preparation and characterization of corn starch/PVA/glycerol composite films incorporated with ϵ -polylysine as a novel antimicrobial packaging material," *E-Polymers*, vol. 20, no. 1, pp. 154–161, 2020, doi: 10.1515/epoly-2020-0019.
- [68] N. Atykyan, V. Revin, and V. Shutova, "Raman and FT-IR Spectroscopy investigation the cellulose structural differences from bacteria *Gluconacetobacter sucrofermentans* during the different regimes of cultivation on a molasses media," *AMB Express*, vol. 10, no. 1, 2020, doi: 10.1186/s13568-020-01020-8.
- [69] K. Niewiadomski, D. Szopa, K. Pstrowska, P. Wróbel, and A. Witek-Krowiak, "Comparative Analysis of Crosslinking Methods and Their Impact on the Physicochemical Properties of SA/PVA Hydrogels," *Materials (Basel)*, vol. 17, no. 8, 2024, doi: 10.3390/ma17081816.
- [70] B. Zhao, X. Yue, Q. Tian, F. Qiu, Y. Li, and T. Zhang, "Bio-inspired BC aerogel/PVA hydrogel bilayer gel for enhanced daytime sub-ambient building cooling," *Cellulose*, vol. 29, no. 14, pp. 7775–7787, 2022, doi: 10.1007/s10570-022-04749-6.
- [71] B. Li, M. Zhou, A. Wu, H. Liu, L. Du, and L. Su, "Preparation of PVA/PVDF/PAM-U composite hydrogels by in situ polymerization of ternary DES and their properties study," *J. Mater. Sci.*, vol. 59, no. 2, pp. 715–727, 2024, doi: 10.1007/s10853-023-09247-z.
- [72] Z. Zhang, Y. Liu, S. Lin, and Q. Wang, "Preparation and properties of glutaraldehyde crosslinked poly(vinyl alcohol) membrane with gradient structure," *J. Polym. Res.*, vol. 27, no. 8, p. 228, 2020, doi: 10.1007/s10965-020-02223-0.
- [73] Y. Zhong *et al.*, "Construction methods and biomedical applications of PVA-based hydrogels," *Front. Chem.*, vol. 12, no. February, pp. 1–21, 2024, doi: 10.3389/fchem.2024.1376799.
- [74] M. R. Donthi, S. R. Munnangi, K. V. Krishna, R. N. Saha, G. Singhvi, and S. K. Dubey, "Nanoemulgel: A Novel Nano Carrier as a Tool for Topical

- Drug Delivery," *Pharmaceutics*, vol. 15, no. 1, pp. 1–28, 2023, doi: 10.3390/pharmaceutics15010164.
- [75] B. Richlen, "Learn When You Should Apply a Hydrogel Dressing to a Wound," *Wound Care Education Institute*, 2020. <https://blog.wcei.net/wound-care-dressings-hydrogels> (accessed Jul. 18, 2024).
- [76] D. D. Rudolph, "Hydrogel Dressings: What Should You Know?," *Wound Source*, 2023. <https://www.woundsource.com/blog/hydrogel-dressings-what-should-you-know> (accessed Jul. 18, 2024).