

DAFTAR PUSTAKA

- [1] B. Liu and L. Zhang, “*A Survey of Opinion Mining and Sentiment Analysis*,” in *Mining Text Data*, C. C. Aggarwal and C. Zhai, Eds., Boston, MA: Springer US, 2012, pp. 415–463. doi: 10.1007/978-1-4614-3223-4_13.
- [2] Muhammad Arief Rahman, Herman Budianto, and E. I. Setiawan, “*Aspect Based Sentimen Analysis Opini Publik Pada Instagram dengan Convolutional Neural Network*”, INSYST, vol. 1, no. 2, pp. 50–57, Dec. 2019.
- [3] W. Zhang, X. Li, Y. Deng, L. Bing, and W. Lam, ‘*A Survey on Aspect-Based Sentiment Analysis: Tasks, Methods, and Challenges*’, 3 2022.
- [4] JS. R. S. W. Wijaya Arya, ‘Klasifikasi Citra Menggunakan Convolutional Neural Network (Cnn) pada Caltech 101’, JURNAL TEKNIK ITS, vol. 5. 2016.
- [5] L. A. Andika and P. A. N. Azizah, ‘Analisis Sentimen Masyarakat terhadap Hasil Quick Count Pemilihan Presiden Indonesia 2019 pada Media Sosial Twitter Menggunakan Metode *Naive Bayes Classifier*’. 2019.
- [6] L. Alzubaidi et al., ‘*Review of deep learning: concepts, CNN architectures, challenges, applications, future directions*’, Journal of Big Data, vol. 8, p. 53, 3 2021.
- [7] D. I. Af et al., ‘Pengaruh Parameter Word2Vec terhadap Performa Deep Learning pada Klasifikasi Sentimen’, vol. 6. 2021.
- [8] N. L. Ratniasih and N. W. Ninik Jayanti, ‘*Sentiment Analysis of Stakeholder Satisfaction Measurement*’, IJCCS (Indonesian Journal of Computing and Cybernetics Systems), vol. 16, no. 2, p. 217, Apr. 2022.
- [9] A. Kholik, ‘Klasifikasi Menggunakan Convolutional Neural Network (Cnn) Pada Tangkapan Layar Halaman Instagram’, JDMSI, vol. 2, pp. 10–20, 2021.
- [10] A. Nurdin, B. Anggo, S. Aji, A. Bustamin, and Z. Abidin, ‘Perbandingan Kinerja Word Embedding Word2vec, Glove, Dan Fasttext Pada Klasifikasi Teks’, Jurnal Teknokompak, vol. 14, p. 74, 2020.
- [11] P. R. Amalia and E. Winarko, ‘*Aspect-Based Sentiment Analysis on Indonesian Restaurant Review Using a Combination of Convolutional Neural Network and Contextualized Word Embedding*’, IJCCS (Indonesian Journal of Computing and Cybernetics Systems), vol. 15, p. 285, 7 2021.
- [12] C. A. Bahri and L. H. Suadaa, ‘*Aspect-Based Sentiment Analysis in Bromo Tengger Semeru National Park Indonesia Based on Google Maps User Reviews*’, IJCCS (Indonesian Journal of Computing and Cybernetics Systems), vol. 17, p. 79, 2 2023.
- [13] D. T. Hermanto, A. Setyanto, and E. T. Luthfi, ‘Algoritma LSTM-CNN untuk Sentimen Klasifikasi dengan Word2vec pada Media Online LSTM-CNN Algorithm for Sentiment Clasification with Word2vec On Online Media’, Citec Journal, vol. 8. pp. 64–77, 2021.

- [14] A. Pambudi and S. Suprapto, ‘*Effect of Sentence Length in Sentiment Analysis Using Support Vector Machine and Convolutional Neural Network Method*’, IJCCS (Indonesian Journal of Computing and Cybernetics Systems), vol. 15, p. 21, 1 2021.
- [15] E. Utami, ‘*Optimizing sentiment analysis of product reviews on marketplace using a combination of preprocessing techniques, word2vec, and convolutional neural network*’ optimisasi Analisis sentimen ulasan Produk Pada marketplace dengan kombinasi Teknik preprocess’, Jurnal Teknik Informatika (JUTIF), vol. 4, pp. 101–107, 2023.
- [16] T. Mikolov, K. Chen, G. Corrado, and J. Dean, ‘*Efficient Estimation of Word Representations in Vector Space*’, 1 2013.
- [17] M. F. Fibrianda and A. Bhawiyuga, ‘Analisis Perbandingan Akurasi Deteksi Serangan Pada Jaringan Komputer Dengan Metode Naïve Bayes Dan Support Vector Machine (SVM)’, vol. 2. pp. 3112–3123, 2018.
- [18] M. Abadi et al., ‘*TensorFlow: Large-Scale Machine Learning on Heterogeneous Distributed Systems*’, 3 2016.
- [19] A. Santoso and G. Ariyanto, ‘*IMPLEMENTASI DEEP LEARNING BERBASIS KERAS UNTUK PENGENALAN WAJAH*’, Jurnal Teknik Elektro, vol. 18.
- [20] N. I. Annida, ‘*Klasifikasi Stroke Hemoragik Pada Gambar Computerized Tomography Scan Otak Menggunakan Algoritma Convolutional Neural Network (CNN)*’, Institut Teknologi Telkom Purwokerto, 2023.
- [21] J. Jin, A. Dundar, and E. Culurciello, ‘*Flattened Convolutional Neural Networks for Feedforward Acceleration*’, 12 2014.
- [22] K. M. Ting, “*Confusion Matrix*,” Encycl. Mach. Learn. Data Min., no. October, pp. 260–260, 2017, doi: 10.1007/978-1-4899-7687-1_50.
- [23] F. P. Rachman, H. Santoso, and A. History, ‘Jurnal Teknologi dan Manajemen Informatika Perbandingan Model Deep Learning untuk Klasifikasi Sentiment Analysis dengan Teknik Natural Languange Processing’, Jurnal Teknologi dan Manajemen Informatika, vol. 7. pp. 103–112, 2021.
- [24] A. Viloria, O. B. P. Lezama, and N. Mercado-Caruzo, ‘*Unbalanced data processing using oversampling: Machine Learning*’, Procedia Computer Science, vol. 175, pp. 108–113, 2020.
- [25] N. V. Chawla, K. W. Bowyer, L. O. Hall, and W. P. Kegelmeyer, “*SMOTE: Synthetic Minority Over-sampling Technique*,” jair, vol. 16, pp. 321–357, Jun. 2002, doi: 10.1613/jair.953.
- [26] N. Cahyana, S. Khomsah, and A. S. Aribowo, “*Improving Imbalanced Dataset Classification Using Oversampling and Gradient Boosting*,” in 2019 5th International Conference on Science in Information Technology (ICSI Tech), Yogyakarta, Indonesia: IEEE, Oct. 2019, pp. 217–222. doi: 10.1109/ICSI Tech46713.2019.8987499.
- [27] X. Yang, K. Yang, T. Cui, M. Chen, and L. He, “*A Study of Text Vectorization Method Combining Topic Model and Transfer Learning*,” Processes, vol. 10, no. 2, p. 350, Feb. 2022, doi: 10.3390/pr10020350.

- [28] A. Lopez-del Rio, M. Martin, A. Perera-Lluna, and R. Saidi, “*Effect of sequence padding on the performance of deep learning models in archaeal protein functional prediction*,” Sci Rep, vol. 10, no. 1, p. 14634, Sep. 2020, doi: 10.1038/s41598-020-71450-8.
- [29] H. He, Y. Bai, E. A. Garcia, and S. Li, ‘ADASYN: *Adaptive synthetic sampling approach for imbalanced learning*’, 2008 IEEE International Joint Conference on Neural Networks (IEEE World Congress on Computational Intelligence). IEEE, pp. 1322–1328, 6 2008.
- [30] M. Mukherjee and M. Khushi, “SMOTE-ENC: *A Novel SMOTE-Based Method to Generate Synthetic Data for Nominal and Continuous Features*,” ASI, vol. 4, no. 1, p. 18, Mar. 2021, doi: 10.3390/asi4010018.
- [31] A. Zafar et al., “*A Comparison of Pooling Methods for Convolutional Neural Networks*,” Applied Sciences, vol. 12, no. 17, p. 8643, Aug. 2022, doi: 10.3390/app12178643.
- [32] N. Japkowicz and S. Stephen, “*The class imbalance problem: A systematic study1*,” IDA, vol. 6, no. 5, pp. 429–449, Nov. 2002, doi: 10.3233/IDA-2002-6504.
- [33] A. Fernández, S. García, M. Galar, R. C. Prati, B. Krawczyk, and F. Herrera, *Learning from Imbalanced Data Sets*. Cham: Springer International Publishing, 2018. doi: 10.1007/978-3-319-98074-4.