

DAFTAR PUSTAKA

- [1] W. Tao, T. Liu, R. Zheng, and H. Feng. Gait analysis using wearable sensors. *Journal of NeuroEngineering and Rehabilitation*, Feb 2012.
- [2] T. Bhosale, H. Kudale, V. Kumthekar, S. Garude, and P. Dhumal. Gait analysis using wearable sensors. In *2015 International Conference on Energy Systems and Applications*, pages 267–269, Oct 2015.
- [3] H. F. dan Rizal Maulana dan Wijaya Kurniawan. Implementasi complementary filter menggunakan sensor accelerometer dan gyroscope pada keseimbangan gerak robot humanoid. *Jurnal Pengembangan Teknologi Informasi dan Ilmu Komputer*, 1(11):1376–1384, 2017.
- [4] Dewi, E.M., 2008, Penentuan Titik Referensi Pada Pengambilan Gerak Tungkai Tanpa Marker Dengan Metode Kurva Bezier Untuk Analisis Gait, Thesis, Teknik Informatika ITB, Bandung
- [5] Plettenburg, D., Smit, G., 2008, Effect of A Foot Gymnastic Exercise Programme on Gait Performance in Older Adults di *Jurnal Prostetik dan Orthetic*, Departmen Biomekanika, Universitas Delft, Belanda.
- [6] F. Dadashi, G. P. Millet, and K. Aminian, “Gaussian process framework for pervasive estimation of swimming velocity with body-worn IMU,” *Electron. Lett.*, vol. 49, no. 1, pp. 44–46, 2013, doi: 10.1049/el.2012.3684.
- [7] T. Kuwahara, H. Kawamoto, and Y. Sankai, “IMU Sensor Module for the Measurement of High-speed Motion in the Analysis of Human Skills,” *Proc. 2019 IEEE/SICE Int. Symp. Syst. Integr. SII 2019*, pp. 560–565, 2019, doi: 10.1109/SII.2019.8700421.
- [8] L. Lasmadi, F. Kurniawan, and M. I. Pamungkas, “Estimasi Sudut Rotasi Benda Kaku Berbasis IMU Menggunakan Kalman Filter,” *Avitec*, vol. 3, no. 1, pp. 57–68, 2021, doi: 10.28989/avitec.v3i1.909.
- [9] M. D. Hua and G. Allibert, “Riccati Observer Design for Pose, Linear Velocity and Gravity Direction Estimation Using Landmark Position

- and IMU Measurements,” 2018 IEEE Conf. Control Technol. Appl. CCTA 2018, pp. 1313–1318, 2018, doi: 10.1109/CCTA.2018.8511387.
- [10] P.-J. V. de Maele. Reading a imu without kalman: The complementary filter, 2013.
 - [11] Panduardi, F., & Haq, E. S. (2016). Wireless Smart Home System Menggunakan Raspberry Pi. Jurnal Teknologi Informasi Dan Terapan, 3(1), 320–325.
 - [13] Kurniawan. (2016). Purwarupa IoT (Internet Of Things) Kendali Lampu Gedung (Studi Kasus Pada Gedung Perpustakaan Universitas Lampung), 57
 - [14] Agfianto Eko Putra. 2002. Belajar Mikrokontroller. Gava Media. Yogyakarta.
 - [15] R. M. Abarca, “Sistem Mikro Kontroler,” Nuevos Sist. Comun. e Inf., pp. 2013–2015, 2021.
 - [16] Emmanuel, Dave. (2012). Perancangan dan implementasi alat bantu sistem navigasi menggunakan modul navigasi berbasiskan sistem operasi android. Bandung: Institut Teknologi Nasional.
 - [17] Y. Efendi, “Internet Of Things (Iot) Sistem Pengendalian Lampu Menggunakan Raspberry Pi Berbasis Mobile,” J. Ilm. Ilmu Komput., vol. 4, no. 2, pp. 21–27, 2018, doi: 10.35329/jiik.v4i2.41.
 - [18] <https://www.arduinoindonesia.id/2019/01/arduino-pro-mini.html>
 - [19] Barton, J. D. (2012). Fundamentals of small unmanned aircraft flight. Johns Hopkins APL technical digest, 31(2), 132-149.
 - [20] Faragher, R. (2012). Understanding the basis of the kalman filter via a simple and intuitive derivation [lecture notes]. IEEE Signal processing magazine, 29(5), 128-132.
 - [21] Pedley, Mark. (2013). Tilt Sensing Using a Three-Axis Accelerometer. Tempe: Freescale Semiconductor.
 - [22] Jhon P. Bentley. (2005). Principles of Measurement Systems. England: Pearson.
 - [23] O. Kai Daniel, “Inertial Measurement Unit (IMU) Technology”, Institute of Biomechanics and Orthopedics, 2015

- [24] H. Jiangbo, “Structural Designing of a MEMS Capacitive Accelerometer for Low Temperature Coeffecient and High Linearity, Xihua University, China, 2018
- [25] “Hall Effect Sensor”. <https://www.electronics-tutorials.ws/electromagnetism/hall-effect.html>
- [26] InvenSense, “MPU-6000 and MPU-6050 Product Specification Revision 3.4”, 2013.
- [27] www.ofoptics.com/new-fiber-optic-gyroscope-smaller-than-a-grain-of-rice/
- [28] STMicroelectronics, “LSM9DS0, iNEMO inertial module: 3D accelerometer, 3D gyroscope, 3D magnetometer”, 2013.
- [29] J. Nagar, “Knee Flexion / Extension Measurement System using Wearable Sensor,” no. 09, 2019.