



Digital Receipt

This receipt acknowledges that Turnitin received your paper. Below you will find the receipt information regarding your submission.

The first page of your submissions is displayed below.

Submission author: Tenia Wahyuningrum, Khabib Musto...
Assignment title: Karya
Submission title: A Systematic Mapping Review of So...
File name: IJECE_A_Systematic_Mapping_Rev...
File size: 596.6K
Page count: 8
Word count: 5,533
Character count: 30,657
Submission date: 13-Nov-2020 09:47AM (UTC+0700)
Submission ID: 1444544574

International Journal of Electrical and Computer Engineering (IJECE)
Vol. 7, No. 5, October 2017, pp. 2847-2854
ISSN: 2088-8708, DOI: 10.11591/ijece.v7i5.pp2847-2854

A Systematic Mapping Review of Software Quality Measurement: Research Trends, Model, and Method

Tenia Wahyuningrum¹, Khabib Mustafa²

¹Department of Informatics, ST3 Telkom, Purwokerto, Indonesia
²Department of Computer Science & Electronics, Universitas Gadjah Mada, Yogyakarta, Indonesia

Article Info

Article History:
Received Jan 12, 2017
Revised Mar 14, 2017
Accepted Jun 11, 2017

Keywords:

Software quality model
Systematic mapping study
Usability evaluation method

ABSTRACT

Software quality is a key for the success in the business of information and technology. Hence, before be marketed, it needs the software quality measurement to fulfill the user requirements. Some methods of the software quality analysis have been tested in a different perspective, and we have presented the software method in the point of view of users and experts. This study aims to map the method of software quality measurement in any models of quality. Using the method of Systematic Mapping Study, we did a searching and filtering of papers using the inclusion and exclusion criteria. 42 relevant papers have been obtained them. The result of the mapping showed that though the model of ISO 9000 has been widely used since the last five years, and experienced the dynamics, the researchers in Indonesia still used ISO 9000 until the end of 2016. The most commonly used method of the software quality measurement Method is the empirical method, and some researchers have done an AHP and Fuzzy approach in measuring the software quality.

Copyright © 2017 Institute of Advanced Engineering and Science. All rights reserved.

Corresponding Author:

Tenia Wahyuningrum,
Informatics Department,
ST3 Telkom Purwokerto,
Jl. DI Panjaitan 128 Purwokerto, Banyumas Regency, Indonesia.
Email: tenia@st3telkom.ac.id

1. INTRODUCTION

Software product quality is a critical factor in business [1]. It is determined by to what extent the product could meet the user needs, and do its performance, and how many defects in that software [2]. Hence, it needs to do the quality checking before the software products is sent to the market as the reputation after delivery is viewed very costly and can affect the company credibility [3]. Some researchers have studied the software product quality in a different perspective such as Boehm model [4], Dromey model [5], McCall model [6], ISO/IEC 9126 [7] and ISO/IEC 9000 [8]. Based on the model defined, the quality of the software product is measured regarding its ability to fulfill the aim of the developers and the needs of the users [9]. For this, human as the user becomes the factor that needs to be involved in the method of the software quality measurement. Adopting the term of Usability Evaluation Method, then the analysis of the software is divided into two analytical method (measurement by the experts) and empirical method (measurement by users) [10-12]. The experts include the academicians and practitioners in software engineering, content experts, and technical expert. Meanwhile, the users here include end user, including the manager, employees, lecturers, students or customers using the software. This research aims to see the trend of the model and the method of the measurement of the software in the last 10-year period. The pattern of the model and the method are used as the references in the subsequent researchers. This research used the method of Systematic Mapping Study based upon the research questions. This approach could provide a description of the research area, identify the number of research, type of the research and the results available

Journal homepage: <http://iaesjournal.com/online/index.php/IJECE>

A Systematic Mapping Review of Software Quality Measurement: Research Trends, Model, and Method

by Tenia Wahyuningrum, Khabib Mustofa

Submission date: 13-Nov-2020 09:47AM (UTC+0700)

Submission ID: 1444544574

File name: IJECE_A_Systematic_Mapping_Review_of_Software_Quality.pdf (596.6K)

Word count: 5533

Character count: 30657

A Systematic Mapping Review of Software Quality Measurement: Research Trends, Model, and Method

Tenia Wahyuningrum¹, Khabib Mustofa²

¹Department of Informatics, ST3 Telkom, Purwokerto, Indonesia

²Department of Computer Science & Electronics, Universitas Gadjah Mada, Yogyakarta, Indonesia

Article Info

Article history:

Received Jan 12, 2017

Revised Mar 14, 2017

Accepted Jun 11, 2017

Keywords:

Software quality model
Systematic mapping study
Usability evaluation method

ABSTRACT

Software quality is a key for the success in the business of information and technology. Hence, before be marketed, it needs the software quality measurement to fulfill the user requirements. Some methods of the software quality analysis have been tested in a different perspective, and we have presented the software method in the point of view of users and experts. This study aims to map the method of software quality measurement in any models of quality. Using the method of Systematic Mapping Study, we did a searching and filtering of papers using the inclusion and exclusion criteria. 42 relevant papers have been obtained then. The result of the mapping showed that though the model of ISO SQuaRE has been widely used since the last five years and experienced the dynamics, the researchers in Indonesia still used ISO9126 until the end of 2016. The most commonly used method of the software quality measurement Method is the empirical method, and some researchers have done an AHP and Fuzzy approach in measuring the software quality.

Copyright © 2017 Institute of Advanced Engineering and Science.
All rights reserved.

Corresponding Author:

Tenia Wahyuningrum,
Informatics Department,
ST3 Telkom Purwokerto,
Jl DI Panjaitan 128 Purwokerto, Banyumas Regency, Indonesia.
Email: tenia@st3telkom.ac.id

1. INTRODUCTION

Software product quality is a critical factor in business [1]. It is determined by to what extent the product could meet the user needs, and do its performance, and how many defects in that software [2]. Hence, it needs to do the quality checking before the software products is sent to the market as the reparation after delivery is viewed very costly and can affect the company credibility [3]. Some researchers have studied the software product quality in a different perspective such as Boehm model [4], Dromey model [5], McCall model [6], ISO/IEC 9126 [7] and ISO/IEC SQuaRE [8]. Based on the model defined, the quality of the software product is measured regarding its ability to fulfill the aim of the developers and the needs of the users [9]. For this, human as the user becomes the factor that needs to be involved in the method of the software quality measurement. Adopting the term of Usability Evaluation Method, then the analysis of the software is divided into two: analytical method (measurement by the experts) and empirical method (measurement by users) [10-12]. The experts include the academicians and practitioners in software engineering, content expert, and technical expert. Meanwhile, the users here include end user, including the manager, employees, lecturers, students or customers using the software. This research aims to see the trend of the model and the method of the measurement of the software in the last 10-year period. The pattern of the model and the method are used as the references in the subsequent researchers. This research used the method of Systematic Mapping Study based upon the research questions. This approach could provide a description of the research area, identify the number of research, type of the research and the results available

[13]. This paper is organized as follows: Chapter 2 discusses the model and the method of measuring the quality of the software. Chapter 3 presents the method of Systematic Mapping Study. Chapter 4 explains the results of Systematic Mapping Study, and Chapter 5 presents the conclusion and the suggestion for some areas for the further researches.

2. SOFTWARE QUALITY MEASUREMENT

2.1. Software Quality Model

Miguel, et.al divided Software Quality Model into two types: the basic model and the tailored model. ISO SquaRE is a complete model of the basic model and for the tailored model it has some limitations for being shaped by certain perspective and used for certain products [14]. Each software quality model has some characteristics and sub-characteristics; thus forming the hierarchy model. The model of software quality based upon ISO SquaRE is divided into 2: product quality and quality in use. The product quality includes functional suitability, performance efficiency, compatibility, usability, reliability, security, maintainability and portability [8]. Boehm model resembles McCall model in the description of the hierarchy structure from the characteristics in which each of them contributes to the entire quality. Meanwhile, ISO 9126 has six characteristics of the evaluation of software; those are functionality, reliability, usability, efficiency, maintainability and portability [15]. Based on the development of the model of software quality, then it is deemed necessary to conduct research on the trend developed in the last decade for an improvement.

2.2. Empirical Method VS Analytical Method

Adopting the term of Usability Evaluation Method, the software quality measurement is divided into 2: Expert Evaluation (called as the analytical method) and User Testing (called as the empirical method) [10], [11], [16]. The analytical UEMs includes Heuristic Evaluation, Cognitive Walkthrough, Guidelines, GOMS, and so on [17]. On the other hand, empirical UEMs covers any methods and procedures frequently called as User Testing such as User Performance Test, Usability Test a.k.a Thinking Aloud, or Remote Usability Test, Beta Test, Forum Test, Cooperative Evaluation and Coaching Method. In addition to the analytical and empirical methods, there is another method focused on the test of the user likes, user dislike, needs and system comprehension by asking the users, observation or question-answer in spoken and in written. Those methods include User Satisfaction Questionnaire, Field Observation, Focus Group, and Interview [18].

3. RESEARCH METHOD

This research used Systematic Mapping Study to build the scheme classification to show the frequency of publication, to determine the scope in the certain field, and to combine the results in answering the research questions more specifically to structure the research type and the results by classifying the area. Systematic Mapping Study is a method that initially has been used in medicine classification but recently it is also applied in software engineering field [19]. There are five steps in Systematic Mapping Study including defining the research question, searching the relevant papers, filtering the papers based on the abstract, and mapping the data extraction. Each process has a result, and each result of data mining is used to make a map [13]. Figure 1 shows the steps in the method of Systematic Mapping Study. As the first phase, the researcher defines Research Question (RQ) to emphasize the particular area. The result of the determination of R is the research scope. In the second step, the researchers identify, create and test the string of the searching in the scientific database to find the relevant papers. The string of searching is found from the Research Question. Subsequently, the researchers read all titles, abstracts and papers (reading in detail) to decide the appropriate paper based on the inclusion and exclusion area. The last step is data extraction and the mapping process resulting in the systematic to enable the researchers to draw the conclusion of the data obtained.




Figure 1. The systematic mapping study process [13]

4. RESULTS AND ANALYSIS

4.1. Definition of Research Question

The first phase of this research was to define the Research Question (RQ) to identify the scope of review. The question was made by following the PICO structure (Population, Intervention, Comparison, Result) [19]. Tabel 1 shows the PICO structure from the research questions and Table 2 presents the description of the literature.

Table 1. Summary of PICO

	Description	Formula
Population	The target for the investigation	Software, website, application
Intervention	Specifying the study aspects or issues of interest to the researchers	Software Quality Model, Evaluation Method
Comparison	Aspect of the survey with which the intervention is being compared to	n/a
Outcome	The setting of the intervention	Implementation Software Quality Evaluation Method using Software Quality Model

Table 2. Research Questions

	Research Question	Description
RQ 1	What kind of model is used most often for measure the Software Quality?	To determine the distribution of model to measure the Software Quality.
RQ 2	What kind of method is performed most often for Software Quality?	To determine the distribution of method to measure the Software Quality.

4.2. Searching of Papers

The second phase of Systematic Mapping Process was to search the paper correlated with the Research Questions. The best way was by making the search string that is by structuring the words based upon PICO as presented in Table 1. The keywords for the search string have been taken from each aspect from the structure. The string used to search the paper is as follows:

("software" OR "website" OR "application software") AND ("software quality model" OR "ISO/IEC 250n" OR "ISO/IEC SQuaRE" OR "ISO/IEC9126" OR "Boehm" OR "McCall" OR "Dromey")

4.3. Screening of Papers and Keywording of Abstract

Keyword was applied search the paper based on the title, abstract and content that correspond to the research database namely IEEExplore (ieeexplore.ieee.org), Scopus (www.scopus.com) and Science Direct (www.sciencedirect.com). From the result of the automatic paper searching in the research database, 308 papers have been obtained with the following details: 77 IEEExplore, 211 Scopus, and 20 Science direct. Once taking the results, we applied the selection criteria to filter the candidates. All papers obtained from the research database would be selected based on the inclusion and exclusion criteria that were used to limit the scope area obtained from Systematic Mapping Study. The elimination process was conducted to reselect or for the exclusion of content in the inclusion area. After searching and filtering the paper, 42 relevant papers were obtained. Table 3 shows the inclusion and exclusion criteria used in this research.

Table 3. Research Questions

	Research Focused on Software Quality Model and Method (title, abstract, keyword) In industrial and academic research on large and small scale
Inclusion criteria	The performance of the model in Software Quality Model and Method International Publication (Journal and Proceeding) Publication between the years 2006-2016
Exclusion criteria	Not associated with Research Question The paper is not a journal and proceedings Non-English Publication

4.4. Data Extraction and Mapping Process

RQ 1 What kinds of model are used most often for measure the Software Quality?

A Systematic Mapping Review of Software Quality Measurement: Research ... (Tenia Wahyuningrum)

To answer the Research Question 1, Table 4 was made. This table shows the distribution of paper discussing the implementation of Software Quality Model in last decade. In this table, it can be found out that the model of ISO/IEC 9126 and ISO/IEC SQuaRE had a percentage similar to the application of the Software Quality (40.5%). Terminology for the characteristics of software quality had been discussed in the International Consensus in 1991. In the period of 2001-2004 ISO issued the standard series 9126 extended into four parts including model and metrics of the software quality [20]. However, the standard starts to be widely used in the measurement of the software quality for some years after the existence of its revision. In Table 4, it can be seen that the emergence of ISO/IEC 9126 is a model that has mostly been discussed by the researchers; four of which come from Indonesia [21–24]. This might be likely that in that year the researchers from Indonesia have started the research on the quality of the software to be published in the international journal. It is proven that 2 of the researchers were the same research team that is [21], [23] discussing the implementation of model ISO 9126 in the software of inventory asset, and Learning Management System. If the revision of the model ISO 9126 were just implemented two years after its emergence, then the review of ISO SQuaRE in 2011 would have needed one year to make the research from several researchers appeared. This then shows that the use of the new standard has started to attract the attention of the researchers to apply it to the measurement of the software quality. Through the use of model ISO 9126 and ISO SQuaRE have experienced a dynamics since 2015 and 2016 the use of model ISO 9126 is only used by the researchers from Indonesia [25–27]. This shows that the model is quite popular in Indonesia.

In the trend of the model in the last decade, Boehm's Model and McCall's Model commonly were combined with some other models [6], [28–30], and gradually were no longer used after 2012. Meanwhile, Dromey's Model is not found in all papers regarding the implementation of the software quality. This is in line with the statement of Miguel stating that there is no discussion on how the model is used in practice but the theoretical model is used to build other more accurate models [14].

Table 4. Statistically Paper Distribution on Software Quality Models in the Last Ten Years

Year	Combine model	ISO/IEC 9126 (total and researchers reference number)	ISO/IECSQuaRE	Mc Calls
2006	1 [31]			
2007				1 [6]
2008	2 [30], [32]	1 [33]		
2009		1 [34]		
2011	1 [29]	1 [35]		
2012	2 [36],[28]	2 [37],[38]	4 [39]–[42]	
2013		3 [43]–[45]	1 [46]	
2014	1 [47]	6 [21]–[24], [48], [49]	3 [50]–[52]	
2015		2 [26], [53]	5 [54]–[58]	
2016		1 [27]	4 [59]–[62]	
Grand Total	7	17	17	1

RQ 2: What kind of method is performed most often for Software Quality?

Figure 2 shows that the empirical model is mostly used in measuring the software quality (67%). The method includes survey [26], [48], [49], [59], [63], observation [21], [27], [31–33], [35], [37], [39], [42–44], [52], [53], [64] and usability testing [23], [65] involving the assessment of users. This achievement is followed by the analytical method at 17% (includes heuristics evaluation [34], [40], exploratory case study [50], and evaluation group [30], [45]). Some researchers measuring the software quality without user judgments, they are [29], [52], [61–62], [66] classified into other method. The empirical method is mostly used for being cheaper, close with the experience of the users, simple, and providing a new perspective, direct feedback from users and, verbal data easily collected and processed.




Figure 2. Paper distribution based on software quality method

The form of the model of the software quality measurement that is hierarchical and the method of measurement involving the elements of user and expert judgment has encouraged the researchers to use the approach of Analytical Hierarchy Process and fuzzy logics. Table 5 shows that the research approach used AHP at the measurement of the software quality has been conducted by [48], [34], and [44], but the research still used the crisp number in weighting the score of the assessment from the users; as a consequence, its weighting seemed to be less representative. They also added a number of sub-characteristics in the model of the measurement of the software quality such as compatibility, modularity, complexity, reusability, availability, customizability, or traceability.

Given the more complex issues to be settled, the use of fuzzy logics concept then is used to cope with any the lack of the use of crisp numbers. The approach of Fuzzy Multi-Criteria was revealed by Challa, he considering the weight of the fuzzy calculation based upon three perspectives of the users: developer, manager, and user [9]. Challa provided a conclusion from the measurement of the software quality with the labels of Very Good, Good, Average, Poor, Very Poor. Yuen [38] used the Fuzzy AHP to compare the different software to select the best software [37]. Yang [42] used the approach of Fuzzy Choquet Integral to measure the software quality based on the different perspective of users showing the influence between the criteria results. Ying Xing [30] used the method of Fuzzy Statistic Method to provide a quantitative method for the measurement of software quality in the digitalization system of antique ethical resources. The model was suitable for the system of three layers of the software quality of Walters and McCall. Chen [31] proposed a model of software quality to measure the quality of the software in the system of DVR (digital video recorder) during the phase of its development to minimize the gap in the assessment of the developers and end users and evaluators of the third party. The characteristics of the users giving the assessment of the software quality are various. Some papers do not mention the number of its evaluator, but the average number is not more than 30 respondents. The lack of the method approaches above is how to do optimization of the score weighting from the user perception to obtain the maximum results. This score weighting would be used for the ranking of the issue on the quality that is very urgent to be improved in the design phase.

Table 5. Approach Method

No	Researchers	Year	Model	Method	Method Detail	User Characteristic	Method Research
1	Alrawashdeh, et.al	2014	ISO 9126	analytical method	survey	Twenty expert (eight professionals in software industry, twelve academicians)	AHP
2	Behkamal, et.al	2009	ISO 9126	analytical method	heuristic evaluation	Twenty users (ten Iranians, ten professors in software engineering)	AHP
3	Challa, et.al	2011	ISO 9126	empirical method	observation	Developer, project manager, user	Fuzzy Multi-Criteria
4	Chen, et.al	2006	ISO 9126, ISO 14598	empirical method	observation	The developer, acquires, evaluator of third parties	Fuzzy GA
5	Kurtel, et.al	2013	ISO 9126	empirical method	observation	Abc company time spent maintenance	AHP
6	Pasrija, et.al	2012	ISO 9126	empirical method	observation	Student A, B, C	Fuzzy Choquet Integral
8	Yang, H, et.al	2012	ISO SQuaRE	empirical method & analytical method	observation	Staff, leader, and expert	Fuzzy Choquet Integral
9	Ying-xing, et.al	2008	Mc Calls, Walter	analytical method	evaluation group	Eight to ten expert in each group (content expert and technical expert)	Fuzzy Statistic Method
10	Yuen, K. K. F, et.al	2012	ISO 9126	empirical method	observation	N/A	Fuzzy AHP

5. CONCLUSION AND FUTURE WORK

Based on the research above, it can be concluded that the model of ISO SQuaRE is a model of the measurement of software quality that is mostly used in the last five years. The use of ISO 9126 model is still applied in the measurement of the software quality by the researchers in Indonesia until the end of 2016. This indicates that the model is still quite relevant to be used. The model of Boehm and McCall gradually started to be left behind, and their application is mostly combined with another model since the last decade. The most widely used method of measurement of the software quality is the empirical method that is a measurement involving the users. The method approach using AHP and Fuzzy has been widely used but still

needs to be studied further in this case regarding the optimization of the weighting of the user assessment and the ranking of the software quality problem that must be improved by the developers based on the user perception. Therefore, it needs to suggest the taxonomy model, framework process, determination of the highest weighting from the indicator of the ranking of the software quality, and to recommend the improvement of the design based on the result of the measurement.

REFERENCES

- [1] E. K. El-rayyes dan I. M. Abu-zaid, "New Model to Achieve Software Quality Assurance (SQA) in Web Application," vol. 2, no. 7, pp. 423–426, 2012.
- [2] Y. Sowunmi, "An Empirical Evaluation of Software Quality Assurance Practices and Challenges in a Developing Country," pp. 867–871, 2015.
- [3] K. A. Shah, "How to Improve Software Quality Assurance in Developing Countries," vol. 3, no. 2, pp. 17–28, 2012.
- [4] B. W. Boehm, "Software Engineering," vol. C, no. 12, pp. 1226–1241, 1976.
- [5] R. G. Dromey, "A Model for Software Product Quality," vol. 21, no. 2, 1995.
- [6] V. Lakshmi Narasimhan dan B. Hendradjaya, "Some Theoretical Considerations for a Suite of Metrics for the Integration of Software Components," *Inf. Sci. (Ny)*, vol. 177, no. 3, pp. 844–864, Feb 2006.
- [7] International Organization for Standardization, "Information Technology — Software Product Quality," ISO/IEC Fdis 9126-1, vol. 2000. pp. 1–26, 2000.
- [8] International Organization for Standardization, "Systems and software engineering -- Systems and software Quality Requirements and Evaluation (SQuaRE) -- System and software quality models," ISO/IEC, vol. 2011. pp. 34, 2011.
- [9] J. S. Challa, A. Paul, Y. Dada, dan V. Nerella, "Integrated Software Quality Evaluation : A Fuzzy Multi-Criteria Approach," vol. 7, no. 3, pp. 473–518, 2011.
- [10] Z. Bai dan A. F. Blackwell, "Analytic review of usability evaluation in ISMAR," *Interact. Comput.*, vol. 24, no. 6, pp. 450–460, 2012.
- [11] S. S. Aparna dan K. K. Baseer, "A Systematic Review on Measuring and Evaluating Web Usability in Model Driven Web Development," *Ncsete*, pp. 171–180, 2014.
- [12] M. C. S. Torrente, A. B. M. Prieto, D. A. Gutiérrez, dan M. E. A. De Sagastegui, "Sirius: A heuristic-based framework for measuring web usability adapted to the type of website," *J. Syst. Softw.*, vol. 86, no. 3, pp. 649–663, 2013.
- [13] K. Petersen, R. Feldt, S. Mujtaba, dan M. Mattsson, "Systematic Mapping Studies in Software Engineering," *12Th Int. Conf. Eval. Assess. Softw. Eng.*, vol. 17, pp. 10, 2008.
- [14] J. P. Miguel, D. Mauricio, dan G. Rodríguez, "A Review of Software Quality Models for the Evaluation of Software Products," *Int. J. Softw. Eng. Appl.*, vol. 5, no. 6, pp. 31–53, 2014.
- [15] I. Singh, "Different Software Quality Model," no. May, 2013.
- [16] M. C. S. Torrente, A. B. M. Prieto, D. A. Gutiérrez, dan M. E. A. de Sagastegui, "Sirius: A heuristic-based Framework for Measuring Web Usability Adapted to the Type of Website," *J. Syst. Softw.*, vol. 86, no. 3, pp. 649–663, Mar 2013.
- [17] W. D. Gray dan M. C. Salzman, "Damaged Merchandise? A Review of Experiments That Compare Usability Evaluation Methods," *Human–Computer Interact.*, vol. 13, no. 3, pp. 203–261, 1998.
- [18] N. E. Jacobsen, "Usability Evaluation Methods the Reliability and Usage of Cognitive Walkthrough and Usability Test," 1999.
- [19] M. Oriol, J. Marco, dan X. Franch, "Quality models for web services: A systematic mapping," *Inf. Softw. Technol.*, vol. 56, no. 10, pp. 1167–1182, Okt 2014.
- [20] R. E. Al-Qutaiash, "An Investigation of the Weaknesses of the ISO 9126 International Standard," *Computer and Electrical Engineering*, 2009. ICCEE '09. Second International Conference on, vol. 1. pp. 275–279, 2009.
- [21] Y. Fitriasia dan B. Hendradjaya, "Implementation of ISO 9126-1 Quality Model for Asset Inventory Information System by Utilizing Object Oriented Metrics," in *Electrical Engineering and Computer Science (ICEECS)*, 2014 International Conference on, 2014, pp. 229–234.
- [22] W. Hilwa dan Samidi, "Prototype Mobile Knowledge Management System (KMS) for Islamic banking with Tiwana framework on university: Case study STEI SEBI," in *Cyber and IT Service Management (CITSM)*, 2014 International Conference on, 2014, pp. 83–88.
- [23] I. Le stari dan B. Hendradjaya, "The Application Model of Learning Management System Quality in Asynchronous Blended Learning System," *Electrical Engineering and Computer Science (ICEECS)*, 2014 International Conference on. pp. 223–228, 2014.
- [24] U. L. Yuhana, A. B. Raharjo, dan S. Rochimah, "Academic Information System Quality Measurement Using Quality Instrument: A Proposed Model," *Data and Software Engineering (ICODSE)*, 2014 International Conference on. pp. 1–6, 2014.
- [25] S. Rochimah, H. I. Rahmani, dan U. L. Yuhana, "Usability Characteristic Evaluation on Administration Module of Academic Information System Using ISO/IEC 9126 Quality Model," 2015 Int. Semin. Intell. Technol. Its Appl. ISITIA 2015 - Proceeding, pp. 363–368, 2015.
- [26] D. D. J. Suwawi, E. Darwiyanto, dan M. Rochmani, "Evaluation of Academic Website Using ISO/IEC 9126," *Information and Communication Technology (ICoICT)*, 2015 3rd International Conference on. pp. 222–227, 2015.

- [27] R. Andrian, B. Hendradjaya, dan W. D. Sunindyo, "Software Assessment Model Using Metrics Products for E-government in the G2B model," 2016 4th International Conference on Information and Communication Technology (ICoICT), pp. 1–6, 2016.
- [28] ENASE 2012 - Proceedings of the 7th International Conference on Evaluation of Novel Approaches to Software Engineering, 2012, pp. 199–202.
- [29] V. Sharma dan P. Baliyan, "Maintainability Analysis of Component Based Systems," Int. J. Softw. Eng. its Appl., vol. 5, no. 3, pp. 107–118, 2011.
- [30] L. Ying-xing dan M. Zheng-xing, "A Fuzzy Comprehensive Quality Evaluation for the Digitizing Software of Ethnic Antiquarian Resources," in Proceedings-International Conference on Computer Science and Software Engineering, CSSE 2008, 2008, vol. 5, pp. 1271–1274.
- [31] C.-B. Chen, C.-T. Lin, C.-H. Wang, dan C.-W. Chang, "Model for Measuring Quality of Software in DVRS Using the Gap Concept and Fuzzy Schemes with GA," Inf. Softw. Technol., vol. 48, no. 3, pp. 187–203, Mar 2006.
- [32] L. S. V Pérez, A. F. G. Tornés, dan E. M. F. Riverón, "MECRAD: Model and Tool for the Technical Quality Evaluation of Software Products in Visual Environment," Computing in the Global Information Technology, 2008. ICCGI '08. The Third International Multi-Conference on. pp. 107–112, 2008.
- [33] O. Alfonso, K. Domínguez, L. Rivas, M. Pérez, L. Mendoza, dan M. Ortega, "Quality Measurement Model for Analysis and Design Tools Based on FLOSS," 19th Australian Conference on Software Engineering (aswec 2008), pp. 258–268, 2008.
- [34] B. Behkamal, M. Kahani, dan M. K. Akbari, "Customizing ISO 9126 Quality Model for Evaluation of B2B Applications," Inf. Softw. Technol., vol. 51, no. 3, pp. 599–609, Mar 2009.
- [35] J. S. Challa, A. Paul, Y. Dada, V. Nerella, dan P. R. Srivastava, "Quantification of Software Quality Parameters Using Fuzzy Multi Criteria Approach," Process Automation, Control and Computing (PACC), 2011 International Conference on. Pp. 1–6, 2011.
- [36] K. Atalag, H. Y. Yang, dan J. Warren, "Assessment of Software Maintainability of openEHR Based Health Information Systems-a Case Study in Endoscopy," Electron. J. Heal. Informatics, vol. 7, no. 1, 2012.
- [37] V. Pasrija, S. Kumar, dan P. R. Srivastava, "Assessment of Software Quality: Choquet Integral Approach," Procedia Technol., vol. 6, pp. 153–162, 2012.
- [38] K. K. F. Yuen, "Evaluating Software Component Quality from Vendors Using the primitive Cognitive Network Process with ISO/IEC 9126," Computing, Communications and Applications Conference (ComComAp), 2012. pp. 288–293, 2012.
- [39] F. J. Domínguez-Mayo, M. J. Escalona, M. Mejias, M. Ross, dan G. Staples, "Quality Evaluation for Model-Driven Web Engineering Methodologies," Inf. Softw. Technol., vol. 54, no. 11, pp. 1265–1282, Nov 2012.
- [40] A. Fernandez, E. Insfran, S. Abrahão, J. Á. Carsi, dan E. Montero, "Integrating Usability Evaluation into Model-driven Video Game Development," Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), vol. 7623 LNCS. pp. 307–314, 2012.
- [41] P. Lew dan L. Olsina, "Improving Quality in Use of Web Applications in a Systematic Way," Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), vol. 7059 LNCS. School of Software, Beihang University, China, pp. 359–360, 2012.
- [42] H. Yang, "Measuring Software Product Quality with ISO Standards Base on Fuzzy Logic Technique," Advances in Intelligent and Soft Computing, vol. 137 AISC. School of Information Science and Engineering, Lanzhou University of Finance and Economics, Lanzhou, Gansu Province, China, pp. 59–67, 2012.
- [43] P. Hegedus, "Revealing the Effect of Coding Practices on Software Maintainability," Software Maintenance (ICSM), 2013 29th IEEE International Conference on. pp. 578–581, 2013.
- [44] K. Kurtel, "Measuring and Monitoring Software Maintenance Services: An Industrial Experience," Software Measurement and the 2013 Eighth International Conference on Software Process and Product Measurement (IWSM-MENSURA), 2013 Joint Conference of the 23rd International Workshop on. pp. 247–252, 2013.
- [45] W. Leopairate, A. Surarerks, dan N. Prompoon, "Evaluating Software Quality in Use Using User Reviews Mining," Computer Science and Software Engineering (JCSSE), 2013 10th International Joint Conference on. pp. 257–262, 2013.
- [46] M. Ulman, V. Vostrovský, dan J. Tyrychtr, "Agricultural e-government: Design of quality evaluation method based on iso square quality model," Agris On-line Pap. Econ. Informatics, vol. 5, no. 4, pp. 211–222, 2013.
- [47] K. Moumane dan A. Idri, "Using ISO 9126 with QoS DiffServ model for evaluating software quality in mobile environments," Complex Systems (WCCS), 2014 Second World Conference on. pp. 134–139, 2014.
- [48] T. A. Alrawashdeh, M. I. Muhairat, dan S. M. Alqatawneh, "A Quantitative Evaluation of ERP Systems Quality Model," in Information Technology: New Generations (ITNG), 2014 11th International Conference on, 2014, pp. 46–49.
- [49] S. Kolahdouz-Rahimi, K. Lano, S. Pillay, J. Troya, dan P. Van Gorp, "Evaluation of model transformation approaches for model refactoring," Sci. Comput. Program., vol. 85, Part A, pp. 5–40, Jun 2014.
- [50] I. Biscoglio dan E. Marchetti, "A Case of Adoption of 25000 Standards Family Establishing Evaluation Requirements in the Audio-visual Preservation Context," Software Engineering and Applications (ICSOFT-EA), 2014 9th International Conference on. pp. 222–233, 2014.
- [51] J. Lenhard, "Towards Quantifying the Adaptability of Executable BPMN Processes," in CEUR Workshop Proceedings, 2014, vol. 1140, pp. 34–41.
- [52] E. Ziemba, T. Papaj, dan D. Descours, "Factors Affecting Success of e-Government Portals: A Perspective of Software Quality Model," Proc. 14th Eur. Conf. eGovernment (ECEG 2014), no. 1, pp. 252–262, 2014.

- [53] S. Rochimah, H. I. Rahmani, dan U. L. Yuhana, "Usability Characteristic Evaluation on Administration Module of Academic Information System using ISO/IEC 9126 Quality Model," *Intelligent Technology and Its Applications (ISITIA)*, 2015 International Seminar on. pp. 363–368, 2015.
- [54] L. Kypus, L. Vojtech, dan L. Kvarda, "Qualitative and security Parameters Inside Middleware Centric Heterogeneous RFID/IoT networks, on-tag approach," *Telecommunications and Signal Processing (TSP)*, 2015 38th International Conference on. pp. 21–25, 2015.
- [55] G. Ladanyi, Z. Toth, R. Ferenc, dan T. Keresztesi, "A Software Quality Model for RPG," in *2015 IEEE 22nd International Conference on Software Analysis, Evolution, and Reengineering, SANER 2015 - Proceedings*, 2015, pp. 91–100.
- [56] S. Ouhbi, A. Idri, J. L. Fernández-Alemán, A. Toval, dan H. Benjelloun, "Applying ISO/IEC 25010 on Mobile Personal Health Records," in *HEALTHINF 2015 - 8th International Conference on Health Informatics, Proceedings; Part of 8th International Joint Conference on Biomedical Engineering Systems and Technologies, BIOSTEC 2015*, 2015, pp. 405–412.
- [57] J. R. Oviedo, M. Rodriguez, dan M. Piattini, "Certification of IPavement Applications for Smart Cities a Case Study," pp. 1–6, 2014.
- [58] H.-J. Sohn, M.-G. Lee, B.-M. Seong, dan J.-B. Kim, "Quality Evaluation Criteria Based on Open Source Mobile HTML5 UI Framework for Development of Cross-platform," *Int. J. Softw. Eng. its Appl.*, vol. 9, no. 6, pp. 1–12, 2015.
- [59] J. M. Alves, D. B. L. Albino, M. C. Resener, M. Zannin, A. Savaris, C. G. Von Wangenheim, dan A. Von Wangenheim, "Quality Evaluation of Poison Control Information Systems: A Case Study of the DATATOX System," in *Proceedings - IEEE Symposium on Computer-Based Medical Systems*, 2016, vol. 2016–August, pp. 30–35.
- [60] J. M. Alves, A. Savaris, C. G. v. Wangenheim, dan A. v. Wangenheim, "Software Quality Evaluation of the Laboratory Information System Used in the Santa Catarina State Integrated Telemedicine and Telehealth System," *2016 IEEE 29th International Symposium on Computer-Based Medical Systems (CBMS)*. pp. 76–81, 2016.
- [61] S. Motogna, A. Vescan, C. Serban, dan P. Tirban, "An Approach to Assess Maintainability Change," *2016 IEEE International Conference on Automation, Quality and Testing, Robotics (AQTR)*. pp. 1–6, 2016.
- [62] C. Sharma dan S. K. Dubey, "Reliability Evaluation of Software System Using AHP and Fuzzy TOPSIS Approach," *Advances in Intelligent Systems and Computing*, vol. 437. Amity School of Engineering and Technology, Amity University, Sec.-125, Noida, UP, India, pp. 81–92, 2016.
- [63] P. Lew, M. Q. Abbasi, I. Rafique, X. Wang, dan L. Olsina, "Using Web Quality Models and Questionnaires for Web Applications Understanding and Evaluation," *Quality of Information and Communications Technology (QUATIC)*, 2012 Eighth International Conference on the. pp. 20–29, 2012.
- [64] K. Yuen dan H. Lau, "Evaluating Software Quality of Vendors Using Fuzzy Analytic Hierarchy Process," *Proc. Int. MultiConference ...*, vol. I, pp. 19–21, 2008.
- [65] J. R. Oviedo, M. Rodríguez, dan M. Piattini, "Certification of IPavement Applications for Smart Cities a Case Study," *Evaluation of Novel Approaches to Software Engineering (ENASE)*, 2015 International Conference on. pp. 244–249, 2015.
- [66] M. K. Bhuyan, D. P. Mohapatra, dan S. Sethi, "Software Reliability Prediction Using Fuzzy Min-Max Algorithm and Recurrent Neural Network Approach," *Int. J. Electr. Comput. Eng.*, vol. 6, no. 4, pp. 1929, 2016.

BIOGRAPHIES OF AUTHOR



Tenia Wahyuningrum, S.Kom., M.T. Currently is pursuing her doctoral program in Computer Science and Electronics Departments, Faculty of Mathematics & Natural Science, Universitas Gadjah Mada Yogyakarta, Indonesia. She took her undergraduate (S.Kom) at STMIK Widya Utama Purwokerto in 2005, and Master (M.T) in Electrical Engineering Department at Institut Teknologi Bandung in 2010. Her research areas of interest are Human Computer Interaction, Software Quality, Soft Computing, and Software Engineering.

Email : tenia@st3telkom.ac.id, tenia.wahyuningrum@mail.ugm.ac.id



Institute for Software Engineering and Interactive Systems, Technische Universt at Wien (Vienna University of Technology), Vienna, Austria. His research area of interest includes database system, web technology, semantic web, software engineering and information management.

Email : khabib@ugm.ac.id

A Systematic Mapping Review of Software Quality Measurement: Research Trends, Model, and Method

ORIGINALITY REPORT

18%

SIMILARITY INDEX

9%

INTERNET SOURCES

9%

PUBLICATIONS

13%

STUDENT PAPERS

PRIMARY SOURCES

1

Submitted to colorado-technical-university

Student Paper

11%

2

www.ijcsi.org

Internet Source

3%

3

tel.archives-ouvertes.fr

Internet Source

2%

4

mafiadoc.com

Internet Source

1%

5

jultika.oulu.fi

Internet Source

1%

Exclude quotes On

Exclude matches < 1%

Exclude bibliography On