

DAFTAR PUSTAKA

- [1] V. Swetha and E. Annadevi, "SURVEY ON LIGHT-FIDELITY," *Int. Conf. Smart Syst. Inven. Technol.*, pp. 355–358, 2018.
- [2] F. Aftab, M. N. U. Khan, and S. Ali, "Light fidelity (Li-Fi) based indoor communication system," *Int. J. Comput. Networks Commun.*, vol. 8, no. 3, pp. 21–31, 2016, doi: 10.5121/ijcnc.2016.8302.
- [3] H. D. Huynh, K. Sandrasegaran, and S. C. Lam, "Modelling and Simulation of Handover in Light Fidelity (Li-Fi) Network," *IEEE Reg. 10 Annu. Int. Conf. Proceedings/TENCON*, vol. 2018-Octob, no. October, pp. 1307–1312, 2019, doi: 10.1109/TENCON.2018.8650221.
- [4] R. Riaz, S. S. Rizvi, F. Riaz, S. Shokat, and N. A. Mughal, "Designing of cell coverage in Light Fidelity," *Int. J. Adv. Comput. Sci. Appl.*, vol. 9, no. 3, pp. 44–53, 2018, doi: 10.14569/IJACSA.2018.090308.
- [5] S. K. A. A. Yaklaf and K. S. Tarmissi, "Multi-Carrier Modulation Techniques for Light Fidelity Technology," *19th Int. Conf. Sci. Tech. Autom. Control Comput. Eng. STA 2019*, pp. 70–73, 2019, doi: 10.1109/STA.2019.8717202.
- [6] S. Razzaq, N. Mubeen, and F. Qamar, "Design and Analysis of Light Fidelity Network for Indoor Wireless Connectivity," *IEEE Access*, vol. 9, pp. 145699–145709, 2021, doi: 10.1109/ACCESS.2021.3119361.
- [7] D. B. Kuttan, S. Kaur, B. Goyal, and A. Dogra, "Light Fidelity: A future of wireless communication," *Proc. - 2nd Int. Conf. Smart Electron. Commun. ICOSEC 2021*, pp. 308–312, 2021, doi: 10.1109/ICOSEC51865.2021.9591685.
- [8] H. B. Eldeeb, S. M. Mana, V. Jungnickel, P. Hellwig, J. Hilt, and M. Uysal, "Distributed MIMO for Li-Fi: Channel Measurements, Ray Tracing and Throughput Analysis," *IEEE Photonics Technol. Lett.*, vol. 33, no. 16, pp. 916–919, 2021, doi: 10.1109/LPT.2021.3072254.
- [9] L. E. M. Matheus, A. B. Vieira, L. F. M. Vieira, M. A. M. Vieira, and O. Gnawali, "Visible Light Communication: Concepts, Applications and Challenges," *IEEE Commun. Surv. Tutorials*, vol. 21, no. 4, pp. 3204–3237,

- 2019, doi: 10.1109/COMST.2019.2913348.
- [10] T. Valkovski and K. Dimitrov, "Reception of audio signals received from different LEDs used in the low cost LI-FI systems," *2021 56th Int. Sci. Conf. Information, Commun. Energy Syst. Technol. ICEST 2021 - Proc.*, pp. 201–204, 2021, doi: 10.1109/ICEST52640.2021.9483512.
- [11] H. B. Valiveti and B. A. Kumar, "Handoff strategies between wireless fidelity to light fidelity systems for improving video streaming in high-speed vehicular networks," *Int. J. Commun. Syst.*, vol. 34, no. 6, pp. 1–15, 2021, doi: 10.1002/dac.4285.
- [12] S. N. ARINZE, G. N. ONOH, and D. O. ABONYI, "Network Performance Comparison of Light Fidelity and Wireless Fidelity," *Int. J. Adv. Sci. Tech. Res.*, vol. 1, no. 10, pp. 13–24, 2020, doi: 10.26808/rs.st.10v1.02.
- [13] K. V. Arya, R. S. Bhadoria, and N. S. Chaudhari, *Emerging wireless communication and network technologies: Principle, paradigm and performance*, no. Vlc. Springer Singapore, 2018. doi: 10.1007/978-981-13-0396-8.
- [14] J. I. Janjua, T. A. Khan, M. S. Khan, and M. Nadeem, "Li-Fi Communications in Smart Cities for Truly Connected Vehicles," *Proc. 2nd 2021 Int. Conf. Smart Cities, Autom. Intell. Comput. Syst. ICON-SONICS 2021*, no. October, pp. 1–6, 2021, doi: 10.1109/ICON-SONICS53103.2021.9617200.
- [15] P. Tota and M.-F. Vaida, "Light Fidelity (Li-Fi) Communications Applied to Telepresence Robotics," *2020 21th Int. Carpathian Control Conf.*, vol. 59, pp. 1–5, 2020, doi: 10.1109/ICCC49264.2020.9257292.
- [16] C. P. Liu and A. J. Seeds, "Transmission of wireless MIMO-type signals over a single optical fiber without WDM," *IEEE Trans. Microw. Theory Tech.*, vol. 58, no. 11 PART 2, pp. 3094–3102, 2010, doi: 10.1109/TMTT.2010.2074510.
- [17] S. Albayati, "An overview of visible light communication systems," *Int. J. Comput. Sci. Mob. Comput.*, vol. 8, no. 6, pp. 51–56, 2019.
- [18] K. D. Salman and E. K. Hamza, "Visible Light Fidelity Technology: Survey," *Iraqi J. Comput. Commun. Control Syst. Eng.*, vol. 21, no. 2, pp.

- 1–15, 2021, doi: 10.33103/uot.ijccee.21.2.1.
- [19] T. C. Bui, S. Kiravittaya, K. Sripimanwat, and N. H. Nguyen, “A Comprehensive Lighting Configuration for Efficient Indoor Visible Light Communication Networks,” *Int. J. Opt.*, vol. 2016, 2016, doi: 10.1155/2016/8969514.
- [20] J. Pradhan, V. K. Kappala, and S. K. Das, “Performance analysis of a li-fi system under ambient light conditions,” *26th Natl. Conf. Commun. NCC 2020*, 2020, doi: 10.1109/NCC48643.2020.9056061.
- [21] R. F. Adiati, A. Kusumawardhani, and H. Setijono, “Analisis Parameter Signal to Noise Ratio dan Bit Error Rate dalam Backbone Komunikasi Fiber Optik Segmen Lamongan-Kebalen,” *J. Tek. ITS*, vol. 6, no. 2, pp. 8–12, 2017, doi: 10.12962/j23373539.v6i2.26079.
- [22] International Telecommunication Union - ITU-T, “G.959.1 (02/12) Optical transport network physical layer interfaces,” pp. 1–74, 2012, [Online]. Available: <http://www.itu.int/rec/T-REC-G.959.1-201202-I/en%5Cnhttp://www.itu.int/rec/T-REC-G.959.1-200102-S/en>
- [23] I. T. U.- ITU-T, “O.201 (07/2003) Q-factor test equipment to estimate the transmission performance of optical channels,” 2003.
- [24] Optiwave, “OptiSystem Overview,” *Optical Communication System Design Software*, 2022. <https://optiwave.com/optisystem-overview/>