

DAFTAR PUSTAKA

- [1] Subdirektorat Statistik Hortikultura, *Statistik Tanaman Sayuran dan Buah-buahan Semusim Indonesia 2018*. Indonesia: BPS-Statistics Indonesia, 2018.
- [2] Anonymous, “Modernisasi Pertanian - Smart Farming Precision Agriculture 4.0,” *Distan*, Jan. 20, 2020. distan.bulelengkab.go.id
- [3] A. Triantafyllou, D. C. Tsouros, P. Sarigiannidis, and S. Bibi, “An Architecture model for Smart Farming,” in *2019 15th International Conference on Distributed Computing in Sensor Systems (DCOSS)*, Santorini Island, Greece, May 2019, pp. 385–392. doi: 10.1109/DCOSS.2019.00081.
- [4] D. Sundani, S. Widiyanto, Y. Karyanti, and D. T. Wardani, “Identification of Image Edge Using Quantum Canny Edge Detection Algorithm,” p. 12.
- [5] A. Jose, K. Deepa Merlin Dixon, N. Joseph, E. S. George, and V. Anjitha, “Performance study of edge detection operators,” in *2014 International Conference on Embedded Systems (ICES)*, Coimbatore, India, Jul. 2014, pp. 7–11. doi: 10.1109/EmbeddedSys.2014.6953040.
- [6] G. N. Chaple, R. D. Daruwala, and M. S. Gofane, “Comparisons of Robert, Prewitt, Sobel operator based edge detection methods for real time uses on FPGA,” in *2015 International Conference on Technologies for Sustainable Development (ICTSD)*, Mumbai, India, Feb. 2015, pp. 1–4. doi: 10.1109/ICTSD.2015.7095920.
- [7] H. Spontón and J. Cardelino, “A Review of Classic Edge Detectors,” *Image Process. Line*, vol. 5, pp. 90–123, Jun. 2015, doi: 10.5201/ipol.2015.35.
- [8] Mohd. A. Ansari, D. Kurchaniya, and M. Dixit, “A Comprehensive Analysis of Image Edge Detection Techniques,” *Int. J. Multimed. Ubiquitous Eng.*, vol. 12, no. 11, pp. 1–12, Nov. 2017, doi: 10.14257/ijmue.2017.12.11.01.
- [9] W. Supriyatni, “Perbandingan Metode Sobel, Prewitt, Robert dan Canny pada Deteksi Tepi Objek Bergerak,” *Ilk. J. Ilm.*, vol. 12, no. 2, pp. 112–120, Aug. 2020, doi: 10.33096/ilkom.v12i2.541.112-120.
- [10] D. Pivoto, P. D. Waquil, E. Talamini, C. P. S. Finocchio, V. F. Dalla Corte, and G. de Vargas Mores, “Scientific development of smart farming technologies and their application in Brazil,” *Inf. Process. Agric.*, vol. 5, no. 1, pp. 21–32, Mar. 2018, doi: 10.1016/j.inpa.2017.12.002.

- [11] U. Sumpena and A. Permana, “Budidaya Caisin dan Pakcoy menggunakan pot / ploybag.” Badan Penelitian dan Pengembangan. [Online]. Available: <http://libalitsalitbang.deptan.go.id>
- [12] A. Wahyuningsih, “Komposisi Nutrisi dan Media Tanam Terhadap Pertumbuhan dan Hasil Tanaman Pakcoy (*Brassica rapa* L.) Sistem Hidropponik,” vol. 4, p. 7, 2016.
- [13] A. N. Tompunu, “Pengolahan citra Digital Untuk Mendekripsi Obyek Menggunakan Pengolahan Warna Model Normalisasi RGB,” p. 7, 2011.
- [14] R. A. Pramunendar, P. N. Andono, Moch. A. Soelean, D. P. Prabowo, and D. Pergiwat, *Pengenalan Berbasis Citra Dua Dimensi Menggunakan Matlab*. Yogyakarta: Istana Publishing, 2020.
- [15] R. Muthukrishnan and M. Radha, “Edge Detection Techniques For Image Segmentation,” *Int. J. Comput. Sci. Inf. Technol.*, vol. 3, no. 6, pp. 259–267, Dec. 2011, doi: 10.5121/ijcsit.2011.3620.
- [16] R. Siringoringo, “Klasifikasi Data Tidak Seimbang Menggunakan Algoritma Smote dan k-Nearest Neighbor,” p. 6, 2018.
- [17] Y. Miftahuddin, S. Umaroh, and F. R. Karim, “PERBANDINGAN METODE PERHITUNGAN JARAK EUCLIDEAN, HAVERSINE, DAN MANHATTAN DALAM PENENTUAN POSISI KARYAWAN,” *J. Tekno Insentif*, vol. 14, no. 2, pp. 69–77, Aug. 2020, doi: 10.36787/jti.v14i2.270.
- [18] F. Tempola, M. Muhammad, and A. Khairan, “Perbandingan Klasifikasi Antara KNN dan Naive Bayes pada Penentuan Status Gunung Berapi dengan K-Fold Cross Validation,” *J. Teknol. Inf. Dan Ilmu Komput.*, vol. 5, no. 5, p. 577, Oct. 2018, doi: 10.25126/jtiik.201855983.
- [19] B. G. Marcot and A. M. Hanea, “What is an optimal value of k in k-fold cross-validation in discrete Bayesian network analysis?,” *Comput. Stat.*, vol. 36, no. 3, pp. 2009–2031, Sep. 2021, doi: 10.1007/s00180-020-00999-9.
- [20] M. R. A. Nasution and M. Hayaty, “Perbandingan Akurasi dan Waktu Proses Algoritma K-NN dan SVM dalam Analisis Sentimen Twitter,” *J. Inform.*, vol. 6, no. 2, pp. 226–235, Sep. 2019, doi: 10.31311/ji.v6i2.5129.
- [21] J. D. Rodriguez, A. Perez, and J. A. Lozano, “Sensitivity Analysis of k-Fold Cross Validation in Prediction Error Estimation,” *IEEE Trans. Pattern Anal.*

Mach. Intell., vol. 32, no. 3, pp. 569–575, Mar. 2010, doi: 10.1109/TPAMI.2009.187.

- [22] Neelam Tyagi, “What is Confusion Matrix?,” *Analyticsteps*, Desember 2020. www.analyticssteps.com (accessed Nov. 02, 2021).