

DAFTAR PUSTAKA

- [1] W. Asriningrum, H. Noviar, P. Bidang Analisa Sistem, and P. Bidang Pemanfaatan, “Pengembangan Metode Zonasi Daerah Bahaya Letusan Gunung Api Studi kasus Gunung Merapi,” *Jauh dan Pengolah. Data Citra Digit.*, vol. 1, no. 1, pp. 66–75, 2004, [Online]. Available: www.pu.go.id.
- [2] W. Asriningrum, H. Noviar, and Suwarsono, “Pengukuran Suhu Permukaan Lahan untuk prediksi letusan gunung api,” vol. 3, no. 1, pp. 26–35, 2006, [Online]. Available: http://jurnal.lapan.go.id/index.php/jurnal_inderaja/article/viewFile/477/408.
- [3] W. Asriningrum, W. K. Harsanugraha, and I. Prasasti, *Bunga Rampai Pemanfaatan Data Penginderaan Jauh untuk Mitigasi Bencana Banjir*. 2015.
- [4] R. I. Ministry of Energy and Mineral Resources, “Merapi Volcano, Jawa Tengah,” p. (In Bahasa), 2013, [Online]. Available: <https://vsi.esdm.go.id/index.php/gunungapi/data-dasar-gunungapi/542-g-merapi>.
- [5] Henri, “Gunung Api Indonesia dan karakteristik bahayanya,” *Angew. Chemie Int. Ed.* 6(11), 951–952., 2018.
- [6] L. Rachmawati, “Pengetahuan Penduduk Terhadap Peta Kawasan Rawan Bencana dan Mitigasi Bencana Merapi,” *J. Kependud. Indones.*, vol. 13, no. 2, pp. 143–156, 2018, [Online]. Available: <https://ejurnal.kependudukan.lipi.go.id/index.php/jki/article/view/324/pdf>.
- [7] G. Mazzeo, M. S. Ramsey, F. Marchese, N. Genzano, and N. Pergola, “Implementation of the NHI (Normalized hot spot indices) algorithm on infrared aster data: Results and future perspectives,” *Sensors*, vol. 21, no. 4, pp. 1–16, 2021, doi: 10.3390/s21041538.
- [8] M. B. Mia, Y. Fujimitsu, and J. Nishijima, “Thermal Activity Monitoring of an Active Volcano Using Landsat 8/OLI-TIRS Sensor Images: A Case Study at the Aso Volcanic Area in Southwest Japan,” *Geosci.*, vol. 7, no. 4, 2017, doi: 10.3390/geosciences7040118.
- [9] R. Wright, L. P. Flynn, H. Garbeil, A. J. L. Harris, and E. Pilger,

- “MODVOLC: Near-real-time thermal monitoring of global volcanism,” *J. Volcanol. Geotherm. Res.*, vol. 135, no. 1–2, pp. 29–49, 2004, doi: 10.1016/j.jvolgeores.2003.12.008.
- [10] A. J. L. Harris, L. P. Flynn, L. Keszthelyi, P. J. Mougins-Mark, S. K. Rowland, and J. A. Resing, “Calculation of lava effusion rates from Landstat TM data,” *Bull. Volcanol.*, vol. 60, no. 1, pp. 52–71, 1998, doi: 10.1007/s004450050216.
- [11] R. Wright, L. P. Flynn, and A. J. L. Harris, “Evolution of lava flow-fields at Mount Etna, 27-28 October 1999, observed by Landsat 7 ETM+,” *Bull. Volcanol.*, vol. 63, no. 1, pp. 1–7, 2001, doi: 10.1007/s004450100124.
- [12] S. Suwarsono, D. Triyono, M. R. Khomarudin, and R. Rokhmatuloh, “Spatio-Temporal Anomalies in Surface Brightness Temperature Preceding Volcano Eruptions Detected By the Landsat-8 Thermal Infrared Sensor (Case Study: Karangetang Volcano),” *Int. J. Remote Sens. Earth Sci.*, vol. 18, no. 1, p. 43, 2021, doi: 10.30536/j.ijreses.2021.v18.a3465.
- [13] J. R. Irons, J. L. Dwyer, and J. A. Barsi, “The next Landsat satellite: The Landsat Data Continuity Mission,” *Remote Sens. Environ.*, vol. 122, pp. 11–21, 2012, doi: 10.1016/j.rse.2011.08.026.
- [14] J. Schott, A. Gerace, S. Brown, M. Gartley, M. Montanaro, and D. C. Reuter, “Simulation of image performance characteristics of the landsat data continuity mission (LDCM) thermal infrared sensor (TIRS),” *Remote Sens.*, vol. 4, no. 8, pp. 2477–2491, 2012, doi: 10.3390/rs4082477.
- [15] C. A. Perwita, S. Maryanto, M. Ghufron, M. Prakoso, S. Abigail, and U. Z. N. Zamhar, “Korelasi Peningkatan Temperatur Permukaan Tanah dan Aktivitas Seismik di Gunung Anak Krakatau pada tahun 2018,” *J. Lingkungan. dan Bencana Geol.*, vol. 11, no. 3, p. 135, 2020, doi: 10.34126/jlbg.v11i3.315.
- [16] O. A. Girina, “On precursor of Kamchatkan volcanoes eruptions based on data from satellite monitoring,” *J. Volcanol. Seismol.*, vol. 6, no. 3, pp. 142–149, 2012, doi: 10.1134/S0742046312030049.
- [17] S. R. Suartika E. P, I Wayan, Wijaya Arya Yudhi, “Klasifikasi Citra Menggunakan Convolutional Neural Network (Cnn) Pada Caltech 101,” *J.*

- Tek. ITS*, vol. 5, no. 1, p. 76, 2016, [Online]. Available: <http://repository.its.ac.id/48842/>.
- [18] P. A. Nugroho, I. Fenriana, and R. Arijanto, “Implementasi Deep Learning Menggunakan Convolutional Neural Network (Cnn) Pada Ekspresi Manusia,” *Algor*, vol. 2, no. 1, pp. 12–21, 2020.
- [19] N. I. Fawzi and V. N. Husna, *Landsat 8_Sebuah Teori dan Teknik Pemrosesan Tingkat Dasar*, vol. 1, no. April. 2021.
- [20] M. Blackett, “Early analysis of landsat-8 thermal infrared sensor imagery of volcanic activity,” *Remote Sens.*, vol. 6, no. 3, pp. 2282–2295, 2014, doi: 10.3390/rs6032282.
- [21] B. Tian, L. Wang, K. Kashiwaya, and K. Koike, “Combination of well-logging temperature and thermal remote sensing for characterization of geothermal resources in Hokkaido, northern Japan,” *Remote Sens.*, vol. 7, no. 3, pp. 2647–2667, 2015, doi: 10.3390/rs70302647.
- [22] Suwarsono, D. Triyono, M. R. Khomarudin, and Rokhmatuloh, “Surface temperature changes of the crater of Agung Volcano from Landsat-8 TIRS during 2017-2018 eruption,” *J. Phys. Conf. Ser.*, vol. 1528, no. 1, 2020, doi: 10.1088/1742-6596/1528/1/012052.
- [23] M. P. Del Rosso, A. Sebastianelli, D. Spiller, P. P. Mathieu, and S. L. Ullo, “On-Board Volcanic Eruption Detection through CNNs and Satellite Multispectral Imagery,” *Remote Sens.*, vol. 13, no. 17, pp. 1–16, 2021, doi: 10.3390/rs13173479.
- [24] D. Shoji, R. Noguchi, S. Otsuki, and H. Hino, “Classification of volcanic ash particles using a convolutional neural network and probability,” *Sci. Rep.*, vol. 8, no. 1, pp. 1–12, 2018, doi: 10.1038/s41598-018-26200-2.
- [25] M. Zufar and B. Setiyono, “Convolutional Neural Networks untuk Pengenalan Wajah Secara Real-Time,” *Sens. Rev.*, vol. 18, no. 3, pp. 2–4, 1998, doi: 10.1108/sr.1998.08718cae.001.
- [26] P. Rahmawaty, M. Si, D. Respati, S. Sumunar, and M. Si, “Konsep Dan Implementasi Mitigasi Bencana Sebagai Upaya Peningkatan Kemampuan Menghadapi Ancaman Bahaya,” vol. 2, no. January, pp. 978–979, 2012.
- [27] S. Cabrera-Aharado, S. Langston, N. Antoniou, and E. Urquijo, “The

- progressive use of satellite technology for disaster management relief: Challenges to a legal and policy framework,” *Proc. Int. Astronaut. Congr. IAC*, vol. 13, no. February, pp. 10496–10502, 2013.
- [28] J. R. Irons and J. L. Dwyer, “An overview of the Landsat Data Continuity Mission,” *Algorithms Technol. Multispectral, Hyperspectral, Ultraspectral Imag. XVI*, vol. 7695, p. 769508, 2010, doi: 10.1117/12.850416.
- [29] K. Thome, D. Reuter, C. Richardson, and R. Smith, “Calibration of the thermal infrared sensor on the Landsat Data Continuity Mission,” *Int. Geosci. Remote Sens. Symp.*, pp. 1660–1663, 2010, doi: 10.1109/IGARSS.2010.5652758.
- [30] G. Chander, B. L. Markham, and D. L. Helder, “Summary of current radiometric calibration coefficients for Landsat MSS, TM, ETM+, and EO-1 ALI sensors,” *Remote Sens. Environ.*, vol. 113, no. 5, pp. 893–903, 2009, doi: 10.1016/j.rse.2009.01.007.
- [31] M. Canesche, L. Bragança, O. P. V. Neto, J. A. Nacif, and R. Ferreira, “Google Colab CAD4U: Hands-on cloud laboratories for digital design,” *Proc. - IEEE Int. Symp. Circuits Syst.*, vol. 2021-May, no. Vcd, 2021, doi: 10.1109/ISCAS51556.2021.9401151.
- [32] USGS, “Gunung Merapi hasil pengamatan menggunakan Landsat 8”, 31 Januari 2022, [Online]. Available: <https://earthexplorer.usgs.gov/>.
- [33] Ita Wulan Safitri, “Source Code & Model CNN”, 7 September 2022, [Online]. Available: https://colab.research.google.com/drive/1jh3u_s7DQN8j82L2jGuaMN--NtPIae9c?usp=sharing.
- [34] Ita Wulan Safitri, “Hasil Akurasi CNN”, 7 September 2022, [Online]. Available: <https://docs.google.com/spreadsheets/d/1ZnKI7Io6AaTMSy8bXvTEEcimWYjDz0WLnk8zLsBIdpA/edit?usp=sharing>.