

Scopus[®]
indexed

Q3	Computer Networks and Communications	SJR 2019	SNIP 2019	CiteScore 2019
		0.21	0.65	1.4

ISSN 2502-4752

Vol. 26 No 3, June 2022

INTERNATIONAL JOURNAL OF
**ELECTRICAL
ENGINEERING
AND COMPUTER
SCIENCE**

<http://ijeecs.iaescore.com>



Intellectual Pustaka
Media Utama



Institute of Advanced Engineering and Science

IJECS Vol. 26 No. 3, June 2022

Indonesian Journal of Electrical Engineering and Computer Science

Vol. 26, No 3, 2022
Scopus, SJR 0.28 Q3

p-ISSN: 2502-4752
e-ISSN: 2502-4760

EDITORIAL TEAM

Advisory Editors

Prof. Dr. Patricia Melin, Tijuana Institute of Technology, Mexico
Prof. Neil Bergmann, The University of Queensland, Australia
Dr. Argyrios Zolotas, Cranfield University, United Kingdom
Prof. Daniel Thalmann, Nanyang Technological University, Singapore
Prof. Ajith Abraham, VSB Technical University of Ostrava, Czech Republic

Editor-in-Chief

Prof. Dr. Seifedine Kadry, Lebanese American University, Lebanon

Editors

Prof. Dr. Leo P. Ligthart, Delft University of Technology, Netherlands
Prof. Dr. Omar Lengerke, Universidad Autónoma de Bucaramanga, Colombia
Assoc. Prof. Dr. Wanquan Liu, Sun Yat-sen University, China
Dr. Arianna Mencattini, University of Rome "Tor Vergata", Italy
Mark S. Hooper, Analog/RF IC Design Engineer (Consultant) at Microsemi, United States

Associate Editors

Prof. Dr. Ahmad Saudi Samosir, Universitas Lampung (UNILA), Indonesia
Prof. Dr. Faycal Djeflal, University of Batna, Batna, Algeria
Prof. Dr. Muhammad Irfan, Beijing Institute of Technology, China
Prof. Dr. Nidhal Bouaynaya, Rowan University, United States
Prof. Dr. Nik Rumzi Nik Idris, Universiti Teknologi Malaysia, Malaysia
Prof. Dr. Luis Paulo Reis, University of Minho, Portugal
Prof. Dr. Sanjay Kaul, Fitchburg State University, United States
Prof. Dr. Srinivasan Alavandar, CK College of Engineering and Technology, India
Prof. Dr. Vijayakumar Varadarajan, The University of New South Wales, Australia
Prof. Dr. Maja Stula, University of Split, Croatia
Prof. Anjan Kumar Ghosh, Tripura University, India
Prof. Essam M. Rashad, Tanta University, Egypt
Prof. Ezra Morris Gnanamuthu, Universiti Tunku Abdul Rahman, Malaysia
Prof. João Crisóstomo Weyl, Universidade Federal do Pará, Brazil
Prof. Larbi Boubchir, University of Paris 8, France
Prof. Mohammed Alghamdi, Al-Baha University, Saudi Arabia
Assoc. Prof. Octavian Postolache, ISCTE-Lisbon University Institute, Portugal
Prof. Ranathunga Arachchilage Ruwan Chandra Gopura, University of Moratuwa, Sri Lanka
Assoc. Prof. Ahmed Nabih Zaki Rashed, Menoufia University, Egypt
Assoc. Prof. Dr. Jumril Yunus, Universiti Kebangsaan Malaysia, Malaysia
Assoc. Prof. Dr. Lunchakorn Wuttisittikulij, Chulalongkorn University, Thailand
Assoc. Prof. Dr. Mario Versaci, Università degli Studi di Reggio Calabria, Italy
Assoc. Prof. Dr. Valentina Emilia Balas, Aurel Vlaicu University of Arad, Romania
Asst. Prof. Dr. Ahmet Teke, Çukurova University, Turkey
Asst. Prof. Dr. Dinh-Thuan Do, Ton Duc Thang University, Viet Nam

Indonesian Journal of Electrical Engineering and Computer Science

Vol. 26, No 3, 2022
Scopus, SJR 0.28 Q3

p-ISSN: 2502-4752
e-ISSN: 2502-4760

Asst. Prof. Dr. Ehsan O. Sheybani, University of South Florida, United States
Asst. Prof. Dr. Supavadee Aramvith, Chulalongkorn University, Thailand
Assoc. Prof. Dr. Ljiljana Seric, University of Split, Croatia
Dr. Abdalhossein Rezai, University of Science and Culture, Iran
Dr. Ahmed Boutejdar, German Research Foundation DFG Braunschweig-Bonn, Germany
Dr. Anand Nayyar, Duy Tan University, Viet Nam
Assoc. Prof. Aniruddha Chandra, National Institute of Technology, India
Dr. Arafat Al-Dweik, Khalifa University, United Arab Emirates
Assoc. Prof. Dr. Arcangelo Castiglione, University of Salerno, Italy
Assoc. Prof. Chau Yuen, Singapore University of Technology and Design, Singapore
Dr. Chinmay Chakraborty, Birla Institute of Technology, India
Dr. Faqiang Wang, Xi'an Jiaotong University, China
Assoc. Prof. Han Yang, University of Electronic Science and Technology of China, China
Dr. Harikumar Rajaguru, Bannari Amman Institute of Technology, India
Dr. Imran Shafique Ansari, University of Glasgow, United Kingdom
Assoc. Prof. Jinsong Wu, Universidad de Chile, Chile
Dr. Makram Fakhry, University of Technology, Baghdad, Iraq
Dr. Mohammed Dregham Zidan, University of Science and Technology, Egypt
Dr. Mohd Khair Hassan, Universiti Putra Malaysia, Malaysia
Dr. Munawar A Riyadi, Universiti Teknologi Malaysia, Malaysia
Dr. N. Ramesh Babu, M Kumarasamy College of Engineering, India
Dr. Nuno Rodrigues, Instituto Politécnico de Bragança, Portugal
Asst. Prof. Dr. Praveen Malik, Dr. B. R. Ambedkar National Institute of Technology, India
Asst. Prof. Dr. Rama Reddy, Kakatiya University, India
Assoc. Prof. Shahrin Md. Ayob, Universiti Teknologi Malaysia, Malaysia
Dr. Sudhanshu Shekhar Jha, Leipzig University, Germany
Dr. Surinder Singh, SLIET Longowal, India
Dr. Tarek Djerafi, Institute of Energy, Materials and Telecommunications (INRS), Canada
Dr. Tianhua Xu, Tianjin University, China
Dr. Vassilis S. Kodogiannis, CEng, University of Westminster, United Kingdom
Assoc. Prof. Dr. Wei Wang, Harbin Engineering University, China
Prof. Wei Zhouchao, China University of Geosciences, China
Dr. Yin Liu, Symantec Core Research Lab, United States
Dr. Youssef Errami, Chouaib Doukkali University, Morocco
Dr. Yutthapong Tuppadung, Provincial Electricity Authority (PEA), Thailand

Editorial Board Members

Assoc. Prof. Murad Abusubaih, Palestine Polytechnic University, Palestinian Territory, Occupied
Prof. Abdelmadjid Recioui, University of Boumerdes, Algeria
Prof. Ahmed El Oualkadi, Abdelmalek Essaadi University, Morocco
Prof. Meerja Akhil Jabbar, Vardhaman College of Engineering, India
Prof. Arthur Swart, Central University of Technology, South Africa
Prof. Felix J. Garcia Clemente, University of Murcia, Spain
Prof. Mohamed Habaebi, International Islamic University Malaysia, Malaysia
Prof. Priya Ranjan, Bhubaneswar Institute of Technologydisabled, India
Prof. Sattar B. Sadkhan, University of Babylon, Iraq

Indonesian Journal of Electrical Engineering and Computer Science

Vol. 26, No 3, 2022
Scopus, SJR 0.28 Q3

p-ISSN: 2502-4752
e-ISSN: 2502-4760

Prof. Wajeb Gharibi, University of Missouri-Kansas City, United States
Dr. Arun Sharma, Delhi Technological University, India
Dr. Dimitri Papadimitriou, University of Antwerp, Belgium
Dr. Duy Huynh, HUTECH University, Viet Nam
Dr. Hamed Mojallali, University of Guilan, Iran, Islamic Republic of
Dr. Hasan Ali Khattak, National University of Sciences & Technology, Pakistan
Asst. Prof. Dr. Jérôme Le Masson, CREC Saint Cyr, France
Dr. Jitendra Mohan, Jaypee Institute of Information Technology, India
Assoc. Prof. Jose Soler, Technical University of Denmark, Denmark
Dr. Kamal Kant Sharma, Chandigarh University, India
Dr. Kamil Dimililer, Yakın Doğu Üniversitesi, Cyprus
Dr. Ke-Lin Du, Concordia University, Canada
Dr. K.K. Thyagarajan, RMK College of Engineering and Technology, India
Dr. Maria Chiara Caschera, Istituto Di Ricerche Sulla Popolazione E Le Politiche Sociali, Italy
Dr. Milica Petkovic, University of Novi Sad, Serbia
Asst. Prof. Dr. Marwan Nafea, University of Nottingham Malaysia, Malaysia
Dr. Media A Ayu, Sampoerna University, Indonesia
Dr. Mohammad Yazdani-Asrami, University of Glasgow, United Kingdom
Dr. Mohd Syakirin Ramli, Universiti Malaysia Pahang, Malaysia
Dr. Mritha Ramalingam, University Malaysia Pahang, Malaysia
Assoc. Prof. Dr. Norliza Noor, Universiti Teknologi Malaysia, Malaysia
Dr. Pratap Kumar Sahu, Foxconn, Taiwan
Dr. Philipp Fichteler, Fraunhofer HHI, Germany
Dr. Ratna Kalos Zakiah Sahbudin, Universiti Putra Malaysia, Malaysia
Dr. Rupak Kharel, University of Central Lancashire, United Kingdom
Prof. Dr. Sai Kiran Oruganti, Jiangxi University of Science and Technology Ganzhou, China
Dr. Sanjaya Kumar Panda, National Institute of Technology, India
Assoc. Prof. Dr. Santoso Wibowo, Central Queensland University, Australia
Dr. Stylianos Basagiannis, United Technologies, Cork, Ireland
Dr. Suneeta Suneeta, Vemana Institute of Technology, India
Asst. Prof. Dr. Taghi Javdani Gandomani, Shahrekord University, Iran
Asst. Prof. Dr. Tanmoy Maitra, Kalinga Institute of Industrial Technology, India
Dr. Tianhua Xu, Tianjin University, China
Assoc. Prof. Vasaka Visoottiviseth, Mahidol University, Thailand
Dr. Vicente Ferreira De Lucena, Universidade Federal do Amazonas, Brazil
Dr. Zhi-Xiang Zhang, Hefei University of Technology, China
Dr. Yasin Kabalci, Nigde Omer Halisdemir University, Turkey
Asst. Prof. Dr. Ying-Khai Teh, San Diego State University, United States
Assoc. Prof. Dr. Zeashan Hameed Khan, Air University, Pakistan
Mr. Abdelfatteh Haidine, National School of Applied Sciences, Morocco
Prof. Dr. Mihai Gavrilas, Technical University of Iasi, Romania

Indonesian Journal of Electrical Engineering and Computer Science

Vol. 26, No 3, 2022
Scopus, SJR 0.28 Q3

p-ISSN: 2502-4752
e-ISSN: 2502-4760

Address :

- Indonesian Journal of Electrical Engineering and Computer Science
- D2, Ngoto Asri, Bangunharjo, Sewon, Bantul, Yogyakarta 55187, Indonesia
 - C5 JEC Resd, Plumbon, Banguntapan, Bantul, Yogyakarta 55198, Indonesia
 - No. 15, CJE, Plumbon, Banguntapan, Bantul, Yogyakarta 55198, Indonesia

Email: ijeecs@iaesjournal.com

Website: <https://ijeecs.iaescore.com/index.php/IJEECS/index>

DAFTAR ISI
IJECS (Indonesian Journal of Electrical Engineering and Computer Science)
Volume 26, Nomor 3, Juni 2022

Electric vehicle charging using roof top photovoltaic controlled with new hybrid optimization technique Dhamodharan Selvaraj, Dhanalakshmi Rangasamy	PDF 1227-1234
Unbalance compensation topology for railway application based on pulse width modulation alternating current chopper Ismail Mir, Anas Benslimane, Jamal Bouchnaif, Badreddine Lahfaoui	PDF 1235-1246
Solution of load frequency control through jaya technique with unified power flow controller and redox flow battery Avinash Panwar, Vinesh Agarwal, Gulshan Sharma, Kayode Timothy Akindeji, Narayanan Krishnan	PDF 1247-1257
Investigating low order harmonics of sinusoidal pulse width modulation with voltage closed loop control Ali Hussein Al-Omari, Saif Al-Zubaidi	PDF 1258-1265
The application of Sugeno fuzzy to control active power load and remaining battery usage time modelling Wahyu Setyo Pambudi, Riza Agung Firmansyah, Rizal Rahmanto Issany, Ryan Yudha Adhitya, Mat Sya'in	PDF 1266-1273
Design of a compact and miniature band-pass filter for global positioning system applications Amal Kadiri, Abdelali Tajmouati, Jamal Zbitou, Issam Zahraoui, Mohamed Latrach	PDF 1274-1280
Management patients information based finger print Ahmed Bashar Fakhri, Huda Farooq Jameel, Mustafa Falah Mahmood	PDF 1281-1289
A new application for fast prediction and protection of electrical drive wheel speed using machine learning methodology Medjdoub Khessam, Abdelkader Lousdad, Abdeldjebar Hazzab, Miloud Rezkallah, Amrisha Chandra	PDF 1290-1298
Output power control of nuclear reactor using ant lion optimization-based controller Tarek A. Boghdady, Mostafa Mahmoud Ibrahim, Essam Aboul Zahab, Mahmoud Sayed	PDF 1299-1305
Predictive and probabilistic modelling using machine learning for building indoor climate control Shokhjakhon Abdufattokhov, Nurilla Mahamatov, Kamila Ibragimova, Dilfuza Gulyamova	PDF 1306-1314
Tracking control for planar nonminimum-phase bilinear control system with disturbance using backstepping Khozin Mu` tamar, Janson Naiborhu, Roberd Saragih, Dewi Handayani	PDF 1315-1327
Internet of things-based robot to take care of the Coronavirus patients and sterilize quarantine rooms Huthaifa Ahmad Al-Issa, Issam Trrad	PDF 1328-1337
Design of elderly-assistant mobile servant robot Minh Son Nguyen, The Tung Than, Tri Nhut Do, Hoai Nhan Nguyen	PDF 1338-1350
Optimum control for dynamic voltage restorer based on particle swarm optimization algorithm Saddam Subhi Salman, Abdulrahim Thiab Humod, Fadhil A. Hasan	PDF 1351-1359
Adaptive filter algorithms for state of charge estimation methods: A comprehensive review Shamsul Aizam Zulkifli, Mubashir Hayat Khan	PDF 1360-1367
Challenges and recent developments in solar tracking strategies for concentrated solar parabolic dish Franch Maverick A. Lorilla, Renyl Barroca	PDF 1368-1378
Dual axis solar tracker system using optimal hybrid controller Mohammed Rashid Subhi, Jawad Hamad Hameed, Hameed Ali Mohammed	PDF 1379-1387

An arrangement of the number of K-grams in the performance of Rabin Karp algorithm in text adjustment	PDF
Yuli Astuti, Irma Rofni Wulandari	1388-1394
Linear frequency modulated reverberation suppression using time series models	PDF
Jami Venkata Suman, Mamidipaka Hema, Bandi Jagadeesh	1395-1401
Word recognition and automated epenthesis removal for Indonesian sign system sentence gestures	PDF
Erdefi Rakun, I Gusti Bagus Hadi Widhinugraha, Noer Fitria Putra Setyono	1402-1414
Stereo matching algorithm based on combined matching cost computation and edge preserving filters	PDF
Madiha Zahari, Rostam Affendi Hamzah, Nurulfajar Abd Manap, Adi Irwan Herman	1415-1422
Design and implementation of PC to PC data transmission using wireless visible light communication system	PDF
Reyhane Jalil, Adnan Sabbar, Hassan Falah Fakhrudeen, Feryal Ibrahim Jabbar	1423-1428
Challenges of IEEE 802.11a technology and improving its performance using diversity technique	PDF
Najat Shyaa Jasim Mohammed, Buraq Abdulhadi Awad, Zainab B. Abdullah, Salam W. Shneen	1429-1435
Data-driven optimal antenna planning for enhanced 4G mobile networks under realistic environment	PDF
Seifu Girma Zeleke, Beneyam Berehanu Haile, Ephrem Teshale Bekele	1436-1443
Design of Wilkinson power divider at 28 GHz for 5G applications	PDF
Nurfarhana Nabila Ridzuan, Norun Fariyah Abdul Malek, Farah Nadia Mohd Isa, Md. Rafiqul Islam, Ku Chui Choon Ivan, Nidal Qasem	1444-1450
Highly efficient microstrip patch antenna for wireless gigabit alliance applications	PDF
Soumen Barua, Abu Zafar Md. Imran, Md. Emdadul Hoque Bhuiyan, Subrata Barua, Syed Zahidur Rashid, Abdul Gafur, Md. Razu Ahmed	1451-1459
Enhancement of code division multiple access system performance using raptor codes	PDF
Ikhlas Mahmoud Farhan, Dhafer R. Zaghar, Hadeel Nasrat Abdullah	1460-1468
Joint polar with physical layer network coding and massive MIMO: performance analysis	PDF
Alza Abduljabbar Mahmood, Abdulkareem Abdulrahman Kadhim	1469-1476
Performance comparison of TOPAS chirped fiber Bragg grating sensor with Tanh and Gaussian apodization	PDF
Dedi Irawan, Khaikal Ramadhan, Saktioto Saktioto, Azwir Marwin	1477-1485
Development and performance evaluation of object and traffic light recognition model by way of deep learning	PDF
Shweta Bali, Tapas Kumar, Shyam Sunder Tyagi	1486-1494
Traffic sign recognition based color model	PDF
Majid Dherar Younus, Emad A. Al-Sabawi	1495-1501
Analysis of rank-based latency aware fog scheduling using validating internet of things at large scales	PDF
J. Geetha, Shaguftha Zuveria Kottur, Riya Ganiga, D. S. Jayalakshmi, Tallapalli Surabhi	1502-1511
Automatic summarization of YouTube video transcription text using term frequency-inverse document frequency	PDF
Rand Abdulwahid Albeer, Huda F. AL-Shahad, Hiba J. Aleqabie, Noor D. Al-shakarchy	1512-1519
An approach for metadata extraction and transformation for various data sources using R programming language	PDF
Forat Falih Hasan, Muhamad Shahbani Abu Bakar	1520-1529
Load balancing in cloud computing: an analytical review and proposal	PDF
Santosh Kumar Maurya, Garima Sinha	1530-1537
Toward mobile learning at Jordanian higher education institutions	PDF
Ahmad Shukri Mohd Noor, Marwan Nasser Yousef Atoom, Masita Abdul Jaill	1538-1545

Analysing corporate social responsibility reports using document clustering and topic modeling techniques	PDF
Nik Siti Madihah Nik Mangsor, Syerina Azlin Md Nasir, Wan Fairros Wan Yaacob, Zurina Ismail, Shuzlina Abdul Rahman	1546-1555
Selecting the appropriate size of the graph for self-diagnostic model with graph density	PDF
Sutat Gammanee, Sunantha Sodsee	1556-1563
Diagnosis of hepatitis disease using machine learning techniques	PDF
Ibraheem I. Ahmed, Duraid Y. Mohammed, Khamis A. Zidan	1564-1572
Perspectives on adherence to ethics standards and behaviour in software development	PDF
Senyeki Milton Marebane, Robert Toyo Hans, Jacqui Coosner	1573-1580
A survey of security and smart home automation based on internet of things technology	PDF
Sarah Mohammed Shareef, Zainab Adnan Abbas, Zahraa Mohammed Hilal	1581-1588
Overcoming camera instability problem for detecting and tracking moving objects in video using reduced data	PDF
Jalal H. Awad, Balsam D. Majeed	1589-1598
Teaching through virtual tools and its effect on the perception of student satisfaction	PDF
Omar Chamorro-Atalaya, Guillermo Morales-Romero, Adrián Quispe-Andía, Darío Villar-Valenzuela, Alicia Jeri-Sandoval, César León-Velarde, Irma Aybar-Bellido	1599-1606
Overlapping clustering with k-median extension algorithm: An effective approach for overlapping clustering	PDF
Alvincent E. Danganan, Regina P. Arceo	1607-1615
Artificial neural network modeling for predicting the quality of water in the Sabak Bernam River	PDF
Faqihah Affandi, Mohamad Faizal Abd Rahman, Adi Izhar Che Ani, Mohd Suhaimi Sulaiman	1616-1623
Implementation of eigenface method and support vector machine for face recognition absence information system	PDF
Chakim Annubaha, Aris Puji Widodo, Kusworo Adi	1624-1633
Recommendation method based on learner profile and demonstrated knowledge	PDF
Outmane Bourkhouk, Essaid El Bachari, Mohamed Lachgar	1634-1642
The employment of gamification towards excellence in police services management	PDF
Sarifah Putri Raflesia, Taufiqurrahman Rusdy, Dinda Lestari, Firdaus Firdaus, Dinna Yunika Hardiyanti	1643-1650
Cancerous brain tumor detection using hybrid deep learning framework	PDF
Sonali Kothari, Shwetambari Chiwhane, Shruti Jain, Malti Baghel	1651-1661
Smart-geofencing for system of reporting inadequate regional infrastructure using crossing and winding number	PDF
Puspa Miladin Nuraida Safitri A. Basid, Fresy Nugroho	1662-1671
Development of the regional water balance regulation concept based on the geosystem approach	PDF
Anatoliy A. Yamashkin, Stanislav A. Yamashkin, Milan M. Radovanovic, Natalia S. Muchkaeva, Inna S. Lyamzina	1672-1683
Applying reinforcement learning for random early detection algorithm in adaptive queue management systems	PDF
Ayman Basheer Yousif, Hassan Jaleel Hassan, Gaida Muttasher	1684-1691
Girth aware normalized min sum decoding algorithm for shorter length low density parity check codes	PDF
Abdelilah Kadi, Hajar El Ouakili, Rachid El Alami, Said Najah	1692-1700
Big data based architecture to bringing together graduates and recruiters: case of Moroccan University	PDF
Abdemounaime Hamdane, Nadir Belhaj, Halima El Hamdaoui, Karima Aissaoui, Moulhime El Bekkali, Nour El Houda Chaoui	1701-1709
React: A detailed survey	PDF
Varun Komperla, Deenadhayalan Pratiba, Poonam Ghuli, Ramakanthkumar Pattar	1710-1717

Development of geo-referenced agricultural map and management information system for Samar Island Charito Dela Cruz Sabate, Mirador Labrador	PDF 1718-1724
Deep convolutional neural network model for bad code smells detection based on oversampling method Nasraldeen Alnor Adam Khleel, Károly Nehéz	PDF 1725-1735
Knowledge discovery in manufacturing datasets using data mining techniques to improve business performance Amani Gomaa Shaaban, Mohamed Helmy Khafagy, Mohamed Abbas Elmasry, Heba El-Beih, Mohamed Hasan Ibrahim	PDF 1736-1746
Enhancement in privacy preservation in cloud computing using apriori algorithm Raniah Ali Mustafa, Haitham Salman Chyad, Jinan Redha Mutar	PDF 1747-1757
The adoption factors of two-factors authentication in blockchain technology for banking and financial institutions Amir Aizzat Basori, Nor Hapiza Mohd Ariffin	PDF 1758-1764
Sentiment analysis on vaccine COVID-19 using word count and Gaussian Naïve Bayes Nur Ghaniaviyanto Ramadhan, Faisal Dharma Adhinata	PDF 1765-1772
A bootstrap aggregation approach for adequate crop fertilizer and nutrition recommendation Varshitha D. N., Savita Choudhary	PDF 1773-1780
Based on mesh sensor network: design and implementation of security monitoring system with Bluetooth technology Bilal Hashim Hameed, Anmar Yahya Taher, Raed Khalid Ibrahim, Adnan Hussein Ali, Yasser Adnan Hussein	PDF 1781-1790

Sentiment analysis on vaccine COVID-19 using word count and Gaussian Naïve Bayes

Nur Ghaniaviyanto Ramadhan, Faisal Dharma Adhinata

Department of Software Engineering, Faculty of Informatics, Institut Teknologi Telkom Purwokerto, Indonesia

Article Info

Article history:

Received Nov 13, 2021

Revised Mar 31, 2022

Accepted Apr 20, 2022

Keywords:

COVID-19

Gaussian Naïve Bayes

Sentiment analysis


Vaccine

Word count

ABSTRACT

Since the Coronavirus disease 2019 (COVID-19) pandemic hit the world, it had a significant negative impact on individuals, governments, and the global economy. One way to reduce the negative impact of COVID-19 is to vaccinate. Briefly, vaccination aims to enable the formed immune system to remember the characteristics of the targeted viral pathogen and be able to initiate an immune response that is rapid and strong enough to defeat future live viral pathogens. However, there are still many people in the world who are anti-vaccine. This certainly greatly hampers the process of accelerating the formation of the body's immune system widely in the community. Anti-vaccine people can be found on various social media platforms. Twitter was chosen as the data source because twitter is a common source of text for sentiment analysis. This study aims to analyze public sentiment on the COVID-19 vaccine through twitter in the form of tweets and retweets. This study uses the Gaussian Naïve Bayes method to see the results of the classification of sentiment analysis. The results obtained based on experiments prove that the Gaussian Naïve Bayes method can produce an average accuracy of 97.48% for each vaccine dataset used.

This is an open access article under the [CC BY-SA](https://creativecommons.org/licenses/by-sa/4.0/) license.



Corresponding Author:

Nur Ghaniaviyanto Ramadhan

Department of Software Engineering, Faculty of Informatics, Institut Teknologi Telkom Purwokerto

Purwokerto, Indonesia

Email: ghani@ittelkom-pwt.ac.id

1. INTRODUCTION

Coronavirus disease 2019 (COVID-19) is an infectious disease caused by the novel coronavirus severe acute respiratory syndrome (SARS) Cov2, first identified in Wuhan, China in December 2019 [1]. At the beginning of August 2021 worldwide, the cumulative number of confirmed positive cases was 200,702,075, while the death toll was 263,985 [2]. The covid19 virus can be transmitted by close contact or even by droplets between individuals [3]. In 2020, since the COVID19 pandemic hit the world, it has had a significant negative impact on individuals, governments, and the global economy [4]. The whole world is now competing to reduce the negative impact on their respective countries. One way to reduce the negative impact of COVID-19 is to get vaccinated. Many COVID-19 vaccines are being circulated around the world under different brands such as Sinovac, Moderna, Sinoparhm and Pfizer. As of August 2021, global vaccine data shows 1,172,440,018 (15%) doses of vaccine have been administered [5]. In summary, vaccination aims to enable the immune system to be trained to remember the characteristics of the targeted viral pathogen and to be able to initiate an immune response that is fast and strong enough to defeat the viral pathogen withdraw in the future [6].

However, there are nevertheless many humans withinside the global who're anti-vaccine. This truly significantly hampers the procedure of increasing the formation of the body's immune gadget broadly

withinside the community. Anti-vaccine humans may be determined on numerous social media systems, consisting of Twitter. Twitter is one of the social media systems with 187 million each day lively customers withinside the 0.33 area of 2020 [7]. Twitter changed into selected because the statistics supply due to the fact Twitter is a not unusualplace supply of textual content for sentiment evaluation and sentiment evaluation on vaccination [8]-[10]. Sentiment evaluation has regularly been finished with the aid of using associated research. For example, for sentiment evaluation on COVID-19, picture sentiment airline reviews, political sentiment, FB comment, resort reviews, PC reviews, patron satisfaction/reviews, training e-sport, film reviews, polygamy or even sentiment evaluation may be used for product and carrier evaluation [11]-[20].

Several preceding research have mentioned comparable problems, together with in studies attempts to evaluate the category withinside the sentiment evaluation of Telkom merchandise from customer evaluations written withinside the shape of tweets on Twitter with the fashions utilized by k-nearest neighbor (KNN), Naïve Bayes, and textual content blob [21]. Focuses on assessing Indonesian perceptions thru a sentiment evaluation and could decide people's perceptions of the difficulty of polygamy [22]. Another paper offers an ensemble-primarily totally based version for facial express recognition (FER) that mixes numerous category fashions that paintings for sentiment evaluation of images [23]. Another looks at discusses the evaluation of English feedback at the Facebook platform the use of the Naïve Bayes method [24]. The uncooked information used on this technique are Tweets taken from Twitter concerning the COVID-19 vaccine, Pfizer, Moderna, and AstraZeneca. Assesses Indonesian public opinion thru evaluation of the COVID-19 vaccine social community in January 2021 [25].

Sentiment analysis using the Naïve Bayes algorithm with Twitter data crawl with the keyword 'COVID-19 vaccine' [26]. Collected data on Filipino sentiments regarding the Philippine government's efforts against COVID 19 using the social networking site Twitter. Natural language processing techniques are applied to understand common sentiments, which can assist governments in analyzing responses. Sentiments were annotated and trained using the Naïve Bayes model to classify English and Filipino tweets [26]. Analyzes the sentiments of people living in India concerning the COVID-19 vaccine. The COVID-19 pandemic has also coincided with social media companies experiencing an increase in traffic [27]. Research aims to use machine learning methods to extract topics and sentiments related to COVID-19 vaccination on Twitter using the latent dirichlet allocation (LDA) method [28]. Based on the presentation of several previous studies, then this study aims to analyze public sentiment on the COVID-19 vaccine (AstraZeneca, Moderna, Pfizer, Sinovac, and Sinopharm) through Twitter in the form of tweets and retweets using keywords which serves to analyze which type of vaccine has the most positive and negative sentiments along with the accuracy of the classification of the Gaussian Naïve Bayes model used.

2. METHOD

This study uses a dataset from Twitter. This study performs several data preprocessing techniques, feature extraction, and classification. Figure 1 is the system design used in this study. For a more detailed explanation, see the sub-section.




Figure 1. Design system

2.1. Twitter API and dataset

This initial process is carried out for getting access to the Twitter application programming interface (API). After access is obtained, then Twitter data is collected based on the keywords (#Vaccine Aztrazenecca,

#Vaccine Moderna, #Vaccine Pfizer, #Vaccine Sinopharm, and #Vaccine Sinovac) that have been entered. The dataset collection period is carried out from 7 August 2021-7 October 2021, with each total number of tweet data, can be seen in Table 1. Tweets used are from people all over the world.

Table 1. Dataset distribution

Vaccine Covid-19	Total Tweet
Aztrazeneca	2789
Moderna	2757
Pfizer	2688
Sinopharm	2749
Sinovac	2693

Table 1 shows the difference in the total number of tweets for each type of vaccine, even though the data collection period was carried out simultaneously. This happens for several reasons, such as, on certain days there are rarely users who tweet about the vaccine type, it could also be that on certain days the news about certain vaccines is not published, or the number of the same tweet is tweeted repeatedly so that it will be counted once tweets.

2.2. Pre-processing

This process will first clean up the characters, emoticons, and symbols in the tweet data. Then the case folding process is carried out which changes the sentences in the dataset to lowercase letters and only accepts letters a-z. Furthermore, the tokenization process will be carried out where tokenization is a process that ends with a stemming process which changes the affixes into basic words. So that the result of pre-processing is a word dictionary along with other features that will be used in the next stage.

2.3. Feature extraction

This process will perform feature extraction which will later be used for the classification process. The resulting features are the number of tweet words, polarity, and subjectivity. Polarity and subjectivity resulted from the calculation of the number of words. So, then the two features (polarity and subjectivity) will determine the value limits used for the classification process. The result of this process is in the form of limit values of polarity and subjectivity to determine the category of tweets including positive, negative, or neutral sentiment values which will be classified later.

2.3. Gaussian Naïve Bayes

In this process, classification will be carried out using a Gaussian Naïve Bayes machine learning model. Gaussian Naïve Bayes is a variant of Naïve Bayes which is calculated using a normal distribution. The Naïve Bayes method itself has recently been widely used in classification techniques, especially in social media networks such as Twitter by using several methods including Unigram Naïve Bayes, Multinomial Nave Bayes, and maximum entropy classification [29].

Gaussian Naïve Bayes itself allows classifying numerical data with Gaussian distribution and categorical data [30]. Gaussian Naïve Bayes is easiest because it only needs to estimate the mean and standard deviation of the training data [30]. Calculating Gaussian Naïve Bayes can be done with (1):

$$P(C|Z) = \frac{P(Z|C) \times P(C)}{P(Z)} \quad (1)$$

where (1) shows that C is the class label, Z is the applied attribute, while $P(Z|C)$ is the probability of the previous class. $P(C)$ is the probability that occurs on the class label. $P(Z)$ is the probability that occurs in the applied attribute. In this classification, the processed data collection will be classified into three classes, namely positive, negative, and neutral.

$$mean (\mu) = \frac{\sum xi}{N} \quad (2)$$

N is the number of samples and xi is the value for each input variable in the training data.

$$std (\sigma) = \frac{\sqrt{\sum_{i=1}^N (xi - \mu)^2}}{N} \quad (3)$$

N is the number of samples, x_i is the i -th sample and \bar{x} is the average value.

When making predictions, this parameter can be added to the Gaussian probability density function (4) with a new entry for the variable.

$$f(x) = \frac{1}{\sigma\sqrt{2\pi}} e^{-\frac{1}{2}\left(\frac{x-\mu}{\sigma}\right)^2} \tag{4}$$

$f(x)$ is a Gaussian Probability Density Function. As shown in (4) calculates the mean and standard deviation in the form of a numeric constant and is the input value for the input variable.

3. RESULTS AND DISCUSSION

This section will discuss the experimental results of this research. The number of sentiment categories obtained can be seen in Table 2. The AstraZeneca vaccine had the highest number of positive sentiments, while the Sinovac vaccine had the least number of positive sentiments. Moderna vaccines have the highest number of negative sentiments. If at the results of the number of positive, neutral, and negative sentiments, the AstraZeneca vaccine is the type of vaccine that has the best issue.

The results of the sentiment category from tweet obtained can be seen in Table 3. Figures 2-6 are examples of the word count form of the resulting sentiment category (positive and negative). Word count serves to represent a sentence or document into a value that is used for classification.

Table 2. Number of sentiment categories

Vaccine Covid-19	Number of Sentiment Categories		
	Positive	Neutral	Negative
Aztrazeneca	1177	942	670
Moderna	1098	904	755
Pfizer	1065	927	696
Sinopharm	1133	1185	431
Sinovac	1034	1133	526

Table 3. Sentiment category result

Username	Tweet	Sentiment category
@pakhead	New Turkish study claims that 3 doses of sinovac is more effective then 2 sino + 1 mrna.	Positif
@wchen	New England Journal of Medicine: Two doses of Pfizer, AstraZeneca vaccines effective against COVID Delta variant.	Positif
@MOH_TT	What about those who need to travel to the US or Canada and they got the Sinopharm vaccine which isn't accepted by the US or Canada?	Netral
@teddyboylcsin	Time for boosters, Sinovac antibodies are undetectable 6 months after inoculation.	Netral
@Reuters_Health	The U.S. Food and Drug Administration is expected to authorize a third booster dose of COVID-19 vaccines by Pfizer	Negatif
@esshimself	Clinics are charging RM 350 for sinovac two doses. Singapore clinics only charge SGD 20-50. Where does the money	Negatif




Figure 2. Moderna vaccine negative category word count




Figure 3. Pfizer vaccine negative category word count




Figure 4. Sinovac vaccine negative category word count




Figure 5. AztraZeneca vaccine positive category word count

The results of the average polarity and subjectivity of each type of vaccine in this study can be seen in Table 4. Based on the results of Table 4, then each type of vaccine will be classified based on the resulting sentiment to see the accurate results. The results of the comparison of sentiment accuracy obtained using the Gaussian Naive Bayes model and logistic regression can be seen in Table 5.




Figure 6. Sinopharm vaccine positive category word count

Table 4. Polarity and subjectivity result

Vaccine Covid-19	Polarity	Subjectivity
Aztrazeneca	0.089626687	0.321059181
Moderna	0.070549392	0.311492526
Pfizer	0.076261211	0.302357763
Sinopharm	0.118422537	0.271337923
Sinovac	0.082584714	0.271676892

Table 5. Accuracy result

Methods	Accuracy %				
	Aztrazeneca	Moderna	Pfizer	Sinopharm	Sinovac
Gaussian Naïve Bayes	98.9	97.8	97.6	97.5	95.6
Logistic Regression	91.6	95.8	94.2	94	91.9

It can be seen in the results of the table above that the proposed research method is superior to other methods used in all types of vaccine datasets used. This happens because the gaussian naive bayes process considers the mean and standard deviation in the probability calculation. Gaussian naive bayes also proves that a method that is very suitable for use in the case of sentiment analysis. For the type of vaccine that has the highest accuracy, namely Aztrazeneca at 98.9%, this indicates that the tweet used is indeed in the positive/neutral/negative category based on the polarity and subjectivity of this study. The accuracy of the proposed method of preprocessing-Gaussian naive Bayes has an average gap of 4% compared to the proposed method of preprocessing-logistic regression. This indicates the importance of a preprocessing process before determining the sentiment category.

The results of the accuracy of each type of vaccine are also influenced by the average polarity and subjectivity. The AstraZeneca vaccine type has an average polarity of 0.08 and a subjectivity of 0.32 which results in the highest accuracy compared to other types of vaccines. Sinovac vaccine types have an average polarity of 0.08 and 0.27 subjectivity resulting in the lowest accuracy compared to other types of vaccines. It can be seen from the example of the two types of vaccines which have the same average polarity value but differ in 0.04 subjectivity, the results of which differ inaccuracy of 3.3%. Another thing is seen in the average polarity value of Moderna and Pfizer which is the smallest compared to others, but the subjectivity value is 0.3, which can produce higher accuracy than the types of Sinovac and Sinopharm vaccines. While the Sinopharm vaccine has the highest average polarity but low subjectivity, its accuracy cannot exceed the AstraZeneca, Moderna, and Pfizer vaccines. So, it can be seen from the explanation above that the value of subjectivity has more influence on accuracy than the value of polarity.

4. CONCLUSION

Based on the experimental results that have been carried out, it proves that the proposed method of Gaussian Naïve Bayes is superior to other methods. The accuracy results produced by the Gaussian Naïve Bayes method also have a high average for all types of vaccine datasets, namely 97.48%. The value of

subjectivity has more influence on the accuracy results than the value of polarity. This proves that the proposed method in this study is very suitable for use in sentiment analysis problems. For further research, experiments can be carried out using other tree-based methods.

ACKNOWLEDGEMENTS

The authors declare no conflict interest. The authors would like to thank Institut Teknologi Telkom Purwokerto, Indonesia for funding this research.





REFERENCES

- [1] C. Huang *et al.*, "Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China," *The Lancet*, vol. 395, no. 10223, pp. 497–506, Feb. 2020, doi: 10.1016/S0140-6736(20)30183-5.
- [2] Johns Hopkins CSSE, "COVID-19 Dashboard by the Center for Systems Science and Engineering (CSSE)," 2020. Retrieved 5 August 2021.
- [3] Z. Zhang, L. Zhang, and Y. Wang, "COVID-19 indirect contact transmission through the oral mucosa must not be ignored," *Journal of Oral Pathology and Medicine*, vol. 49, no. 5, pp. 450–451, May 2020, doi: 10.1111/jop.13019.
- [4] B. Debata, P. Patnaik, and A. Mishra, "COVID-19 pandemic! It's impact on people, economy, and environment," *Journal of Public Affairs*, vol. 20, no. 4, Sep. 2020, doi: 10.1002/pa.2372.
- [5] E. Mathieu *et al.*, "A global database of COVID-19 vaccinations," *Nature Human Behaviour*, vol. 5, no. 7, pp. 947–953, Jul. 2021, doi: 10.1038/s41562-021-01122-8.
- [6] Organização Mundial da Saúde, "How do vaccines work," WHO Webpage, 2020. <https://www.who.int/news-room/feature-stories/detail/how-do-vaccines-work?adgroupsurvey=%7Badgroupsurvey> (Accessed Aug. 06, 2021).
- [7] TwitterIR, "Investor fact sheet," 2020. [Online]. Available: https://s22.q4cdn.com/826641620/files/doc_financials/2019/q4/Q4_19_InvestorFactSheet.pdf (accessed Aug. 06, 2021).
- [8] D. Zimbra, A. Abbasi, D. Zeng, and H. Chen, "The state-of-the-art in twitter sentiment analysis: A review and benchmark evaluation," *ACM Transactions on Management Information Systems*, vol. 9, no. 2, pp. 1–29, Sep. 2018, doi: 10.1145/3185045.
- [9] J. Du, J. Xu, H. Song, X. Liu, and C. Tao, "Optimization on machine learning based approaches for sentiment analysis on HPV vaccines related tweets," *Journal of Biomedical Semantics*, vol. 8, no. 1, p. 9, Dec. 2017, doi: 10.1186/s13326-017-0120-6.
- [10] V. Raghupathi, J. Ren, and W. Raghupathi, "Studying public perception about vaccination: A sentiment analysis of tweets," *International Journal of Environmental Research and Public Health*, vol. 17, no. 10, p. 3464, May 2020, doi: 10.3390/ijerph17103464.
- [11] Samsir *et al.*, "Naives Bayes algorithm for Twitter sentiment analysis," *Journal of Physics: Conference Series*, vol. 1933, no. 1, p. 012019, Jun. 2021, doi: 10.1088/1742-6596/1933/1/012019.
- [12] A. M. Rahat, A. Kahir, and A. K. M. Masum, "Comparison of Naive Bayes and SVM algorithm based on sentiment analysis using review dataset," in *Proceedings of the 2019 8th International Conference on System Modeling and Advancement in Research Trends, SMART 2019*, Nov. 2020, pp. 266–270, doi: 10.1109/SMART46866.2019.9117512.
- [13] J. Awwalu, A. A. Bakar, and M. R. Yaakub, "Hybrid N-gram model using Naïve Bayes for classification of political sentiments on Twitter," *Neural Computing and Applications*, vol. 31, no. 12, pp. 9207–9220, Dec. 2019, doi: 10.1007/s00521-019-04248-z.
- [14] I. P. A. M. Utama, S. S. Prasetyowati, and Y. Sibaroni, "Multi-aspect sentiment analysis hotel review using RF, SVM, and Naïve Bayes based hybrid classifier," *Jurnal Media Informatika Budidarma*, vol. 5, no. 2, p. 630, Apr. 2021, doi: 10.30865/mib.v5i2.2959.
- [15] P. Pugsee and T. Chatchaithanawat, "Opinion mining for laptop reviews using naïve bayes," *Current Applied Science and Technology*, vol. 20, no. 2, pp. 278–294, 2020, doi: 10.14456/cast.2020.16.
- [16] H. Wisnu, M. Afif, and Y. Ruldevyani, "Sentiment analysis on customer satisfaction of digital payment in Indonesia: A comparative study using KNN and Naïve Bayes," *Journal of Physics: Conference Series*, vol. 1444, no. 1, p. 012034, Jan. 2020, doi: 10.1088/1742-6596/1444/1/012034.
- [17] M. Ashique, "Sentiment analysis using machines learning approaches of Twitter data and semantic analysis," *Turkish Journal of Computer and Mathematics Education (TURCOMAT)*, vol. 12, no. 6, pp. 5181–5192, 2021.
- [18] R. Ardianto, T. Rivanie, Y. Alkhalifi, F. S. Nugraha, and W. Gata, "Sentiment analysis on e-sports for education curriculum using Naive Bayes and support vector machine," *Jurnal Ilmu Komputer dan Informasi*, vol. 13, no. 2, pp. 109–122, Jul. 2020, doi: 10.21609/jiki.v13i2.885.
- [19] N. O. F. Daeli and A. Adiwijaya, "Sentiment Analysis on movie reviews using information gain and k-nearest neighbor," *Journal of Data Science and Its Applications*, vol. 3, no. 1, pp. 1–7, 2020, doi: <https://doi.org/10.34818/jdsa.2020.3.22>.
- [20] N. G. Ramadhan and T. I. Ramadhan, "Analysis sentiment based on IMDB aspects from movie reviews using SVM," *sinkron*, vol. 7, no. 1, pp. 39–45, Jan. 2022, doi: 10.33395/sinkron.v7i1.11204.
- [21] R. Hermansyah and R. Sarno, "Sentiment analysis about product and service evaluation of pt telekomunikasi Indonesia tbk from tweets using textblob, naive bayes and K-NN Method," in *Proceedings - 2020 International Seminar on Application for Technology of Information and Communication: IT Challenges for Sustainability, Scalability, and Security in the Age of Digital Disruption, iSemantic 2020*, Sep. 2020, pp. 511–516, doi: 10.1109/iSemantic50169.2020.9234238.
- [22] Hertina *et al.*, "Data mining applied about polygamy using sentiment analysis on twitters in Indonesian perception," *Bulletin of Electrical Engineering and Informatics*, vol. 10, no. 4, pp. 2231–2236, Aug. 2021, doi: 10.11591/EEI.V10I4.2325.
- [23] E. G. Mounq, C. C. Wooi, M. M. Sufian, C. K. On, and J. A. Dargham, "Ensemble-based face expression recognition approach for image sentiment analysis," *International Journal of Electrical and Computer Engineering*, vol. 12, no. 3, pp. 2588–2600, Jun. 2022, doi: 10.11591/ijece.v12i3.pp2588-2600.
- [24] N. Kewsuwun and S. Kajornkasirat, "A sentiment analysis model of agritech startup on Facebook comments using naive Bayes classifier," *International Journal of Electrical and Computer Engineering*, vol. 12, no. 3, pp. 2829–2838, Jun. 2022, doi: 10.11591/ijece.v12i3.pp2829-2838.
- [25] Pristiyono, M. Ritonga, M. A. Al Ihsan, A. Anjar, and F. H. Rambe, "Sentiment analysis of COVID-19 vaccine in Indonesia using Naïve Bayes Algorithm," *IOP Conference Series: Materials Science and Engineering*, vol. 1088, no. 1, p. 012045, Feb. 2021, doi: 10.1088/1757-899x/1088/1/012045.





- [26] C. Villavicencio, J. J. Macrohon, X. A. Inbaraj, J. H. Jeng, and J. G. Hsieh, "Twitter sentiment analysis towards COVID-19 vaccines in the Philippines using naïve bayes," *Information (Switzerland)*, vol. 12, no. 5, p. 204, May 2021, doi: 10.3390/info12050204.
- [27] M. A. Mudassir, Y. Mor, R. Munot, and R. Shankarmani, "Sentiment analysis of COVID-19 vaccine perception using NLP," in *Proceedings of the 3rd International Conference on Inventive Research in Computing Applications, ICIRCA 2021*, Sep. 2021, pp. 516–521, doi: 10.1109/ICIRCA51532.2021.9544512.
- [28] S. W. H. Kwok, S. K. Vadde, and G. Wang, "Tweet topics and sentiments relating to COVID-19 vaccination among Australian twitter users: Machine learning analysis," *Journal of Medical Internet Research*, vol. 23, no. 5, p. e26953, May 2021, doi: 10.2196/26953.
- [29] R. Parikh and M. Movassate, "Sentiment analysis of user-generated Twitter updates using various classification techniques," *Final Report CS225N*, pp. 1–18, 2009, [Online]. Available: <http://nlp.stanford.edu/courses/cs224n/2009/fp/19.pdf>.
- [30] H. B. Doğru, A. A. Hameed, A. Jamil, and S. Tilki, "Comparative analysis of deep learning and traditional machine learning models for Turkish text classification," *researchgate.net*, no. March, 2021.

BIOGRAPHIES OF AUTHORS



Nur Ghaniaviyanto Ramadhan     he received the bachelor's degree in informatics from Telkom University, Indonesia, in 2019, the master's degree in informatics from Telkom University, Indonesia, in 2021. He is a lecturer at Department of Software Engineering, Faculty of Informatics, Institut Teknologi Telkom Purwokerto, Indonesia. His research interests are in the areas of data mining, machine learning, artificial intelligence, and information science. He can be contacted at email: ghani@ittelkom-pwt.ac.id.



Faisal Dharma Adhinata     he received received his bachelor's degree in informatics in 2015 from the State University of Surakarta, Indonesia. He received his master's degree in computer science in 2020 from Gadjah Mada University, Indonesia. He has received the LPDP award from the Ministry of Finance of the Republic of Indonesia. He is a lecturer at Department of Software Engineering, Faculty of Informatics, Institut Teknologi Telkom Purwokerto, Indonesia. His research areas are in the fields of machine learning, computer vision, and image processing. He can be contacted at email: faisal@ittelkom-pwt.ac.id.