

# Editorial Team

---

## Editor-in-Chief :

Eko Fajar Cahyadi

Institut Teknologi Telkom Purwokerto, Indonesia

Scholar ID : H9l4TIMAAAAJ (<https://scholar.google.co.id/citations?user=H9l4TIMAAAAJ>)

Scopus ID : 57205442579 (<https://www.scopus.com/authid/detail.uri?authorId=57205442579>)

## Advisory Board :

Adiwijaya

Professor in School of Computing, Telkom University, Indonesia

Scholar ID : zkaTrOE0rbwC (<https://scholar.google.co.id/citations?user=zkaTrOE0rbwC>)

Scopus ID : 36338419400 (<https://www.scopus.com/authid/detail.uri?authorId=36338419400>)

Khoirul Anwar

Director, The Center for Advanced Wireless Technologies, Telkom University, Indonesia

Scholar ID : NK5Ta00AAAAJ (<https://scholar.google.com/citations?user=NK5Ta00AAAAJ>)

Scopus ID : 8576231800 (<https://www.scopus.com/authid/detail.uri?authorId=8576231800>)

## Associate Editor :

Ridwan Pandiya

Institut Teknologi Telkom Purwokerto, Indonesia

Scholar ID : u5moj\_UAAAAJ ([https://scholar.google.com/citations?user=u5moj\\_UAAAAJ&hl=en&oi=ao](https://scholar.google.com/citations?user=u5moj_UAAAAJ&hl=en&oi=ao))

Scopus ID : 57193712324 (<https://www.scopus.com/authid/detail.uri?authorId=57193712324>)

Kurnianingsih

Politeknik Negeri Semarang, Indonesia

Scholar ID : XA1X8UAAAAJ (<https://scholar.google.com/citations?user=XA1X8UAAAAJ>)

Scopus ID : 56347337900 (<https://www.scopus.com/authid/detail.uri?authorId=56347337900>)

Syifaul Fuada

Universitas Pendidikan Indonesia, Indonesia

Scholar ID : 3KrQmawAAAAJ (<https://scholar.google.co.id/citations?user=3KrQmawAAAAJ>)

Scopus ID : 56087869900 (<https://www.scopus.com/authid/detail.uri?authorId=56087869900>)

Ari Fadli

Universitas Jenderal Soedirman, Indonesia

Scholar ID : OUDUTj0AAAAJ (<https://scholar.google.co.id/citations?user=OUDUTj0AAAAJ>)

Scopus ID : 57193138791 (<https://www.scopus.com/authid/detail.uri?authorId=57193138791>)

## Managing Editor :

Nur Ghaniaviyanto Ramadhan

Institut Teknologi Telkom Purwokerto, Indonesia

Scholar ID : 0daAhtsAAAAJ (<https://scholar.google.com/citations?user=0daAhtsAAAAJ&hl=id&oi=ao>)

Scopus ID : 57224934617 (<https://www.scopus.com/authid/detail.uri?authorId=57224934617>)

Iqsyahiro Kresna A.

Institut Teknologi Telkom Purwokerto, Indonesia

Scholar ID : DcVePbIAAAAJ (<https://scholar.google.co.id/citations?user=DcVePbIAAAAJ>)

Scopus ID : 57223248830 (<https://www.scopus.com/authid/detail.uri?authorId=57223248830>)

Rahmat Widadi

Institut Teknologi Telkom Purwokerto, Indonesia

Scholar ID : F\_tHeMEAAAAJ ([https://scholar.google.com/citations?user=F\\_tHeMEAAAAJ&hl=id&oi=ao](https://scholar.google.com/citations?user=F_tHeMEAAAAJ&hl=id&oi=ao))

Scopus ID : 57205097222 (<https://www.scopus.com/authid/detail.uri?authorId=57205097222>)

## **Editorial Board :**

Anton Satria Prabuwono

King Abdulaziz University, Saudi Arabia

Scholar ID : Dfe6HvUAAAAJ (<https://scholar.google.com/citations?user=Dfe6HvUAAAAJ&hl=id&oi=ao>)

Scopus ID : 18134309800 (<https://www.scopus.com/authid/detail.uri?authorId=18134309800>)

Leonel Hernandez

ITSA University, Colombia

Scholar ID : Sk4uFV8AAAAJ (<https://scholar.google.com/citations?user=Sk4uFV8AAAAJ&hl=id&oi=ao>)

Scopus ID : 57193734233 (<https://www.scopus.com/authid/detail.uri?authorId=57193734233>)

Huynh Thi Thanh Binh

Hanoi University of Science and Technology, Vietnam

Scholar ID : vJYe5lkAAAAJ (<https://scholar.google.co.id/citations?user=vJYe5lkAAAAJ>)

Scopus ID : 16641940000 (<https://www.scopus.com/authid/detail.uri?authorId=16641940000>)

Aedah Abd Rahman

Asia e University (AeU), Malaysia

Scholar ID : x6zUh8MAAAAJ (<https://scholar.google.com/citations?user=x6zUh8MAAAAJ&hl=id&oi=ao>)

Scopus ID : 56423718500 (<https://www.scopus.com/authid/detail.uri?authorId=56423718500>)

Vincent Omollo Nyangaresi

Tom Mboya University College, Homabay, Kenya

Scholar ID : AbuzLR0AAAAJ (<https://scholar.google.com/citations?user=AbuzLR0AAAAJ&hl=id&oi=ao>)

Scopus ID : 57220777100 (<https://www.scopus.com/authid/detail.uri?authorId=57220777100>)

Filbert H. Juwono

Curtin University, Malaysia

Scholar ID : sywTfIcAAAAJ (<https://scholar.google.co.id/citations?user=sywTfIcAAAAJ>)

Scopus ID : 35119041900 (<https://www.scopus.com/authid/detail.uri?authorId=35119041900>)

Dinh-Thuan Do

Asia University, Taiwan

Scholar ID : MAn6xFoAAAAJ (<https://scholar.google.com/citations?user=MAn6xFoAAAAJ&hl=en>)

Scopus ID : 36343332600 (<https://www.scopus.com/authid/detail.uri?authorId=36343332600>)

T. Nalini

Dr. MGR Educational and Research Institute, Chennai, India

Scholar ID : jmRUVKsAAAAJ (<https://scholar.google.com/citations?user=jmRUVKsAAAAJ>)

Scopus ID : 57172800700 (<https://www.scopus.com/authid/detail.uri?authorId=57172800700>)

Anggun Fitriani Isnawati

Institut Teknologi Telkom Purwokerto, Indonesia

Scholar ID : TBBgI98AAAAJ (<https://scholar.google.co.id/citations?user=TBBgI98AAAAJ>)

Scopus ID : 55014500800 (<https://www.scopus.com/authid/detail.uri?authorId=55014500800>)

Wahyu Pamungkas

Institut Teknologi Telkom Purwokerto, Indonesia

Scholar ID : UyMg3zQAAAAJ (<https://scholar.google.co.id/citations?user=UyMg3zQAAAAJ>)

Scopus ID : 57203096241 (<https://www.scopus.com/authid/detail.uri?authorId=57203096241>)

Tenia Wahyuningrum

Institut Teknologi Telkom Purwokerto, Indonesia

Scholar ID : taZpUg0AAAAJ (<https://scholar.google.co.id/citations?user=taZpUg0AAAAJ>)

Scopus ID : 35796192800 (<https://www.scopus.com/authid/detail.uri?authorId=35796192800>)

Andri Pranolo

Universitas Ahmad Dahlan, Indonesia

Scholar ID : 0jxWyZMAAAA (<https://scholar.google.co.id/citations?user=0jxWyZMAAAA>)

Scopus ID : 56572821900 (<https://www.scopus.com/authid/detail.uri?authorId=56572821900>)

Yessi Jusman

Universitas Muhammadiyah Yogyakarta, Indonesia

Scholar ID : WAr1GgUAAAAJ (<https://scholar.google.co.id/citations?user=WAr1GgUAAAAJ>)

Scopus ID : 35810354700 (<https://www.scopus.com/authid/detail.uri?authorId=35810354700>)

Joni Welman Simatupang

President University, Indonesia

Scholar ID : J\_jdN\_EAAAAJ ([https://scholar.google.com/citations?user=J\\_jdN\\_EAAAAJ&hl=en](https://scholar.google.com/citations?user=J_jdN_EAAAAJ&hl=en))

Scopus ID : 55548849100 (<https://www.scopus.com/authid/detail.uri?authorId=55548849100>)

Alfin Hikmaturokhman

Institut Teknologi Telkom Purwokerto, Indonesia

Scholar ID : Ev1xu0MAAAAAJ (<https://scholar.google.co.id/citations?user=Ev1xu0MAAAAAJ>)

Scopus ID : 57194239039 (<https://www.scopus.com/authid/detail.uri?authorId=57194239039>)

Heri Nurdiyanto

STMIK Dharma Wacana, Indonesia

Scholar ID : RW8mObEAAAAJ (<https://scholar.google.co.id/citations?user=RW8mObEAAAAJ>)

Scopus ID : 57200089726 (<https://www.scopus.com/authid/detail.uri?authorId=57200089726>)

Janner Simarmata

Universitas Negeri Medan, Indonesia

Scholar ID : 5yY1sGUAAAAJ (<https://scholar.google.co.id/citations?user=5yY1sGUAAAAJ>)

Scopus ID : 57195037172 (<https://www.scopus.com/authid/detail.uri?authorId=57195037172>)

Wayan Saparta

Pembangunan Jaya University, Indonesia

Scholar ID : 20KG9sEAAAAJ (<https://scholar.google.co.id/citations?user=20KG9sEAAAAJ>)

Scopus ID : 24330191400 (<https://www.scopus.com/authid/detail.uri?authorId=24330191400>)

## Copy Editor :

Jans Hendry

Universitas Gadjah Mada, Indonesia

Scholar ID : edFmU88AAAAJ (<https://scholar.google.co.id/citations?user=edFmU88AAAAJ>)

Scopus ID : 57206727480 (<https://www.scopus.com/authid/detail.uri?authorId=57206727480>)

Kholidiyah Masykuroh

Institut Teknologi Telkom Purwokerto, Indonesia

Scholar ID : S1Vi1r4AAAAJ (<https://scholar.google.co.id/citations?user=S1Vi1r4AAAAJ>)

Merlinda Wibowo

Institut Teknologi Telkom Purwokerto, Indonesia

Scholar ID : FJuy5o4AAAAJ (<https://scholar.google.co.id/citations?user=FJuy5o4AAAAJ>)

Scopus ID : 57195276447 (<https://www.scopus.com/authid/detail.uri?authorId=57195276447>)

Diandra Chika Fransisca

Institut Teknologi Telkom Purwokerto, Indonesia

Scholar ID : DBapK54AAAAJ (<https://scholar.google.co.id/citations?user=DBapK54AAAAJ>)

Scopus ID : 57203633717 (<https://www.scopus.com/authid/detail.uri?authorId=57203633717>)

Faisal Dharma Adhinata

Institut Teknologi Telkom Purwokerto, Indonesia

Scholar ID : s1OAwPQAAAAJ

(<https://scholar.google.com/citations?user=s1OAwPQAAAAJ&hl=id&oi=ao>) Scopus ID :

57220160994 (<https://www.scopus.com/authid/detail.uri?authorId=57220160994>)

## Layout Editor:

Rizka Reza Pahlevi

Telkom University, Indonesia

Scholar ID : 9psYoycAAAAJ (<https://scholar.google.com/citations?user=9psYoycAAAAJ&hl=id&oi=ao>)

(<https://scholar.google.com/citations?user=9psYoycAAAAJ&hl=id&oi=ao>)

Scopus ID : 57205060210 (<https://www.scopus.com/authid/detail.uri?authorId=57205060210>)

Fauza Khair

Institut Teknologi Telkom Purwokerto, Indonesia

Scholar ID : GfUPCvAAAAAJ

(<https://scholar.google.com/citations?user=GfUPCvAAAAAJ&hl=id&oi=ao>) Scopus ID :

57189355270 (<https://www.scopus.com/authid/detail.uri?authorId=57189355270>)

Afifah Dwi Ramadhani

Politeknik Negeri Surabaya, Indonesia

Scholar ID : wtrC2B8AAAAJ

(<https://scholar.google.com/citations?user=wtrC2B8AAAAJ&hl=id&oi=ao>) Scopus ID :

57206894622 (<https://www.scopus.com/authid/detail.uri?authorId=57206894622>)

Make a Submission (<https://ejournal.st3telkom.ac.id/index.php/infotel/about/submissions>)

Sinta Rank and Accreditation



(<https://sinta.kemdikbud.go.id/journals/profile/1170>)

**Click here to download Journal Accreditation Certificate!**

([https://ejournal.st3telkom.ac.id/public/site/certificates/Sertifikat\\_INFOTEL\\_S2.pdf](https://ejournal.st3telkom.ac.id/public/site/certificates/Sertifikat_INFOTEL_S2.pdf))

**DOI:** <https://doi.org/10.20895/infotel.v14i1> (<https://doi.org/10.20895/infotel.v14i1>)

**Published:** 2022-02-26

## Informatics

---

Using field experiments to analyze changes in electronic data capture adoption decisions (<https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/729>)

**Irwan Susanto** Institut Teknologi Telkom Purwokerto  
1-7

[View PDF \(https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/729/354\)](https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/729/354)

Performance of the K-Nearest Neighbors method on identification of maize plant nutrients  
(<https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/735>)

**Bain Khusnul Khotimah** Universitas Trunojoyo Madura  
8-14

[View PDF \(https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/735/355\)](https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/735/355)

## Telecommunication

---

Analysis of greedy perimeter stateless routing protocol network simulation using bird flocking algorithm  
(<https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/706>)

**Doan Perdana** Universitas Telkom  
**Albion Apta Zaim** Telkom University  
**Alfin Hikmaturokhman** IT Telkom Purwokerto  
**Ananda Irsyad** Telkom University  
**Nindy Ayu Marthaliana** Telkom University  
15-19

[View PDF \(https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/706/356\)](https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/706/356)

Optimum polarization configuration of planar circular patch MIMO antenna  
(<https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/748>)

**Rina Pudji Astuti** Telkom University  
**Eva Lucky Wijaya** Telkom University  
**Trasma Yunita** Telkom University

[View PDF \(https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/748/353\)](https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/748/353)

Frequency domain analysis of MFCC feature extraction in children's speech recognition system

(<https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/740>)

**Risanuri Hidayat** Universitas Gadjah Mada

30-36

[View PDF \(https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/740/357\)](https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/740/357)

Decision tree method to classify the electroencephalography-based emotion data (<https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/750>)

**Teuku Muhammad Mirza Keumala** Universitas Syiah Kuala

**Melinda Melinda** Universitas Syiah Kuala

**Syahrial Syahrial** Universitas Syiah Kuala

37-49

[View PDF \(https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/750/358\)](https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/750/358)

## Electronics

---

Temperature control system on greenhouse effect gaplek dryer (<https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/736>)

**Bandiyah Sri Aprillia** Telkom University

**Brahmantya Aji Pramudita** Telkom University

**Prisma Megantoro** Airlangga University

50-56

[View PDF \(https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/736/359\)](https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/736/359)

Development of quadcopter for atmospheric data collection (<https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/727>)

**Wayan Suparta** Institut Teknologi Nasional Yogyakarta

**Trie Handayani** Institut Teknologi Nasional Yogyakarta

57-64

[View PDF \(https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/727/360\)](https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/727/360)

An An implementation of smart agriculture for optimizing growth using sonic bloom and IoT integrated

(<https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/725>)

**Mia Galina** President University

**Cutifa Safitri** President University, Indonesia  
**Iksan Bukhori** President University, Indonesia  
**Arthur Silitonga** President University, Indonesia  
**Antonius Suhartomo** President University, Indonesia  
65-74

[View PDF \(https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/725/361\)](https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/725/361)

## Articles

---

### Front Matter

(<https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/772>)

**Nur Ghaniaviyanto Ramadhan** Institut Teknologi Telkom Purwokerto  
i-vi

[View PDF \(https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/772/362\)](https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/772/362)

### Back Matter

(<https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/774>)

**Nur Ghaniaviyanto Ramadhan** Institut Teknologi Telkom Purwokerto  
vii-x

[View PDF \(https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/774/363\)](https://ejournal.st3telkom.ac.id/index.php/infotel/article/view/774/363)

[Make a Submission \(https://ejournal.st3telkom.ac.id/index.php/infotel/about/submissions\)](https://ejournal.st3telkom.ac.id/index.php/infotel/about/submissions)

## Sinta Rank and Accreditation

---



(<https://sinta.kemdikbud.go.id/journals/profile/1170>)

**Click here to download Journal Accreditation Certificate!**

([https://ejournal.st3telkom.ac.id/public/site/certificates/Sertifikat\\_INFOTEL\\_S2.pdf](https://ejournal.st3telkom.ac.id/public/site/certificates/Sertifikat_INFOTEL_S2.pdf))

## Journal Profile

---

## Analysis of greedy perimeter stateless routing protocol network simulation using bird flocking algorithm

Doan Perdana<sup>\*1</sup>, Albion Apta Zaim<sup>2</sup>, Alfin Hikmaturokhman<sup>3</sup>, Ananda M Irsyad<sup>4</sup>

Nindy Ayu Marthaliana<sup>5</sup>

<sup>1,2,4,5</sup>Telkom University, Indonesia

<sup>3</sup>Institut Teknologi Telkom Purwokerto

\*Corresponding email: [doanperdana@telkomuniversity.ac.id](mailto:doanperdana@telkomuniversity.ac.id)

**Abstract** — This study aims to simulate the GPSR protocol network on NS3 using the bird flocking algorithm and analyze the comparison of performance measurements obtained from the simulation results. The Greedy Perimeter Stateless Routing network was simulated using NS-3 in this simulation. The simulation area is created in length width. The distance between nodes is 50 meters and is simulated in an area of 1000m x 300m for 30 seconds, and 802.11 MAC protocol is used. This simulation was successfully implemented in finding the location of the nearest node using the GPSR protocol with the PSO / BFA algorithm. The number of nodes used in the simulation is 150 nodes and two nodes, so it can be concluded that the performance of Quality of Service (QoS) is greatly affected by the number of nodes and the algorithm used in the simulation.

**Keywords** – MANET, GPSR, BFA, Position-based routing.

Copyright © 2022 JURNAL INFOTEL

All rights reserved.

### I. INTRODUCTION

GPSR is a routing protocol whose purpose is to use the closest node to the node [1]. However, GPSR can find a suitable route to carry packets. Mobile Ad-Hoc Network (MANET) is a network technology composed of a collection of ad-hoc nodes of the same or different kinds that are connected using a wireless connection. In the MANET protocol, devices can go to various destinations to affect path changes with other devices in a network. [2], [3]. A new suitable routing algorithm was simulated with Network Simulator-3 (NS-3) by modifying the Greedy Perimeter Stateless Routing (GPSR) and Bird Flocking Algorithm (BFA) [4]–[6]. GPSR is used as a position-based algorithm the Mobile Ad Hoc Network (MANET). Because it does not determine the path to the destination [7], [8], thus knowing the position of neighbouring nodes, this algorithm is used to find a more valid routing according to the actual distance [9].

AODV is a routing protocol algorithm in a network. The AODV protocol [10] is a routing protocol that passes data from a wireless network. This routing provides a route according to the desired destination by building a route between nodes [11]. All nodes in the AODV protocol provide a routing table to store data about active routes to the destination node [12]. An efficient routing protocol in knowing the distance in the

nearest jump is AODV [13]. GPSR is simple, and GPSR with BFA can be compared based on throughput, delay, and jitter with nodes represented in rectangular form.

### II. RESEARCH METHODS




Fig. 1. GPSR [14]

The GPSR protocol uses nodes to determine the position in the header of the packet sent. Each node sends a control message to find out the position to know the direction of the destination position [15]. So that for the node approach, by calculating the distance



so that the nearest node is the jump point for sending messages, the jump from the initial node to the ladder node is only one jump [16].

In perimeter forwarding, the greedy forwarding algorithm cannot forward packets to the destination so that no next node reaches the destination node except for the node itself [17].

The Greedy Perimeter Stateless Routing network was simulated using NS-3 in this simulation. The simulation area is created in length width. The distance between nodes is 50 meters and is simulated in an area of 1000m x 300m for 30 seconds, and 802.11 MAC protocol is used.

Table 1 Simulation Parameters

Parameters	Nilai
Distance nodes	50 m
Simulation Time	30 s
The scope of the simulation	1000m x 300m
Package Size	1024 Byte
Package Traffic Type	UDP
Protokol Routing	Greedy Perimeter Stateless Routing
Protokol MAC	802.11
Time Interval	1.0 s

Table. 1 showsthe Gauss Markov, Mobility parameter model. This simulation also requires source code to run the simulation that will be generated. The step of running the program is:

1. Download and copy the source code from GitHub and make minor modifications if needed.
2. The source code files are copied to the ns-3.25/scratch folder.
3. Open the Terminal.
4. Type the following command in Terminal: cd ns-alone-3.25/ns-3.25 and ./waf --run scratch/GPSR+FB
5. Simulation QoS will be obtained from the running results, such as Packet Loss, Throughput, Packets Delivery Ratio, Jitter, and Delay.
6. Go to the NetAnim directory to see the simulation animation by typing in Terminal: cd.

netanim-3.107 cd

./NetAnim

7. The NetAnim window will open, and we are required to open the .xml file generated by the GPSR+FB.cc file to view the animation in the simulation.
8. Click the "Run" button when the .xml file has been opened.

### III. RESULT

From the measurement results in the image above, we can see that the simulation results with two nodes are obtained:

Table 2. Measurement Result

Quality of Services (QoS)	Value
Total packet lost	0
Throughput	8.52315 Kbps
Packet Delivery Ratio	100%
Jitter	0.00503966
Delay	0.003448 s

In calculating the QoS routing between nodes, we can get an effective route to get to the next node so that we can consider the following related aspects [18]:

- Postpone
- Jitter
- Throughput
- Package loss
- Packet delay ratio wherein getting this value with a percentage of 100% of the packets that have arrived [19].




Fig. 7. Throughput

From the measurement results in the image above, we can see that the simulation results throughput as nodes decrease.




Fig. 8. Packet Delivery Ratio

In the packet delivery ratio based on the results of measurements on NS3, there was a very significant increase in packet delivery from nodes up to 100%.




Fig. 9. Packet Loss

In lost packets, there is a decrease in the number of lost packets between GPRS + FB and GPRS Only.




Fig. 10. Total Jitter

This condition means that the GPRS + FB ping is more stable at 0 ms.



Fig.11. Total Delay

When compared between GPRS only with GPRS + FA, the graph shows that the Total Delay on GPRS + FA is higher than GPRS alone.

#### IV. DISCUSSION

The nodes that have a number run each other in various directions that have been determined by the birds flocking algorithm with predetermined parameter limits so that they can move around, as shown below. It can be seen that nodes number and algorithm used in the simulation affect the QoS performance. By looking at the measurement result of the increase in throughput as the nodes number decreases, the increase of packet delivery ratio, the decrease of packet loss and delay between GPRS only with GPRS + FA.




Fig. 12. Simulation

Fig 12 shows that we use 150 nodes and the total simulation time is 100 seconds. It can be seen that the nodes with a number run each other in various directions.




Fig. 13. Simulation

Fig 13 shows that we get the first QoS (GPSR+FB) simulation running for 10 seconds as follows:

```

dotcom@ubuntu: ~/Downloads/ns-allinone-3.25/ns-3.25
File Edit View Search Terminal Help
'build' finished successfully (5.588s)
Hello Simulator
dotcom@ubuntu:~/Downloads/ns-allinone-3.25/ns-3.25$ ./waf --run s
gpsr-test-edit-rect-center
Waf: Entering directory `/home/dotcom/Downloads/ns-allinone-3.25/
/build'
Waf: Leaving directory `/home/dotcom/Downloads/ns-allinone-3.25/n
/build'
Build commands will be stored in build/compile_commands.json
'build' finished successfully (1.351s)
Creating 150 nodes Starting simulation for 10 s ...
Max Packets per trace file exceeded

Total Packets Lost: 11
Throughput: 2.00926e-07 Kbps
Packets Delivery Ratio: 92%
Total Jitter: 0
Total Delay: 8.37431
dotcom@ubuntu:~/Downloads/ns-allinone-3.25/ns-3.25$
    
```

Fig. 14. Simulation

Fig 14 shows that the simulation results with 150 nodes are obtained:

Table 3  
measurement result value

Point	Value
Total packet lost	11
Throughput	2.00926e-07 Kbps
Packet Delivery Ratio	92%
Jitter	0
Delay	8.37431 s

From the simulation results above, we get a second QoS (GPSR Only) simulation running for 10 seconds as follows:

```

dotcom@ubuntu: ~/Downloads/ns-allinone-3.25/ns-3.25
File Edit View Search Terminal Help
gpsr-test1
Waf: Entering directory `/home/dotcom/Downloads/ns-allinone-3.25/ns
/build'
[ 931/2434] Compiling scratch/gpsr-test1.cc
[2415/2434] Linking build/scratch/gpsr-test1
Waf: Leaving directory `/home/dotcom/Downloads/ns-allinone-3.25/n
/build'
Build commands will be stored in build/compile_commands.json
'build' finished successfully (1m13.360s)
Creating 2 nodes 100 m apart.
Starting simulation for 30 s ...

Total Packets Lost: 0
Throughput: 8.52315 Kbps
Packets Delivery Ratio: 100%
Total Jitter: 0.00503966
Total Delay: 0.003448
dotcom@ubuntu:~/Downloads/ns-allinone-3.25/ns-3.25$
    
```

Fig. 15. Simulation

### V. CONCLUSION

This simulation has been successfully implemented in finding the nearest node location using the PSO Algorithm. The number of nodes and the algorithm used in the simulation with the nodes used is 150 nodes and two nodes so that it can be concluded that QoS

performance is very influential on the number of nodes used in the simulation [20], [21].

### REFERENCES

- [1] N. Khunt, "An enhance approach of route selection technique of GPSR using multi-path mechanism over MANET," 2016.
- [2] T. Sapna, K. Deshpande, and K. Ravi, "Study On Routing Protocols For MANETs," in *2018 International Conference on Computational Techniques, Electronics and Mechanical Systems (CTEMS)*, 2018, pp. 322–325.
- [3] M. N. Alslaim, H. A. Alaqel, and S. S. Zaghloul, "A comparative study of MANET routing protocols," in *The Third International Conference on e-Technologies and Networks for Development (ICeND2014)*, 2014, pp. 178–182.
- [4] D. Wang, D. Tan, and L. Liu, "Particle swarm optimization algorithm: an overview," *Soft Comput.*, vol. 22, no. 2, pp. 387–408, 2018.
- [5] S. Alaliyat, H. Yndestad, and F. Sanfilippo, "Optimisation Of Boids Swarm Model Based On Genetic Algorithm And Particle Swarm Optimisation Algorithm (Comparative Study).," in *ECMS*, 2014, pp. 643–650.
- [6] G. Rossides, B. Metcalfe, and A. Hunter, "Particle Swarm Optimization—An Adaptation for the Control of Robotic Swarms," *Robotics*, vol. 10, no. 2, p. 58, 2021.
- [7] B. Karp and H. T. Kung, "Gpsr: Greedy perimeter stateless routing for wireless," in *Networking International Conference on Mobile Computing and network ACM-2000, Boston, Massachusetts*, 2003, pp. 243–254.
- [8] A. Rodrigues, A. B. Reis, and S. Sargento, "GPSR-PPU: Greedy Perimeter Stateless Routing with Position Prediction and Uncertainty for FANETs," in *2020 IEEE International Conference on Pervasive Computing and Communications Workshops (PerCom Workshops)*, 2020, pp. 1–6.
- [9] A. Setiabudi, A. A. Pratiwi, D. Perdana, R. F. Sari, and others, "Performance comparison of GPSR and ZRP routing protocols in VANET environment," in *2016 IEEE region 10 symposium (TENSYMP)*, 2016, pp. 42–47.
- [10] I. Woungang, M. S. Obaidat, S. K. Dhurandher, and I. Traore, "A timed and secured monitoring implementation against wormhole attacks in AODV-based Mobile Ad Hoc Networks," in *2013 International Conference on Computer, Information and Telecommunication Systems (CITS)*, 2013, pp. 1–5.
- [11] P. Paravithana and A. Jayakody, "Compromising AODV for better performance: Improve energy efficiency in AODV," in *2017 6th National Conference on Technology and Management (NCTM)*, 2017, pp. 201–204.
- [12] M. Khairnar, D. Vaishali, D. Kotecha, and others, "Simulation-based performance evaluation of

- routing protocols in vehicular ad-hoc network," *arXiv Prepr. arXiv1311.1378*, 2013.
- [13] B. Wu, J. Chen, J. Wu, and M. Cardei, "A survey of attacks and countermeasures in mobile ad hoc networks," in *Wireless network security*, Springer, 2007, pp. 103–135.
- [14] "SNGF Selected Node Geographic Forwarding Routing Protocol for VANETs - Scientific Figure on ResearchGate." [https://www.researchgate.net/figure/Greedy-Perimeter-Stateless-Routing-GPSR\\_fig3\\_266216183](https://www.researchgate.net/figure/Greedy-Perimeter-Stateless-Routing-GPSR_fig3_266216183) (accessed Dec. 02, 2021).
- [15] J. Kakarla, S. S. Sathya, B. G. Laxmi, and others, "A Survey on Routing Protocols and its Issues in VANET," 2011.
- [16] R. Alsaqour *et al.*, "Dynamic packet beaconing for GPSR mobile ad hoc position-based routing protocol using fuzzy logic," *J. Netw. Comput. Appl.*, vol. 47, pp. 32–46, 2015.
- [17] G. Tang, Y. Xie, D. Tang, and J. Tang, "Divisional perimeter routing for gpsr based on left and right hand rules," in *Proceedings of 2011 International Conference on Computer Science and Network Technology*, 2011, vol. 2, pp. 726–729.
- [18] Sabut, "Quality of service in mobile adhoc network," 2010. .
- [19] S. Shah, A. Khandre, M. Shirole, and G. Bhole, "Performance evaluation of ad hoc routing protocols using NS2 simulation," 2008.
- [20] C.-O. Ernehholm, "Simulation of the flocking behavior of birds with the boids algorithm," *R. Inst. Technol.*, 2011.
- [21] "No Title." [https://github.com/setu4993/NS3\\_MANET\\_Projects](https://github.com/setu4993/NS3_MANET_Projects).