

DAFTAR PUSTAKA

- [1] A. N. Maida, “Pengaruh Gaya Hidup Hedonis Terhadap Perilaku Berbusana Mahasiswa Jurusan Pendidikan Kesejahteraan Keluarga Fakultas Teknik Universitas Negeri Makassar,” *Jambura J. Seni Dan Desain*, vol. 2, no. 1, 2022.
- [2] M. S. Kabir, “Consuming fast fashion and sustainability: The role of self-concept, awareness and financial soundness,” University of Huddersfield, 2022.
- [3] E. Sumarliah, K. Usmanova, K. Mousa, and I. Indriya, “E-commerce in the fashion business: the roles of the COVID-19 situational factors, hedonic and utilitarian motives on consumers’ intention to purchase online,” *Int. J. Fash. Des. Technol. Educ.*, vol. 15, no. 2, pp. 167–177, 2022.
- [4] V. Kharishma, “Pengaruh Aspek Etnisitas pada Corporate Identity Batik Komar : Studi Kasus Interior Showroom,” *J. Rupa*, vol. 1, no. 2, 2017.
- [5] A. D. Nurhalim, “Analisis Pergeseran Perilaku Konsumen Dalam Niat Beli Di Sektor Otomotif E-Commerce Indonesia,” *J. Bina Manaj.*, vol. 9, no. 2, pp. 113–125, 2021.
- [6] D. Nuraini and E. Evianah, “Analisis Perbedaan Kepuasan Konsumen Terhadap Pembelian Produk Baju Secara Online Dan Offline,” *Equilib. J. Ekon.*, vol. 15, no. 2, p. 231, 2019.
- [7] F. D. Shadrach, M. Santhosh, S. Vignesh, S. Sneha, and T. Sivakumar, “Smart Virtual Trial Room For Apparel Industry,” in *IEEE International Conference on Distributed Computing and Electrical Circuits and Electronics*, 2022, pp. 1–5.
- [8] R. Wahyuningrum, “Analisis Strategi E-Marketing Untuk Meningkatkan Minat Beli Online,” *ESENSI J. Manaj. Bisnis*, vol. 21, no. 3, pp. 275–290, 2018.
- [9] S. M. A. K. Chowdhury and J. I. Lubna, “Review on Deep Fake: A looming Technological Threat,” in *2020 11th International Conference on Computing, Communication and Networking Technologies (ICCCNT)*,

2020, pp. 1–7.

- [10] I. Artyani, “Simulasi metode convolutional neural network dan long short-term memory untuk generate image captioning pada gambar lalu lintas kendaraan berbahasa Indonesia,” Fakultas Sains dan Teknologi Universitas Islam Negeri Syarif Hidayatulla.
- [11] D. I. I. Ullumudin, R. A. Pramunendar, and others, “PROTOTIPE APLIKASI PENGENALAN WAYANG KULIT MENGGUNAKAN CNN BERBASIS VGG16,” *J. Inform. Upgris*, vol. 7, no. 2, 2021.
- [12] S. Widodo, D. Setiawan, T. Ridwan, R. Ambari, and others, “Perancangan Deteksi Emosi Manusia berdasarkan Ekspresi Wajah Menggunakan Algoritma VGG16,” *Syntax J. Inform.*, vol. 11, no. 01, pp. 1–12, 2022.
- [13] M. UTAMA and S. Nurmaini, “SEGMENTASI DAN DETEKSI KELAINAN JANTUNG ANAK DENGAN PANDANGAN 4 CHAMBER VIEW,” Sriwijaya University, 2022.
- [14] O. Rochmawanti, F. Utamingrum, and F. A. Bachtiar, “Analisis Performa Pre-Trained Model Convolutional Neural Network dalam Mendeteksi Penyakit Tuberkulosis,” *J. Teknol. Inf. dan Ilmu Komput.*, vol. 8, no. 4, p. 805, 2021.
- [15] Z. Munawar, Y. Herdiana, N. I. Putri, and others, “Sistem Rekomendasi Hibrid Menggunakan Algoritma Apriori Mining Asosiasi,” *Temat. J. Teknol. Inf. Komun.*, vol. 8, no. 1, pp. 84–95, 2021.
- [16] Y. Li, L. Cao, J. Zhu, and J. Luo, “Mining fashion outfit composition using an end-to-end deep learning approach on set data,” *IEEE Trans. Multimed.*, vol. 19, no. 8, pp. 1946–1955, 2017.
- [17] X. H. Nguyen, T. S. Tran, V. T. Le, K. D. Nguyen, and D. T. Truong, “Learning Spatio-temporal features to detect manipulated facial videos created by the Deepfake techniques,” *Forensic Sci. Int. Digit. Investig.*, vol. 36, p. 301108, 2021.
- [18] H. Vyas, “Deep Fake Creation by Deep Learning,” *Int. Res. J. Eng. Technol.*, no. July, pp. 960–963, 2020.
- [19] J. Arifianto and I. Muhimmah, “Aplikasi Web Pendeteksi Jerawat Pada

- Wajah Menggunakan Algoritma Deep Learning dengan TensorFlow,” *J. Autom.*, pp. 21–29, 2021.
- [20] A. H. Arif, “Deteksi Bibir Menggunakan Metode Ensemble of Regression Trees untuk Prototipe Virtual Makeup,” Budi Luhur, 2022.
- [21] Y. Wang, H. Yao, and Sicheng Zhao, “Auto-encoder Based Dimensionality Reduction,” *Neurocomputing*, vol. 184, pp. 232–242, 2016.
- [22] M. A. Rizaldi and E. R. Kaburuan, “Implementasi OCR dengan Metode Autoencoder untuk verifikasi data KTP,” *J. Komput. Terap.*, vol. 8, no. 2, pp. 307–315, 2022.
- [23] Z. Cheng, H. Sun, M. Takeuchi, and Jiro Katto, “Energy Compaction-Based Image Compression Using Convolutional AutoEncoder,” *IEEE Trans. Multimed.*, vol. 22, no. 4, pp. 860–873, 2020.
- [24] S. H. Hong, S. Ryu, J. Lim, and W. Y. Kim, “Molecular Generative Model Based on an Adversarially Regularized Autoencoder,” *J. Chem. Inf. Model.*, vol. 60, no. 1, pp. 29–36, Jan. 2020.
- [25] N. Li and F. Chang, “Video anomaly detection and localization via multivariate gaussian fully convolution adversarial autoencoder,” *Neurocomputing*, vol. 369, pp. 92–105, 2019.
- [26] Andre Hartoko Aji Putra Perdana, Susijanto Tri Rasmana, and Heri Pratikno, “Implementasi Sistem Deteksi Mata Kantuk Berdasarkan Facial Landmarks Detection Menggunakan Metode Regression Trees,” *J. Technol. Informatics*, vol. 1, no. 1, pp. 1–9, 2019.
- [27] W. Hutamaputra and F. Utaminingrum, “Implementasi Facial Landmark dalam Pengenalan Wajah pada Sistem Pembayaran Elektronik,” *Pengemb. Teknol. Inf. dan Ilmu Komput.*, vol. 5, no. 5, pp. 2058–2064, 2021.
- [28] Ulla Delfana Rosiani, Rosa Andrie Asmara, and Nadhifatul Laeily, “Penerapan Facial Landmark Point Untuk Klasifikasi Jenis Kelamin Berdasarkan Citra Wajah,” *J. Inform. Polinema*, vol. 6, no. 1, pp. 55–60, 2020.
- [29] L. F. Polanía and S. Gupte, “Learning Fashion Compatibility Across Apparel Categories for Outfit Recommendation,” in *2019 IEEE International*

- Conference on Image Processing (ICIP)*, 2019, pp. 4489–4493.
- [30] R. Feng, “To Become Fashionable: A Brief Review of Outfit Compatibility,” in *2020 IEEE Conference on Telecommunications, Optics and Computer Science (TOCS)*, 2020, pp. 219–225.
- [31] Z. Wang and H. Quan, “Fashion Outfit Composition Combining Sequential Learning and Deep Aesthetic Network,” in *2019 International Joint Conference on Neural Networks (IJCNN)*, 2019, pp. 1–7.
- [32] H. Zhan, B. Shi, J. Chen, Q. Zheng, L.-Y. Duan, and A. C. Kot, “Fashion Recommendation on Street Images,” in *2019 IEEE International Conference on Image Processing (ICIP)*, 2019, pp. 280–284.
- [33] I. bin Ahmad, “Konsep Pakaian dan Teori Semantik,” *Seni Pakaian*, pp. 29–44, 2016.
- [34] U. Syahrina, N. A. Hsb, and R. D. Sianturi, “Penerapan Metode Gabor Wavelet Untuk Deteksi Gimmick Wajah Pada Citra Digital,” *J. Glob. Technol. Comput.*, vol. 1, no. 1, pp. 13–19, 2021.
- [35] A. Setiawan, “Penerapan Algoritma Gabor Wavelet Sebagai Keamanan Rumah Dengan Mengidentifikasi Wajah Berbasis Webcam,” *J. Eksplora Inform.*, vol. 5, no. 2, pp. 194–202, 2016.
- [36] F. Nadhiroh, Yahdinil, “Pengendalian emosi (kajian religio-psikologis tentang psikologi manusia),” *J. Sainfika Islam.*, vol. 2, no. 1, pp. 53–63, 2017.
- [37] I. D. Kurniawati and A. Kusumawardhani, “Implementasi Algoritma Canny dalam Pengenalan Wajah menggunakan Antarmuka GUI Matlab,” *J. Inst. Teknol. Sepuluh Nop.*, no. December, pp. 3–8, 2017.
- [38] H. Chaer, A. Rasyad, and A. Sirulhaq, “Analisis Semiotika Ekspresi Wajah di dalam Ayat-ayat Agung al-Qur’an,” *Palapa*, vol. 7, no. 2, pp. 234–250, 2019.
- [39] A. A. Chubarov, D. V. Tikhomirova, A. V. Shirshova, N. O. Veselov, and A. V. Samsonovich, “Virtual Listener: A Turing-like test for behavioral believability,” *Procedia Comput. Sci.*, vol. 169, no. 2019, pp. 892–899, 2020.
- [40] M. H. Purnomo, “Klasifikasi Nyeri pada Video Ekspresi Wajah Bayi

- Menggunakan DCNN Autoencoder dan LSTM,” vol. 7, no. 3, pp. 308–316, 2018.
- [41] M. Martinez-Garcia, Y. Zhang, J. Wan, and J. McGinty, “Visually interpretable profile extraction with an autoencoder for health monitoring of industrial systems,” in *2019 IEEE 4th International Conference on Advanced Robotics and Mechatronics (ICARM)*, 2019, pp. 649–654.
- [42] M. Campi, G. W. Peters, N. Azzaoui, and T. Matsui, “Machine Learning Mitigants for Speech Based Cyber Risk,” *IEEE Access*, vol. 9, pp. 136831–136860, 2021.
- [43] M. Fauziah, “Perancangan dan Implementasi Sistem Deteksi Pergerakan Kepala, Mata, dan Alis Berbasis Machine Learning,” Institut Teknologi Bandung, 2021.
- [44] H. Fan and E. Zhou, “Approaching human level facial landmark localization by deep learning,” *Image Vis. Comput.*, vol. 47, pp. 27–35, 2016.
- [45] A. Zein, “Pendeteksian Kantuk Secara Real Time Menggunakan Pustaka OPENCV dan DLIB PYTHON Real Time Sleepiness Detection Using OPENCV Library and PYTHON DLIB,” *Sainstech*, vol. 28, no. 2, pp. 22–26, 2018.
- [46] H.-W. Kim, H.-J. Kim, S. Rho, and E. Hwang, “Augmented EMTCNN: A fast and accurate facial landmark detection network,” *Appl. Sci.*, vol. 10, no. 7, p. 2253, 2020.
- [47] C. A. Lorentius, K. Gunadi, and A. N. Tjondrowiguno, “Pengenalan aksara jawa dengan menggunakan metode convolutional neural network,” *J. Infra*, vol. 7, no. 1, pp. 221–227, 2019.
- [48] Z. Li, F. Liu, W. Yang, S. Peng, and J. Zhou, “A Survey of Convolutional Neural Networks: Analysis, Applications, and Prospects,” *IEEE Trans. Neural Networks Learn. Syst.*, pp. 1–21, 2021.
- [49] R. Indraswari, W. Herulambang, and R. Rokhana, “Deteksi Penyakit Mata Pada Citra Fundus Menggunakan Convolutional Neural Network (CNN),” *Techno.Com*, vol. 21, no. 2, pp. 378–389, 2022.
- [50] R. Rismiyati and A. Luthfiarta, “VGG16 Transfer Learning Architecture for

- Salak Fruit Quality Classification,” *Telematika*, vol. 18, no. 1, p. 37, 2021.
- [51] M. H. Nashr, M. Fachrurrozi, K. J. Miraswan, and E. Triningsih, “Pengenalan Motif Kain Songket Pada Citra Kamera Smartphone Dengan Beragam Sudut Pandang Menggunakan CNN,” *J. Generic*, pp. 22–26, 2020.
- [52] D. M. Wonohadidjojo, “Perbandingan Convolutional Neural Network pada Transfer Learning Method untuk Mengklasifikasikan Sel Darah Putih,” *Ultim. J. Tek. Inform.*, vol. 13, no. 1, pp. 51–57, 2021.
- [53] S. Melangi, “Klasifikasi usia berdasarkan citra wajah menggunakan algoritma artificial neural network dan gabor filter,” *Jambura J. Electr. Electron. Eng.*, vol. 2, no. 2, pp. 60–67, 2020.
- [54] M. A. Ghani, F. Fahrizal, and A. Lawi, “Implementasi Arsitektur Xception Untuk Klasifikasi Citra Covid-19 Radiography,” *Proceeding KONIK (Konferensi Nas. Ilmu Komputer)*, vol. 5, pp. 413–419, 2021.
- [55] M. F. NURYASIN, C. MACHBUB, and L. YULIANTI, “Kombinasi Deteksi Objek, Pengenalan Wajah dan Perilaku Anomali menggunakan State Machine untuk Kamera Pengawas,” *ELKOMIKA J. Tek. Energi Elektr. Tek. Telekomun. Tek. Elektron.*, vol. 11, no. 1, p. 86, 2023.
- [56] M. Z. Ersyad, K. N. Ramadhani, and A. Arifianto, “Pengenalan Bentuk Tangan Dengan Convolutional Neural Network (Cnn),” *eProceedings Eng.*, vol. 7, no. 2, 2020.
- [57] D. G. Arwindo, E. Y. Puspaningrum, and Y. V. Via, “Identifikasi Penggunaan Masker Menggunakan Algoritma CNN YOLOv3-Tiny,” *Pros. Semin. Nas. Inform. Bela Negara*, vol. 1, pp. 153–159, 2020.
- [58] C. Shorten and T. M. Khoshgoftaar, “A survey on Image Data Augmentation for Deep Learning,” *J. Big Data*, vol. 6, no. 1, 2019.
- [59] K. Alomar, H. I. Aysel, and X. Cai, “Data Augmentation in Classification and Segmentation: A Survey and New Strategies,” *J. Imaging*, vol. 9, no. 2, p. 46, 2023.
- [60] P. Chlap, H. Min, N. Vandenberg, J. Dowling, L. Holloway, and A. Haworth, “A review of medical image data augmentation techniques for deep learning applications,” *J. Med. Imaging Radiat. Oncol.*, vol. 65, no. 5, pp. 545–563,

- 2021.
- [61] G. Aprilian Anarki, K. Auliasari, and M. Orisa, “Penerapan Metode Haar Cascade Pada Aplikasi Deteksi Masker,” *JATI (Jurnal Mhs. Tek. Inform.,* vol. 5, no. 1, pp. 179–186, 2021.
- [62] P. Kenda, “Sistem Presensi Berbasis Wajah Dengan Metode Haar Cascade,” *KONSTELASI Konvergensi Teknol. dan Sist. Inf.,* vol. 1, no. 2, pp. 419–429, 2021.
- [63] T. Mantoro, M. A. Ayu, and Suhendi, “Multi-Faces Recognition Process Using Haar Cascades and Eigenface Methods,” *Int. Conf. Multimed. Comput. Syst. -Proceedings,* vol. 2018-May, pp. 1–5, 2018.
- [64] B. S. B. Dewantara and D. T. Rhamadhaningrum, “Detecting multi-pose masked face using adaptive boosting and cascade classifier,” in *2020 International Electronics Symposium (IES),* 2020, pp. 436–441.
- [65] B. zs Hidasi and A. Karatzoglou, “Recurrent neural networks with Top-k gains for session-based recommendations,” *Int. Conf. Inf. Knowl. Manag. Proc.,* pp. 843–852, 2018.
- [66] D. Yoo and I. S. Kweon, “Learning loss for active learning,” in *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition,* 2019, pp. 93–102.
- [67] H. Darmanto, “Pengenalan Spesies Ikan Berdasarkan Kontur Otolith Menggunakan Convolutional Neural Network,” *Joined J. (Journal Informatics Educ.,* vol. 2, no. 1, p. 41, 2019.
- [68] Q. Wang, Y. Ma, K. Zhao, and Y. Tian, “A comprehensive survey of loss functions in machine learning,” *Ann. Data Sci.,* pp. 1–26, 2020.
- [69] M. Bonavita and P. Laloyaux, “Machine learning for model error inference and correction,” *J. Adv. Model. Earth Syst.,* vol. 12, no. 12, p. e2020MS002232, 2020.
- [70] N. Euclides, W. Nugroho, N. G. Ramadhan, M. Wibowo, and S. Pramono, “Pendekatan Algoritma Tree dalam Prediksi Populasi pada Smart Poultry,” vol. 4, no. 3, pp. 1530–1535, 2022.
- [71] L. Hakim, H. R. Rahmanto, S. P. Kristanto, and D. Yusuf, “Klasifikasi Citra

- Motif Batik Banyuwangi Menggunakan Convolutional Neural Network,” *J. Teknoinfo*, vol. 17, no. 1, pp. 203–211, 2023.
- [72] T. Rosandy, “Perbandingan Metode Naive Bayes Classifier dengan Metode Decision Tree Untuk Menganalisa Kelancaran Pembiayaan,” *J. TIM Darmajaya*, vol. 02, no. 01, pp. 52–62, 2016.
- [73] I. Markoulidakis, G. Kopsiaftis, I. Rallis, and I. Georgoulas, “Multi-Class Confusion Matrix Reduction method and its application on Net Promoter Score classification problem,” *ACM Int. Conf. Proceeding Ser.*, no. Cx, pp. 412–419, 2021.
- [74] J. Geng, T. Shao, Y. Zheng, Y. Weng, and K. Zhou, “Warp-guided GANs for single-photo facial animation,” *ACM Trans. Graph.*, vol. 37, no. 6, pp. 1–12, 2018.
- [75] O. Hosam, “Attacking image watermarking and steganography-a survey,” *Int. J. Inf. Technol. Comput. Sci.*, vol. 11, no. 3, pp. 23–37, 2019.
- [76] F. Akmal Hariz, I. Nurma Yulita, and I. Suryana, “Human Activity Recognition Berdasarkan Tangkapan Webcam Menggunakan Metode Convolutional Neural Network (CNN) Dengan Arsitektur MobileNet,” *Ilm. Teknol. Sist. Inf.*, vol. 3, no. 4, pp. 103–115, 2022.