



PROCEEDING

IEEE COMNETSAT

2022

IEEE International Conference on
Communications, Network,
and Satellite.



Solo, Indonesia
November 3-5, 2022

ISBN : 978-1-6654-6030-9



Co-Host :



USM

Patron :



COMMITTEES

Advisory Board:

Dr-Ing Wahyudi Hasbi, M.Kom
Prof. Dr. Ir. Gamantyo Hendrantoro, Ph.D.
Dr. Ign. Wiseto P. Agung
Dr. Arifin Nugroho
Dr. Muhammad Ary Murti, M.T
Arief Hamdani Gunawan, SMIEEE
Dr. Bambang Setia Nugraha

General Chair :

Dr. Arfianto Fahmi, M.T

General Co-chair:

Dr. Anggun Fitriani Isnawati, M.Eng

Technical Program Committee (TPC)

Chair:

Dr. Wahyu Pamungkas, M. T

Co-Chair:

Dr. Tenia Wahyuningrum, M.T
Eko Fajar Cahyadi, S.T., M.T., Ph.D.

Technical Program Committee (TPC) Member:

Prof. Abdallah Makhoul (University of Franche-Comté, France)
Prof. Abdelmadjid Bouabdallah (Universite de Technologie – Compiègne, France)
Prof. Adão Silva (Instituto de Telecomunicações (IT)/University of Aveiro, Portugal)
Prof. Ahmed Mehaoua (University of Paris Descartes, France)
Prof. Alvaro Suárez-Sarmiento (University of Las Palmas de Gran Canaria, Spain)
Prof. António Rodrigues (IT / Instituto Superior Técnico, Portugal)
Prof. Arnaldo Oliveira (Universidade de Aveiro – DETI / Instituto de Telecomunicações – Aveiro, Portugal)
Prof. Aws Yonis (Ninevah University, Iraq)
Prof. Bang Chul Jung (Chungnam National University, Korea (South))
Prof. Bernd Wolfinger (University of Hamburg, Germany)

Prof. Bong Jun Choi (Soongsil University, Korea (South))
Prof. Carl Debono (University of Malta, Malta)
Prof. Carla Raffaelli (University of Bologna, Italy)
Prof. Carlos Becker Westphall (Federal University of Santa Catarina, Brazil)
Prof. Chao Fang (Beijing University of Technology, China)
Prof. Chao Shen (Xi'an Jiaotong University, China)
Prof. Chao-Tsun Chang (Hsiuping University of Science & Technology, Taiwan)
Prof. Chia-Ho Ou (National Pingtung University, Taiwan)
Prof. Demosthenes Vouyioukas (University of the Aegean, Greece)
Prof. Dennis Pfisterer (University of Luebeck, Germany)
Prof. Ding Wang (Nankai University, China)
Prof. Domenico Ciuonzo (University of Naples Federico II, IT, Italy)
Prof. Dushantha Nalin K. Jayakody (Tomsk Polytechnic University, Russia)
Prof. Eduard Babulak (Liberty University, USA)
Prof. Eirini Eleni Tsiropoulou (University of New Mexico, USA)
Prof. Eisuke Kudoh (Tohoku Institute of Technology, Japan)
Prof. Eric Renault (LIGM, Université Gustave Eiffel, CNRS, ESIEE Paris, France)
Prof. Fang Yang (Tsinghua University, China)
Prof. Fernando Velez (University of Beira Interior, Portugal)
Prof. Francesco Palmieri (Università di Salerno, Italy)
Prof. Fuhui Zhou (Nanjing University of Aeronautics and Astronautics, China)
Prof. Gamantyo Hendranto (Institut Teknologi Sepuluh Nopember, Indonesia)
Prof. Guy Pujolle (Sorbonne University, France)
Prof. Gyu Myoung Lee (Liverpool John Moores University, United Kingdom (Great Britain))
Prof. Hacene Fouchal (Université de Reims Champagne-Ardenne, France)
Prof. Hans-Juergen Zepernick (Blekinge Institute of Technology, Sweden)
Prof. Harald Øverby (Norwegian University of Science and Technology, Norway)
Prof. Harry Skianis (University of the Aegean, Greece)
Prof. Homayoun Nikookar (Netherlands Defence Academy, The Netherlands)
Prof. Ickho Song (Korea Advanced Institute of Science and Technology, Korea (South))
Prof. Ikmo Park (Ajou University, Korea (South))
Prof. Ioannis Moscholios (University of Peloponnese, Greece)
Prof. Jae-Hyun Park (Chung-Ang University, Korea (South))
Prof. Jenhui Chen (Chang Gung University, Taiwan)
Prof. Jiann-Liang Chen (National Taiwan University of Science and Technology, Taiwan)

Prof. Ji-Hoon Yun (Seoul National University of Science and Technology, Korea (South))
Prof. João Rebola (Instituto de Telecomunicações Lisbon, Portugal)
Prof. Joel Rodrigues (Federal University of Piauí (UFPI), Brazil)
Prof. Johann Marquez-Barja (University of Antwerpen & imec, Belgium)
Prof. Joongheon Kim (Korea University, Korea (South))
Prof. Jorge Sá Silva (University of Coimbra, Portugal)
Prof. Junping Geng (Shanghai Jiaotong University, China)
Prof. Kasturi Vasudevan (Indian Institute of Technology Kanpur, India)
Prof. Kazuo Mori (Mie University, Japan)
Prof. Klaus David (University of Kassel, Germany)
Prof. Knud Skouby (Aalborg University, Denmark)
Prof. Koichi Maru (Kagawa University, Japan)
Prof. Konstantin Mikhaylov (University of Oulu, Finland)
Prof. Kuo-Chang Ting (Minghsin University of Science and Technology, Hsinchu, Taiwan)
Prof. Lahcène Mitiche (University of Djelfa, Algeria)
Prof. Li Xu (Chinese Academy of Sciences, China)
Prof. Li Xu (Fujian Normal University, China)
Prof. Liudong Xing (University of Massachusetts, Dartmouth, USA)
Prof. Ljiljana Trajković (Simon Fraser University, Canada)
Prof. Lorenzo Vangelista (University of Padova, Italy)
Prof. Lu Lu (University of Chinese Academy of Sciences, Hong Kong)
Prof. Lyes Khoukhi (ENSICAEN, Normandie University, GREYC CNRS Lab., France)
Prof. Mamoun Alazab (Charles Darwin University, Australia)
Prof. Manoj Bs (Indian Institute of Space Science and Technology, India)
Prof. Marcelo Alencar (Federal University of Campina Grande, Brazil)
Prof. Marco Listanti (University of Rome “La Sapienza”, Italy)
Prof. Mario Tanda (Università di Napoli Federico II, Italy)
Prof. Mariusz Glabowski (Poznan University of Technology, Poland)
Prof. Michele Ruta (Politecnico di Bari, Italy)
Prof. Miguel Franklin de Castro (Federal University of Ceará, Brazil)
Prof. Miodrag Potkonjak (UCLA, USA)
Prof. Mitchai Chongcheawchamnan (Prince of Songkla University, Thailand)
Prof. Mohamad Yusoff Alias (Multimedia University, Malaysia)
Prof. Mohamed Mosbah (CNRS-LaBRI UMR 5800, University Bordeaux, Bordeaux-INP, France)
Prof. Mohammad Matin (North South University, Bangladesh)

Prof. Nabanita Das (Indian Statistical Institute, India)
Prof. Nhu-Ngoc Dao (Sejong University, Korea (South))
Prof. Nuno Pombo (University of Beira Interior, Portugal)
Prof. Pascal Lorenz (University of Haute Alsace, France)
Prof. Paulo de Lira Gondim (Universidade de Brasilia, Brazil)
Prof. Paulo Monteiro (Universidade de Aveiro, Portugal)
Prof. Paulo Pinto (Universidade Nova de Lisboa, Portugal)
Prof. Petra Perner (IBaI Leipzig, Germany)
Prof. Pravati Swain (National Institute of Technology, Goa, India)
Prof. Rafael Caldeirinha (Polytechnic Institute of Leiria, Portugal)
Prof. Richard Lin (National Sun Yat-sen University, Taiwan)
Prof. Ridha Hamila (Qatar University, Qatar)
Prof. Robert Schober (University of British Columbia, Canada)
Prof. Roberto Garello (Politecnico di Torino, Italy)
Prof. Rogerio Dionisio (Instituto Politecnico de Castelo Branco, Portugal)
Prof. Rosaura Palma-Orozco (Instituto Politécnico Nacional, Mexico)
Prof. Sabrina Sicari (University of Insubria, Italy)
Prof. Salahuddin Mohammad Masum (Southwest Tennessee Community College, USA)
Prof. Satoshi Takahashi (Hiroshima City University, Japan)
Prof. Seiji Fukushima (Kagoshima University, Japan)
Prof. Shashikant Patil (SVKMs NMiMS Mumbai India, India)
Prof. Simon Pietro Romano (University of Napoli Federico II, Italy)
Prof. Takuya Asaka (Tokyo Metropolitan University, Japan)
Prof. Telmo Fernandes (IPLeiria / Institute of Telecommunications, Portugal)
Prof. Theo Swart (University of Johannesburg, South Africa)
Prof. Vicente Casares-Giner (Universitat Politècnica de València, Spain)
Prof. William Lehr (Massachusetts Institute of Technology, USA)
Prof. Xiaochuan Sun (NCST, China)
Prof. Yi Shang (University of Missouri, USA)
Prof. Yi-Han Chiang (Osaka Prefecture University, Japan)
Prof. Yiu-Wing Leung (Hong Kong Baptist University, Hong Kong)
Prof. Yoon-Ho Choi (Pusan National University, Korea (South))
Prof. You-Chiun Wang (National Sun Yat-Sen University, Taiwan)
Prof. Yousaf Bin Zikria (Yeungnam University, Korea (South))
Prof. Zalan Heszberger (Budapest University of Technology and Ec., Hungary)

- Dr. Aashish Mathur (Indian Institute of Technology Jodhpur, India)
- Dr. Abderrahmen Mtibaa (University of Missouri St. Louis, USA)
- Dr. Adriaan van Wijngaarden (Bell Laboratories, Nokia, USA)
- Dr. Adrian Kliks (Poznan University of Technology, Poland)
- Dr. Ajay Singh (Indian Institute of Technology Jammu, India)
- Dr. Ala Khalifeh (German University of Jordan, Jordan)
- Dr. Alban Duverdier (Centre National D'Etudes Spatiales (CNES), France)
- Dr. Alberto Gotta (ISTI-CNR, Italy)
- Dr. Alessandro Carrega (CNIT, Italy)
- Dr. Alexandru Vulpe (University Politehnica of Bucharest, Romania)
- Dr. Amitava Mukherjee (Globsyn Business School, Kolkata, India)
- Dr. Angelos Liveris (Wavelab Inc, USA)
- Dr. Anna Antonyová (University of Prešov in Prešov, Slovakia)
- Dr. Anwer Al-Dulaimi (EXFO Inc., Canada)
- Dr. Argyrios Kyrgiazos (University of Surrey, United Kingdom (Great Britain))
- Dr. Arianna D'Ulizia (CNR, Italy)
- Dr. Atef Abdrabou (UAE University, United Arab Emirates)
- Dr. Aveek Das (Palo Alto Networks, USA)
- Dr. Barry Evans (University of Surrey, United Kingdom (Great Britain))
- Dr. Bongkyo Moon (Quantum Informatics Research (QIR), Korea (South))
- Dr. Bramah Hazela (Amity University Uttar Pradesh India, India)
- Dr. Cahya Damarjati (Universitas Muhammadiyah Yogyakarta, Indonesia)
- Dr. Carlo Augusto Grazia (University of Modena and Reggio Emilia, Italy)
- Dr. Cedric Adjih (INRIA, France)
- Dr. Chaker Abdelaziz Kerrache (University of Laghouat, Algeria)
- Dr. Chau Yuen (Singapore University of Technology and Design, Singapore)
- Dr. Chayan Bhar (National Institute of Technology Warangal, India)
- Dr. Chi-Fu Huang (National Chung Cheng University, Taiwan)
- Dr. Chih-Lin Hu (National Central University, Taiwan)
- Dr. Chinmoy Kundu (University College Dublin, Ireland)
- Dr. Chongwen Huang (Zhejiang University, China)
- Dr. Chunqiang Hu (Chongqing University, China)
- Dr. Cicek Cavdar (KTH Royal Institute of Technology, Sweden)
- Dr. Dariusz Wiecek (National Institute of Telecommunications, Poland)
- Dr. De Mi (University of Surrey, United Kingdom (Great Britain))

- Dr. Debashis De (West Bengal University of Technology, India)
- Dr. Deepak Mishra (IIST, India)
- Dr. Deyun Gao (Beijing Jiaotong University, China)
- Dr. Dimitri Papadimitriou (University of Antwerp – imec, Belgium)
- Dr. Dimitris Chatzopoulos (Hong Kong University of Science and Technology, Hong Kong)
- Dr. Donghyun Kim (Georgia State University, USA)
- Dr. Ekasit Nugoolcharoenlap (Rajamangala University of Technology Rattanakosin, Thailand)
- Dr. Elyas Rakhshani (Delft University of Technology, TU Delft, The Netherlands)
- Dr. Felice Manlio Bacco (National Research Council (CNR), Italy)
- Dr. Felipe Cruz-Pérez (Cinvestav-IPN, Mexico)
- Dr. Fernando Guiomar (Instituto de Telecomunicações, Portugal)
- Dr. Floriano De Rango (University of Calabria, Italy)
- Dr. Francesco Gringoli (CNIT/University of Brescia, Italy)
- Dr. Gang Wang (PCTEL, Inc., USA)
- Dr. Ghadah Aldabbagh (King Abdulaziz University, USA)
- Dr. Giuseppe Ruggeri (University of Reggio Calabria, Italy)
- Dr. Go Hasegawa (Tohoku University, Japan)
- Dr. Guixin Ye (Northwest University, China)
- Dr. Gustavo Marfia (Università di Bologna, Italy)
- Dr. Haibo Dai (Nanjing University of Posts and Telecommunications, China)
- Dr. Hang Li (University of Technology Sydney, Australia)
- Dr. Hemant Purohit (Jodhpur Institute of Engineering & Technology, India)
- Dr. Heri Wijayanto (University of Mataram, Indonesia)
- Dr. Hing Keung Lau (Hong Kong Institute of Vocational Education (Tuen Mun), Hong Kong)
- Dr. Hiromasa Habuchi (Ibaraki University, Japan)
- Dr. Honghai Zhang (Google, USA)
- Dr. Hyung Jae Chang (Troy University – Montgomery, USA)
- Dr. Ibrahim Develi (Erciyes University, Turkey)
- Dr. Ilija Basicovic (University of Novi Sad, Serbia)
- Dr. Ioakeim Samaras (Intracom Telecom, Greece)
- Dr. Jad Nasreddine (Rafik Hariri University, Lebanon)
- Dr. Javier Gozalvez (Universidad Miguel Hernandez de Elche, Spain)
- Dr. Jean-Marc Kelif (Orange Labs, France)
- Dr. Jia Hu (University of Exeter, United Kingdom (Great Britain))
- Dr. Jin Cao (Xidian University, China)

- Dr. Jing Chen (Wuhan University, China)
- Dr. Jingjing Cui (University of Southampton, United Kingdom (Great Britain))
- Dr. John Vardakas (IQUADRAT Informatica S. L. Barcelona, Spain)
- Dr. Joong-Lyul Lee (University of North Carolina at Pembroke, USA)
- Dr. Jose Santa (Technical University of Cartagena, Spain)
- Dr. José Luis Hernandez Ramos (European Commission – Joint Research Centre (JRC), Belgium)
- Dr. Jukka Lempiainen (Tampere University of Technology, Finland)
- Dr. Kandasamy Selvaradjou (Pondicherry Engineering College, India)
- Dr. Karisma Trinanda Putra (Universitas Muhammadiyah Yogyakarta, Indonesia)
- Dr. Keping Yu (Waseda University, Japan)
- Dr. Kevin (Qixiang) Pang (Lakehead University, Canada)
- Dr. Khoirul Anwar (Telkom University, Indonesia)
- Dr. Kiho Lim (William Paterson University of New Jersey, USA)
- Dr. Kostas Peppas (University of Peloponnese, Greece)
- Dr. Kuntal Deka (IIT Goa, India)
- Dr. Lei Cao (The University of Mississippi, USA)
- Dr. Lei Mo (INRIA, France)
- Dr. Lexi Xu (China Unicom Network Technology Research Institute, China)
- Dr. Lifeng Lai (University of California, Davis, USA)
- Dr. Linawati Linawati (Universitas Udayana, Indonesia)
- Dr. Luca Cavaglione (National Research Council (CNR), Italy)
- Dr. Luca Reggiani (Politecnico di Milano, Italy)
- Dr. M Sabarimalai Manikandan (Indian Institute of Technology Bhubaneswar, India)
- Dr. M Arif Khan (Charles Sturt University, Australia)
- Dr. Maggie Mashaly (German University in Cairo, Egypt)
- Dr. Majed Haddad (University of Avignon, France)
- Dr. Marcin Piotr Pawlowski (Expeditus, Poland)
- Dr. Marco Baldi (Università Politecnica delle Marche, Italy)
- Dr. Mardeni Roslee (MMU, Malaysia)
- Dr. Marie-Jose Montpetit (Concordia University, Canada)
- Dr. Mariusz Zal (Poznan University of Technology, Poland)
- Dr. Mauro Fonseca (UTFPR, Brazil)
- Dr. Máximo Morales-Céspedes (Universidad Carlos III de Madrid, Spain)
- Dr. Michele Albano (Aalborg University, Denmark)
- Dr. Mingzhe Chen (Princeton University, USA)

- Dr. Minoru Okada (Nara Institute of Science and Technology, Japan)
- Dr. Mohamed Moustafa (Egyptian Russian University, Egypt)
- Dr. Montree Kumngern (King Mongkut's Institute of Technology Ladkrabang, Thailand)
- Dr. Muhammad Reza Kahar Aziz (Institut Teknologi Sumatera, Indonesia)
- Dr. Mukesh Singhal (University of California at Merced, USA)
- Dr. Mustafa Akbaş (Embry-Riddle Aeronautical University, USA)
- Dr. N Nasimuddin (Institute for Infocomm Research, Singapore)
- Dr. Nanda Kishore Chavali (Mathworks India Pvt Ltd., India)
- Dr. Natarajan Meghanathan (Jackson State University, USA)
- Dr. Nicola Calabretta (COBRA Research Institute, The Netherlands)
- Dr. Nur Abdul Razak (Universiti Teknologi MARA, Malaysia)
- Dr. Oluwakayode Onireti (University of Glasgow, United Kingdom (Great Britain))
- Dr. Omar Al saif (Northern Technical University, Iraq)
- Dr. Paolo Crippa (Università Politecnica delle Marche, Italy)
- Dr. Pasquale Dottorato (Lab ID, Italy)
- Dr. Paul Mitchell (University of York, United Kingdom (Great Britain))
- Dr. Paula Fraga-Lamas (University of A Coruña, Spain)
- Dr. Pavel Loskot (ZJU-UIUC Institute, China)
- Dr. Peiyong Zhang (China University of Petroleum (East China), China)
- Dr. Peng-Yong Kong (Khalifa University, United Arab Emirates)
- Dr. Petros Bithas (National and Kapodistrian University of Athens, Greece)
- Dr. Philippe Owezarski (LAAS-CNRS, France)
- Dr. Pietro Cassarà (National Research Council (CNR) at Pisa, Italy)
- Dr. Ping Zhou (Apple, USA)
- Dr. Prima Kristalina (Politeknik Elektronika Negeri Surabaya (PENS), Indonesia)
- Dr. Punnarumol Temdee (Mae Fah Luang University, Thailand)
- Dr. Pushpendu Kar (University of Nottingham Ningbo China, China)
- Dr. Qasim Ahmed (University of Huddersfield, United Kingdom (Great Britain))
- Dr. Qin Hu (IUPUI, USA)
- Dr. R Prasad (Delft University of Technology, The Netherlands)
- Dr. Rafael Asorey-Cacheda (Technical University of Cartagena, Spain)
- Dr. Rakesh T (Monash University, Australia)
- Dr. Rallis Papademetriou (University of Portsmouth, United Kingdom (Great Britain))
- Dr. Ram Bilas Pachori (Indian Institute of Technology Indore, India)
- Dr. Ramiz Sabbagh (University of Kent, United Kingdom (Great Britain))

- Dr. Ramzi Adriman (Universitas Syiah Kuala, Indonesia)
- Dr. Rashmi Chaudhry (International Institute of Information Technology, Italy)
- Dr. Ratul Baruah (Tezpur University, India)
- Dr. Ravi Hegde (IIT Gandhinagar, India)
- Dr. Ravikant Saini (Indian Institute of Technology Jammu, India)
- Dr. Riadh Dhaou (IRIT/ENSEEIH, University of Toulouse, France)
- Dr. Riccardo Colella (University of Salento, Italy)
- Dr. Roberto Di Pietro (Hamad Bin Khalifa University, Qatar)
- Dr. Rodrigo Campos Bortoletto (Instituto Federal de São Paulo, Brazil)
- Dr. Rosdiadee Nordin (Universiti Kebangsaan Malaysia, Malaysia)
- Dr. Samir Medjiah (LAAS-CNRS, France)
- Dr. Sanjay Dhar Roy (National Institute of Technology Durgapur, India)
- Dr. Sanjay Singh (Manipal Institute of Technology, India)
- Dr. Sanjeev Gurugopinath (PES University, India)
- Dr. Sanya Anees (Indian Institute of Information Technology – Guwahati, India)
- Dr. Scabin Kumar (Amity University Lucknow Campus (UP) India, India)
- Dr. Seemanti Saha (National Institute of Technology Patna, India)
- Dr. Sherali Zeadally (University of Kentucky, USA)
- Dr. Shuai Zhao (Tencent America LLC, USA)
- Dr. Sirikan Chucherd (Mae Fah Luang University, Thailand)
- Dr. Sonali Chouhan (Indian Institute of Technology Guwahati, India)
- Dr. Song Xing (California State University, Los Angeles, USA)
- Dr. Stylianos Basagiannis (United Technologies Research Centre, Ireland)
- Dr. Sudhir Kumar (Indian Institute of Technology Patna, India)
- Dr. Sumiko Miyata (Shibaura Institute of Technology, Japan)
- Dr. Sunantha Sodsee (King Mongkut's University of Technology North Bangkok, Thailand)
- Dr. Surapong Uttama (Mae Fah Luang University, Thailand)
- Dr. Taeshik Shon (Ajou University, Korea (South))
- Dr. Tariq Umer (COMSATS University Islamabad Lahore Campus, Pakistan)
- Dr. Theofilos Chrysikos (University of Patras, Greece)
- Dr. Thomas Lagkas (International Hellenic University, Kavala Campus, Greece)
- Dr. Thumrongrat Amornraksa (King Mongkut's University of Technology Thonburi, Thailand)
- Dr. Tianhua Xu (Tianjin University, China)
- Dr. Tomoki Yoshihisa (Osaka University, Japan)
- Dr. Trong-Minh Hoang (Posts and Telecommunications Institute of Technology, Vietnam)

- Dr. Vandana Rohokale (SPPU Pune, Maharashtra, India)
- Dr. Vanlin Sathya (University of Chicago, USA)
- Dr. Vasilis Friderikos (King's College London, United Kingdom (Great Britain))
- Dr. Vladimir Dyo (University of Bedfordshire, United Kingdom (Great Britain))
- Dr. Wael Jaafar (Carleton University, Canada)
- Dr. Watcharapan Suwansantisuk (King Mongkut's University of Technology Thonburi, Thailand)
- Dr. Wei Feng (Tsinghua University, China)
- Dr. Weili (lily) Wu (University of Texas at Dallas, USA)
- Dr. Weiwen Zhang (Guangdong University of Technology, China)
- Dr. Wenjun Xu (Beijing University of Posts and Telecommunications, China)
- Dr. Worasak Rueangsirarak (School of Information Technology, Mae Fah Luang University, Thailand)
- Dr. Xianbin Yu (Zhejiang University, China)
- Dr. Xiang Gui (Massey University, New Zealand)
- Dr. Xianliang Jiang (Ningbo University, China)
- Dr. Xiao Zhang (South-Central University for Nationalities, China)
- Dr. Xiaohua (Edward) Li (State University of New York at Binghamton, USA)
- Dr. Xiaoyu Tang (Zhejiang University, China)
- Dr. Yafei Hou (Okayama University, Japan)
- Dr. Yang Wang (La Salle University, USA)
- Dr. Yangyang Li (China Academy of Electronics and Information Technology, China)
- Dr. Yasin Kabalci (Nigde Omer Halisdemir University, Turkey)
- Dr. Yatish Joshi (Cisco Systems, USA)
- Dr. Yee-Jin Cheon (Korea Aerospace Research Institute, Korea (South))
- Dr. Ying Mao (Fordham University, USA)
- Dr. Yong Guan (Iowa State University, USA)
- Dr. Yongxu Zhu (South Bank University, United Kingdom (Great Britain))
- Dr. Yu Zhang (Zhejiang University of Technology, China)
- Dr. Yuansong Qiao (Athlone Institute of Technology, Ireland)
- Dr. Yun-Wei Lin (National Chiao Tung University, Taiwan)
- Dr. Yusuf Nur Wijayanto (Indonesian Institute of Sciences (LIPI), Indonesia)
- Dr. Yvon Gourhant (Orange Labs, France)
- Dr. Zeeshan Kaleem (COMSATS University Islamabad, Wah Campus, Pakistan)
- Dr. Zengpeng Li (Lancaster University, United Kingdom (Great Britain))
- Dr. Zheng Chu (University of Surrey, United Kingdom (Great Britain))
- Dr. Zhi Lin (Army Engineering University of PLA, China)

Dr. Zhiyuan Zheng (Pinterest, USA)

Dr. Zongyang Zhang (Beihang University, China)

Table of Contents

Title Page
Welcome Message from General Chair
Committee
Program Schedule
Table of Contents

Keynote Speech

Keynote 1

Network slicing: from definition to evolution towards 6G

Carla Raffaelli, M.Sc., Ph.D

Keynote 2

Robotic Aerial Small Cells for Efficient 6G Network Densification

Dr. Vasilis Frederikos

Keynote 3

Artificial Intelligence for Autonomous Vehicle

Dr. Nolang Fanani, B.Eng., M.Sc

Keynote 4

New Generation Microwave Synthesizer Key Design Technologies and Advanced Testing Trend

Shashiv Phadnis

1570812289	Design and Analysis of Optical Fiber Network Jakarta - Singapore - Nusantara via Karimata Strait	1
	Muhammad Rendra Perdana Kusuma Djaka, Fajar Aulia Rachman, Herry Tony Andhyka and Catur Apriono (Universitas Indonesia, Indonesia)	
1570846760	Terahertz Antenna-coupled Microbolometer: Impact of High Heater Resistance	9
	Arie Pangesti Aji (Universitas Indonesia, Indonesia); Hiroaki Satoh (Shizuoka University, Japan); Catur Apriono and Eko Tjipto Rahardjo (Universitas Indonesia, Indonesia); Hiroshi Inokawa (Shizuoka University, Japan)	
1570849139	Modeling of Multiplexing Indoor Light Fidelity (Li-Fi) Technology Using Movable LED Panel	14
	I Wayan Mustika (Universitas Gadjah Mada, Indonesia); Fauza Khair and Anggun Fitriani Isnawati (Institut Teknologi Telkom Purwokerto, Indonesia); Arrizky Ayu Faradila Purnama (Institute of Technology Telkom Surabaya & Faculty of Electrical Technology and Intelligent Industry, Indonesia); Dwi Edi Setyawan (Institut Teknologi Telkom Surabaya, Indonesia)	

1570825645	Energy Efficient Cooperative Strategy over LEO Satellite Internet of Things	21
	Kaiwei Wang (No 38 Research Institute, China Electronics Technology Group Corporation, China)	
1570826871	Link Budget Analysis for a 3U Nanosatellite Operating At S-band	27
	Habib Idmouida (Mohammed V University in Rabat, Morocco & University Center for Research in Space Technologies, Mohammedia School of Ingeniers, Morocco)	
1570806826	Reversible Data Hiding using Pixel-Value-Ordering and Difference Expansion in Digital Images	33
	Ntivuguruzwa Jean De La Croix and Chaidir Islamy (Institut Teknologi Sepuluh Nopember, Indonesia); Tohari Ahmad (Institut Teknologi Sepuluh Nopember (ITS), Indonesia)	
1570816873	A Review Paper: Accuracy of Machine Learning for Depression Detection in Social Media	39
	Alya Melati Putri, Kevin Wijaya and Owen Salomo (Binus University, Indonesia); Anderies Anderies (BINUS University, Indonesia); Alexander Agung Santoso Gunawan (Bina Nusantara University & University of Indonesia, Indonesia)	
1570817330	Click Bait Detection for Internet News Title with Deep Learning Feed Forward	46
	Berlian Al Kindhi (Institut Teknologi Sepuluh Nopember, Indonesia); Sean John Rawlings (Cardiff Metropolitan University, United Kingdom (Great Britain))	
1570849653	A Decision Tree Knowledge-based System for Reviewing of Research Ethics Protocol	50
	Ratih Nur Esti Anggraini (Intelligent Systems Lab, University of Bristol, United Kingdom (Great Britain) & Institut Teknologi Sepuluh Nopember, Indonesia); Nurul Fajrin Ariyani, Abdullah Faqih Septiyanto, Zahra Meilani and Riyanarto Sarno (Institut Teknologi Sepuluh Nopember, Indonesia)	
1570825403	Systematic Literature Review: Collaborative Filtering Algorithms for Recommendation Systems	56
	Michael The Hadinata, Hans Andika, William Huang and Anderies Anderies (BINUS University, Indonesia); Irene Anindaputri Iswanto (Bina Nusantara University, Indonesia)	
1570825606	Intrusion Detection using Support Vector Machine on Internet of Things Dataset	62
	Rifky Aditya, Hilal H. Nuha and Sidik Prabowo (Telkom University, Indonesia)	
1570825636	Flood Identification with Fuzzy Logic Based on Rainfall and Weather for Smart City Implementation	67

Berlian Al Kindhi (Institut Teknologi Sepuluh Nopember, Indonesia)

1570827576	Performance Comparison of Machine Learning Algorithms for Student Personality Classification	73
	Didi Supriyadi (Diponegoro University, Indonesia & Institut Teknologi Telkom Purwokerto, Indonesia); Purwanto Purwanto (Universitas Diponegoro, Indonesia); Budi Warsito (Diponegoro University, Indonesia)	
1570829856	Improvement Object Detection Algorithm Based on YoloV5 with BottleneckCSP	79
	Aria Hendrawan (Information System School of Postgraduate Universitas Diponegoro, Indonesia & Universitas Semarang, Indonesia); Rahmat Gernowo, Oky Nurhayati, Budi Warsito and Adi Wibowo (Information System School of Postgraduate Diponegoro University, Indonesia)	
1570836276	Intrusion Detection using Deep Neural Network Algorithm on the Internet of Things	84
	Syariful Ikhwan (Institut Teknologi Telkom Purwokerto, Indonesia); Adi Wibowo and Budi Warsito (Diponegoro University, Indonesia)	
1570836614	Integration of Decision Tree-Fuzzy Algorithm for Decision Support System in Air Force Operation	88
	Hendri Himawan Triharminto (Indonesian Air Force Academy, Indonesia); Lenny Iryani (Politeknik Negeri Bandung, Indonesia)	
1570808247	Design and Implementation of On-Body Textile Antenna for Bird Tracking at 2.4 GHz	94
	Hasri Ainun Harris, Levy Olivia Nur and Radial Anwar (Telkom University, Indonesia)	
1570816865	Outage Analysis of UAV-assisted Co-operative communication system with imperfect SIC	100
	Anju Rs (National Institute of Technology, Trichy, India); Anandpushparaj J (National Institute of Technology, Trichirappalli, India); Muthu Palanivel Chidambara Nathan (National Institute of Technology, India)	
1570825046	HPA Rapp Model Nonlinear Distortion Effect Mitigation Technique on GFDM System	107
	Ari Endang Jayati (Institut Teknologi Sepuluh Nopember & Universitas Semarang, Indonesia)	
1570825607	System Usability Scale Analysis of Infusion Fluid Level Monitoring And Notification System Using IoT	112
	Handika Jaladara, Rizka Reza Pahlevi and Hilal H. Nuha (Telkom University, Indonesia)	
1570805131	The Performance Analysis of Hybrid SDN-IP Reactive Routing on ONOS Controller in Tree Topologies	118

Bongga Arifwidodo (Telkom Institute of Technology Purwokerto, Indonesia);
Donny Arief Oktavian and Jafaruddin Gusti Amri Ginting (IT Telkom
Purwokerto, Indonesia)

1570812204	Auto Discover Virtual Private Network Using Border Gateway Protocol Route Reflector	123
	Setiyo Budiyo, Ch Aprihansah, Lukman Silalahi and Imelda Simanjuntak (Universitas Mercu Buana, Indonesia); Freddy Artadima Silaban (Universitas Mercu Buana & Indones, Indonesia); Agus Rochendi (Badan Riset dan Inovasi Nasional, Indonesia)	
1570812251	QoS Analysis on VoIP with VPN Using SSL and L2TP IPsec Method	130
	Erryc Darmawan, Setiyo Budiyo and Lukman Silalahi (Universitas Mercu Buana, Indonesia)	
1570812259	Secret Image Sharing and Steganography based on Fuzzy Logic and Prediction Error	137
	Chaidir Islamy (Institut Teknologi Sepuluh Nopember, Indonesia); Tohari Ahmad (Institut Teknologi Sepuluh Nopember (ITS), Indonesia); Royyana Ijtihadie (Institut Teknologi Sepuluh Nopember, Indonesia)	
1570817172	Adapting ISO 17025 to Enrich QoS as Quality Measurement on Internet of Medical Things	143
	Muhammad Yusro, Nor Safira Azlyn and Sevia Purnama (Institut Teknologi Telkom Purwokerto, Indonesia)	
1570849890	Marine Vessels Detection on Very High-Resolution Remote Sensing Optical Satellites	149
	Bill Van Ricardo Zalukhu and Arie Wahyu Wijayanto (Politeknik Statistika STIS, Indonesia); Muhammad Iqbal Habibie (National and Research Innovation Agency (BRIN), Indonesia)	
1570839448	An Implementation of Large Scale Hate Speech Detection System for Streaming Social Media Data	155
	Doan Long An (University of Information Technology, Vietnam); Thao Phuong Nguyen (University Information Technology, Vietnam); Trong-Hop Do (University of Information Technology, Ho Chi Minh City & Vietnam National University, Ho Chi Minh City, Vietnam)	
1570839816	A Practical Real-Time Flight Delay Prediction System using Big Data Technology	160
	Tri Minh Vo and Vu Tran Trieu (University of Information Technology, Vietnam); The Duc Pham (University Information of Technology, Vietnam); Trong-Hop Do (University of Information Technology, Ho Chi Minh City & Vietnam National University, Ho Chi Minh City, Vietnam)	
1570841530	Design and Testing on Migration of Remiss-Supply in Banking System to Microservice Architecture	168

Alwi Maulana (Institut Teknologi Telkom Purwokerto, Indonesia); Pradana Ananda Raharja (Institut Teknologi Telkom Purwokerto, Indonesia & Fakultas Informatika, Indonesia)

1570843900	School Zoning System for Student Admission using Constrained K-Means Algorithms	174
	Andi Alviadi Nur Risal (Hasanuddin University, Indonesia); Zahir Zainuddin (University of Hasanuddin, Indonesia); Muhammad Niswar (Universitas Hasanuddin, Indonesia)	
1570844448	Classifying Leaf Types using the Artificial Neural Network Method by Optimizing Parameter Iteration	179
	M Alfian Dzikri, S Ayu Septianingrum, Nova Rijati and Pujiono Pujiono (Universitas Dian Nuswantoro, Indonesia)	
1570844565	Ensemble of the Distance Correlation-Based and Entropy-Based Sensor Selection for Damage Detection	183
	Jimmy Tjen, Genrawan Hoendarto and Tony Darmanto (Universitas Widya Dharma Pontianak, Indonesia)	
1570844733	Mandibular segmentation on panoramic radiographs with CNN Transfer Learning	190
	Nur Nafi'iyah, Chastine Fatichah and Darlis Herumurti (Institut Teknologi Sepuluh Nopember, Indonesia); Eha Renwi Astuti (Universitas Airlangga, Indonesia); Esa Prakasa (BRIN, Indonesia)	
1570845477	Clustering Stress Reactivity based on Heart Rate Variability during Acute Mental Stress Task	195
	Auditya Purwandini Sutarto, Nailul Izzah and Mohamad H Hariyadi (Universitas Qomaruddin, Indonesia)	
1570846522	GRU-MF: A Novel Appliance Classification Method for Non-Intrusive Load Monitoring Data	200
	Aji Gautama Putrada, Nur Alamsyah, Syafrial Fachri Pane and Mohamad Nurkamal Fauzan (Telkom University, Indonesia)	
1570849999	DCGAN-based Medical Image Augmentation to Improve ELM Classification Performance	206
	Rando Rando, Noor Akhmad Setiawan and Adhistya Erna Permanasari (Universitas Gadjah Mada, Indonesia); Riries Rulaningtyas (Airlangga University, Indonesia); Andriyan B. Suksmono (Bandung Institute of Technology, Indonesia); Imas Sukaesih Sitanggang (Bogor Agricultural University, Indonesia)	
1570847133	n-Mating Effect on Genetic Algorithm-Based Clustering Performance for Hotspots Data	212
	Rani Rotul Muhima (Institut Teknologi Adhi Tama Surabaya, Indonesia)	

1570850157	A study of Convolution Neural Network Based Cataract Detection with Image Segmentation Nina Sevani, Hendrik Tampubolon, Jeremy Wijaya, Lukas Cuvianto and Albert Salomo (Krida Wacana Christian University, Indonesia)	216
1570848940	A Novel License Plate Image Reconstruction System using Generative Adversarial Network Vy-Hao Phan and Minh-Quan Ha (University of Information Technology, Vietnam); Trong-Hop Do (University of Information Technology, Ho Chi Minh City & Vietnam National University, Ho Chi Minh City, Vietnam)	222
1570848944	A Small-Scale Temperature Forecasting System using Time Series Models Applied in Ho Chi Minh City Nam Quoc Nguyen, Thang Chau Phan, Khanh Phuoc Bao Truong, Hong Thi Thuy Dang and Trong-Hop Do (University of Information Technology, Ho Chi Minh City & Vietnam National University, Ho Chi Minh City, Vietnam)	229
1570825685	Linear Filter Design for FBMC-OQAM Transceiver Davide Mattera (Università degli Studi di Napoli Federico II, Italy); Mario Tanda (Università di Napoli Federico II, Italy)	235
1570825687	Triangular Patch Antenna Using Coplanar Waveguide and DGS Techniques for 5G Communications Nurhayati Nurhayati, Mohammad Iyo Agus Setyono and Alga Mardhiarta Yundha Tama (Universitas Negeri Surabaya, Indonesia)	241
1570825701	Coplanar Vivaldi Antenna with wave slot structure for RADAR application Nurhayati Nurhayati (Universitas Negeri Surabaya, Indonesia); Eko Setijadi (Institut Teknologi Sepuluh Nopember, Indonesia)	247
1570826885	Performance Evaluation of LoRa 915 MHz for Health Monitoring with Adaptive Data Rate Puput Dani Prasetyo Adi (National Research and Innovation Agency (BRIN-RI), Indonesia)	252
1570832619	Network Planning and Performance Analysis for 5G mmWave in Urban Areas Nasaruddin Nasaruddin (Syiah Kuala University, Indonesia); Nuzuar Rafli and Yunida Yunida (Universitas Syiah Kuala, Indonesia); Rusdha Muharrar (Syiah Kuala University, Indonesia)	258
1570833435	Performance analysis of FBMC-PAM systems in frequency-selective Rayleigh fading channels in the pres Davide Mattera (Università degli Studi di Napoli Federico II, Italy); Mario Tanda (Università di Napoli Federico II, Italy)	264
1570836452	A 4x4 Microstrip Feeder Antenna Design using Dolph-Chebyshev for Receiving Himawari-8 Satellite Data	270

	Muhammad Riza Darmawan and Catur Apriono (Universitas Indonesia, Indonesia)	
1570836864	LEO Satellite Authentication using Physical Layer Features with Support Vector Machine	277
	Mohammed Hammouda and T. Aaron Gulliver (University of Victoria, Canada)	
1570841692	Designing QPSK Modulator Using LTspice-Based Discrete Components	283
	Andicho Haryus Wirasapta (Gadjah Mada University, Indonesia); Prpto Nugroho (Universitas Gadjah Mada, Indonesia); Sigit Basuki Wibowo (Gadjah Mada University, Indonesia)	
1570843986	Threshold-Based Physical Layer Authentication for Space Information Networks	289
	Mohammed Hammouda and T. Aaron Gulliver (University of Victoria, Canada)	
1570844609	FER Polar Codes Performances Using 5G Broadband Channel with CP-OFDM Techniques at 2.3 GHz Frequency	294
	Reni Dyah Wahyuningrum (Institut Teknologi Telkom Purwokerto, Indonesia); Khoirun Ni'amah (Institut Teknologi Telkom Purwokerto & Telkom University, Indonesia); Solichah Larasati and Shinta Romadhona (Institut Teknologi Telkom Purwokerto, Indonesia)	
1570846100	Recent Trends in the Reconfigurable Intelligent Surfaces (RIS): Active RIS to Brain-controlled RIS	299
	Muhammad Miftahul Amri (Sungkyunkwan University, Korea (South))	
1570846106	Indoor Positioning System for Campus Building Based on WLAN Fingerprint	305
	Mohammad Edar Paradise Wibowo, Mohammad Raudya Hananditya and Firdaus Firdaus (Universitas Islam Indonesia, Indonesia); Noor Azurati Ahmad and Azlan Adi (Universiti Teknologi Malaysia, Malaysia)	
1570846640	Techno-Regulation Analysis of Micro Operator in Industrial Area	310
	Melati Sabila Putri, Bambang Setia Nugroho and Helni Jumhur (Telkom University, Indonesia)	
1570851068	Private 5G Network Capacity and Coverage Deployment for Vertical Industries: Case Study in Indonesia	317
	Asri Wulandari Asri (Politeknik Negeri Jakarta, Indonesia); Alfin Hikmaturokhman (Institut Teknologi Telkom Purwokerto & Universitas Indonesia, Indonesia); Marfani Marfani (PT Telkomsel, Indonesia)	
1570822994	Performance Comparison of Web Server Application on Single Board Computer	323
	Mega Pranata (Institut Teknologi Telkom Purwokerto); Aditya Wijayanto and Muhammad Fajar Sidiq (Institut Teknologi Telkom Purwokerto, Indonesia)	

1570825051	Tracking Device for The Mountaineers Using GPS Ari Endang Jayati (Institut Teknologi Sepuluh Nopember & Universitas Semarang, Indonesia)	328
1570825635	Sybil Attack Detection on ITS-V2X System using a Realistic Traffic Model-based Approach Afdhal Afdhal, Ahmadiar Ahmadiar and Ramzi Adriman (Universitas Syiah Kuala, Indonesia)	333
1570825665	Deep Feature Selection for Machine Learning based Attack Detection Systems Minh-Tri Huynh, Hoang-Trung Le, Xuan-Ha Nguyen and Le Kim-Hung (University of Information Technology, Vietnam)	339
1570846225	LoRA Gateway Coverage and Capacity Analysis in Urban Area For IoT Smart Gas Meter Demand Kalam Adhiansyah Lutfie (University of Indonesia, Indonesia); Prima Dewi Purnamasari and Dadang Gunawan (Universitas Indonesia, Indonesia); I Ketut Agung Enriko (Institut Teknologi Telkom Purwokerto & PT Telkom Indonesia, Indonesia)	345
1570829674	Feasibility Evaluation of Compact Flow Features for Real-time DDoS Attacks Classifications Muhammad Fajar Sidiq and Nanda Iryani (Institut Teknologi Telkom Purwokerto, Indonesia); Akbari Indra Basuki (National Research and Innovation Agency (BRIN), Indonesia); Arief Indriarto Haris and Rd Angga Ferianda (BRIN, Indonesia)	350
1570836485	An IoT-Based System for Water Quality Monitoring and Notification System of Aquaculture Prawn Pond Ramzi Adriman, Maya Fitria and Afdhal Afdhal (Universitas Syiah Kuala, Indonesia)	356
1570846836	Design of Spectrum analyzer Android-based Instructional Media for Vocational High School Student Assa K Rohana and Adythia E Nugraha (SMK TELKOM JAKARTA, Indonesia); Rohani Cristyn (Penabur Christian Senior High School Kota Wisata, Indonesia); Kukuh Harsanto and Garrison Lee (SMK TELKOM JAKARTA, Indonesia)	361
1570853669	Portable Air Quality Monitoring System in ANN Using Combination Hidden Layer Hyperparameters Haniah Mahmudah, Cindy Ulan Purwanti, Rahardhita Sudibyo, Ilham Dwi Pratama and Nur Menik Rohmawati (Politeknik Elektronika Negeri Surabaya, Indonesia)	368

1570853744	Performance of Deep Learning Benchmark Models on Thermal Imagery of Pain through Facial Expressions	374
	Raihan Islamadina (Universitas Islam Negeri Ar Raniry, Indonesia); Khairun Saddami (Universitas Syiah Kuala, Indonesia); Maulisa Oktiana (Syiah Kuala University, Indonesia); Taufik F. Abidin (Universitas Syiah Kuala, Indonesia); Rusdha Muharar (Syiah Kuala University, Indonesia); Fitri Arnia (Universitas Syiah Kuala, Indonesia)	
1570854233	Sliding Mode Control of Angular Speed DC Motor System with Parameter Uncertainty	380
	Alfian Ma'arif (Universitas Ahmad Dahlan, Indonesia); Iswanto Iswanto, Is (Universitas Muhammadiyah Yogyakarta, Indonesia); Aninditya Anggari Nuryono, Aan (Mulia University, Indonesia); Nia Maharani Raharja (Universitas Gadjah Mada, Indonesia); Hari Maghfiroh (Universitas Gadjah Mada & IEEE SB UGM, Indonesia)	
1570855991	Oil Palm Leaf Disease Detection on Natural Background Using Convolutional Neural Networks	388
	Anindita Septiarini and Hamdani Hamdani (Universitas Mulawarman, Indonesia); Eko Junirianto (Politeknik Pertanian Negeri Samarinda, Indonesia); Mohammad Sofyan S Thayf (STMIK KHARISMA Makassar, Indonesia); Gandung Triyono (Universitas Gadjah Mada, Indonesia); Henderi Henderi (University of Raharja, Indonesia)	
1570846652	Decision Making via Game Theory for Autonomous Vehicles in the Presence of a Moving Obstacle	393
	Marina Vicini, Sercan Albut and Elvina Gindullina (University of Padova, Italy); Leonardo Badia (Università degli Studi di Padova, Italy)	
1570849331	Hiding Document Format Files Using Video Steganography Techniques With Least Significant Bit Method	399
	Tufail Akhmad Satrio, Wahyu Adi Prabowo and Trihastuti Yuniati (Institut Teknologi Telkom Purwokerto, Indonesia)	
1570850000	Error Rate Performance of Equatorial HF Skywave MIMO Packet Radio	407
	Elsa Lolita Anggraini, Gamantyo Hendrantoro and Titiek Suryani (Institut Teknologi Sepuluh Nopember, Indonesia)	
1570850070	Analysis of Microwave Absorber Using Sugarcane Bagasse for 27 - 29 GHz Frequency	411
	Yougha Budi Prahmana, Ayu Mika Sherila and Umairah Umairah (Universitas Mercu Buana, Indonesia); Erfan Handoko (Universitas Negeri Jakarta, Indonesia); Mudrik Alaydrus (Universitas Mercu Buana, Indonesia)	

1570848572	Trajectory and Power Optimization for Buffer-Assisted Amplify-and-Forward UAV Relay Naga manoj Makkena (International Institute of Information of Technology, Hyderabad, India); P Ubaidulla (International Institute of Information Technology, India)	415
1570851329	Robustness Analysis of 5-Element Overlapped Linear Subarrays for Wide Angular Scanning Applications Titus Cahya Pertiwi (Institut Teknologi Sepuluh Nopember, Indonesia); Fannush Shofi Akbar (Institut Teknologi Telkom Surabaya, Indonesia); Gamantyo Hendratoro (Institut Teknologi Sepuluh Nopember, Indonesia); Leo P. Ligthart (em. prof. Delft University of Technology & Universitas Indonesia, Beijing Institute of Technology, ITS Surabaya, The Netherlands)	422
1570843062	Implementation of the Internet of Things for Flood Mitigation and Environmental Sustainability Muhamad Azrino Gustalika (Institut Teknologi Telkom Purwokerto, Indonesia); Sudianto Sudianto (Telkom Institute of Technology Purwokerto, Indonesia); Diandra Chika Fransisca, Fahrudin Mukti Wibowo, Mas Aly Afandi and Reni Dyah Wahyuningrum (Institut Teknologi Telkom Purwokerto, Indonesia)	426
1570843781	DRL-Based Secure Beamforming for Hybrid-RIS Aided Satellite Downlink Communications Quynh Tu Ngo, Khoa Tran Phan, Abdun Mahmood and Wei Xiang (La Trobe University, Australia)	432
1570854156	Investigated insider and outsider attacks on the federated learning system Ibraim Ahmed (University of Mosul, Iraq & College of Science, Iraq); Manar Kashmoola (Mosul University, Iraq)	438
1570849141	Analysis of Transmitter Half Angle and FOV Variations on Multiplexing Indoor Li-Fi Communication I Wayan Mustika (Universitas Gadjah Mada, Indonesia); Fauza Khair and Anggun Fitriani Isnawati (Institut Teknologi Telkom Purwokerto, Indonesia); Dwi Edi Setyawan (Institut Teknologi Telkom Surabaya, Indonesia); Arrizky Ayu Faradila Purnama (Institute of Technology Telkom Surabaya & Faculty of Electrical Technology and Intelligent Industry, Indonesia)	444
1570847645	Performance Analysis of Eigenface Method for detecting organic and non organic waste type Aditya Wijayanto (Institut Teknologi Telkom Purwokerto, Indonesia); Afifah Dwi Ramadhani (Politeknik Elektronika Negeri Surabaya, Indonesia); Muhamad Azrino Gustalika and Alon Jala Tirta Segara (Institut Teknologi Telkom Purwokerto, Indonesia)	451

1570850150	Soft FFR Scheme for Distributed D2D Communication in Multicell of Cellular Communication Networks	456
	Soraida Sabella, Misfa Susanto, Fx Arinto Setyawan and Fadil Hamdani (University of Lampung, Indonesia)	
1570851744	New Approach of Ensemble Method to Improve Performance of IDS using S-SDN Classifier	463
	Amarudin Amarudin (Universitas Gadjah Mada & Universitas Teknokrat Indonesia, Indonesia); Ridi Ferdiana (Universitas Gadjah Mada, Indonesia); Widy Widyawan (Gadjah Mada University, Indonesia)	
1570853516	Security Analysis and Improvement for Satellite and Mobile Network Integration	469
	Meiling Chen (CMRI, China)	
1570843844	Quality Control Through Game Theory of a Cascading Multi-robot Machine Vision System	475
	Samuele Benfatti, Ivano Donadi and Elvina Gindullina (University of Padova, Italy); Leonardo Badia (Università degli Studi di Padova, Italy)	

Design and Testing on Migration of Remiss-Supply in Banking System to Microservice Architecture

Alwi Maulana
 Departement of Informatics
 Institut Teknologi Telkom Purwokerto
 Purwokerto, Indonesia
 18102185@itttelkom-pwt.ac.id

Pradana Ananda Raharja
 Departement of Informatics
 Institut Teknologi Telkom Purwokerto
 Purwokerto, Indonesia
 pradana@itttelkom-pwt.ac.id

Abstract—The architectural migration of the banking service system from a monolithic architecture to a microservices architecture is now comprehensive. However, service applications that adapt to a monolithic architecture have many shortcomings at the time of development. This paper analyses, migration, and testing microservices architecture to meet the needs of banking services at PT. Bank Negara Indonesia with the scrum method. The Scrum method focuses on migration analysis, data inquiry, details inquiry, remis-supply, deployment, and testing. The test results on migrating banking services to microservices can be applied and have non-constant performance.

Keywords—banking, microservices, migration, remis-supply, testing

I. INTRODUCTION

The acceleration of digital technology in the era of the industrial revolution 4.0 can positively impact the acceleration and innovation of digital services for employees, employees, and partners. The hope is that the efforts made on this acceleration are to build flexible, cloud-based applications. So that service providers can develop services quickly and easily [1][2]. This acceleration coincides with the emergence of development paradigms such as microservices, DevOps, and cloud computing. This technology is a technology adaptation of large companies such as Netflix, Amazon, and Uber to create applications based on microservices that are robust, more adaptive, and can run on cloud and container-based platforms [3][4][5]. Based on a report from JRebel in 2022, the trend of Enterprise Java system architecture which has the most significant percentage of digital service development is microservices architecture at 32%. The second place is monolithic at 22%. The third is modular monolithic. The fourth is SOA, and fifth is the Desktop App, sixth order Serverless, as in Fig. 1 [6].

The banking system has adapted the microservices architecture and banking itself has a vital role in controlling the progress of a country's economy. A nation's economic progress depends on its banking system's success and progress. So, the banking system is the blood of the country's economy. Significant banking activity is services in cash withdrawal and deposit transactions. PT. Bank Negara Indonesia is digitally transforming its services by implementing a microservices architecture to accommodate all complex services and systems. Microservices is a solution to the problems faced by PT Bank Negara Indonesia.

Microservices architecture is a distributed approach that implements applications separately into smaller parts according to existing services. Then they do not depend on each other and can be connected through the Application Programming Interface. The application of microservices to services can be developed individually and tested on each service without affecting other services or applications so that services will always be available even though they are in development, in other hand the application can use the current technology as it needs. In practice, microservices will parse applications in business processes as web services. So microservices positively impact developers in developing applications with various programming languages [7].




Fig. 1. Main Architectural Survey Results of Application Development.

PT. Bank Negara Indonesia has many services, including Service Inquiry Account, Cash Pick Up, Remis Supply Foreign Currency, and Remis Supply Service. Development of Remis Supply Service in the form of business processes which will later become the logical flow of domestic foreign currency storage services by each branch office. The Remis Supply business process is the result of the identification of the microservices architecture of the Remis Supply service, which previously was still implementing a monolithic architecture. The negative impact of using a monolithic architecture is that if a failure occurs in one service, it will affect other services. Each service must use the same programming language and tools or platform and cause the software to be unreliable when restarted for a development. In this case, we will migrate the remis supply service into a microservices architecture. Remis Supply Service has six subservices in the cash withdrawal deposit flow. There are three other subservices, including Inquiry Data which aims to find complete transaction data. Then, Inquiry Details to view more detailed transaction data and Remis Supply Request for

shellfish supply to make a cash withdrawal or deposit request. The service migration process for remis supply using the scrum approach. The choice of this method is easy to handle because it is easy to handle, flexible, contains a comprehensive development strategy, and can complete complex projects with an innovative approach in a short time. The scrum master will guide this method because it applies sprints as a progress achievement target daily and weekly. Implementing the migration process using the Java programming language and PT. Bank Negara Indonesia used it to develop into microservices.

Based on the problem description, it is necessary to migrate the subservice inquiry data, inquiry details, and remis supply request service belonging to PT. Bank Negara Indonesia has become a microservices architecture using the scrum method. It then tests the results of service migration on its performance by measuring the system's reliability under various load conditions [8]. The purpose of testing the web service is with a web-service throughput of 200 threads and 1000 threads per minute and to ensure the data entered the function.

II. METHODOLOGY

A. Existing system

Remis-Supply at PT. Bank Negara Indonesia is a routine activity that aims to process inter-bank transactions. Remis-Supply is technically the stage of someone who makes a transaction to fill a balance in a savings account or take his money back. The banking system at PT Bank Negara Indonesia still uses a monolithic-based architecture that stores nominal data from bank customer activities. This service can also search data based on several parameters stored in the customer's activity history. The customer history in question includes the date of receipt, date of delivery, branch activity including withdrawals or deposits, and activity ID.

B. Scrum

The template is used to format your paper and style the text. All margins, column widths, line spaces, and text fonts are prescribed; please do not alter them. You may note peculiarities. For example, the head margin in this template measures proportionately more than is customary. This measurement and others are deliberate, using specifications that anticipate your paper as one part of the entire proceedings, and not as an independent document. Please do not revise any of the current designations.

1) *Product backlog*: This migration stage will use the scrum method. The first step in this method is to determine functional and non-functional requirements based on a priority scale by compiling the product backlog in Table 1. Five features are a high priority in migrating the Remis-Supply web service at the product backlog stage. The first features are system analysis, database design, and resource collection. Next, at the product backlog stage, subservice migration inquiry data, subservice migration inquiry details, and remis-supply requests for subservice migration. The final product backlog stage is implementation and deployment on virtual machines.

TABLE I. PRODUCT BACKLOG OF MICROSERVICES MIGRATION

No	Backlog Name	Priority
1	System analysis, database design, and collection of resources needed in web-service migration.	100
2	Tracking deposit and withdrawal activity logs (Inquiry Data).	100
3	Tracking deposit and withdrawal activity logs with details and denominations (Inquiry Details).	100
4	Request new deposit and withdrawal transactions (Remis-Supply Request).	100
5	Docker implementation and deployment.	100

2) *Sprint Planning*: This Table 2 is the sprint planning stage which aims to carry out the breakdown stage of the product backlog. Based on the backlog, there are four sprints for remis-supply services.

TABLE II. SPRINT PLANNING OF MICROSERVICES MIGRATION

Sprint	Backlog Name
System Analysis	Analysis of architecture monolithic and microservice
	Database design
	Resources collection
Inquiry Data	Creating XML Message request and response schemas
	Coding for services config web-service
	Creating repository entities and database connections
	Code implementation on CC case
	Code Implementation in the Branch case
	Testing service
Inquiry Details	Creating XML Message request and response schemas
	Making code for service config web-service
	Creating repository entities and database connections
	Code implementation in the "Inquiry" case
	Code implementation in the "Approval" case
	Code implementation in the "Reversal" case
Remis Supply Request	Testing service
	Creating XML Message request and response schemas
	Coding for service config web-service
	Creating repository entities and database connections
	Coding for Cut-Off Time
	Coding to process the request value
	Coding for Core Service connections
	Coding for Invoke Core Service (case "Deposit")
	Coding for Database Log
	Coding to process response data
	Coding for remis response (Deposit)
	coding for the Supply case value set (Withdraw)
	Testing service
Docker Implementation and Deployment	Docker implementation on Inquiry Data subservice
	Docker implementation on the Inquiry Details subservice

Sprint	Backlog Name
	Docker implementation on Remis Supply Request subservice
	Deployment of all subservices

3) *Sprint Backlog*: The implementation stage of microservices migration on remis-supply services, which consists of four sprints, is as follows.

- a. In sprint stage 1, which analyses the monolithic web services and focuses on system analysis, collection resources, and database design which is done with an estimated time of 104 hours starting from October 11, 2021, to October 29, 2021, as indicated on Fig 2 which is an overview of the burndown chart of sprint 1. Fig. 3 shows the results of the Remis Supply web service flow analysis, which consists of 6 subservices: inquiry data to find transaction data, inquiry details to see more complete transaction data, and remis-supply request to make new withdrawals and deposit transactions. Cash, remis-supply approval to process approval of a new trade, remis-supply reversal to process failed or rejected transactions, and remis-supply response to process responses from eligible transactions. In the microservice architecture of remis-supply based on inquiry data, inquiry details, and remis-supply requests subservices have separate businesses, as well as processes from other subservices which shown in Fig. 4. The procedure for running the remis-supply web service begins with communication using the SOAP API by sending a request in the form of an XML message by the user to the main application. Then it will be processed based on the subservice used. Then a response will appear after the process is complete.
- b. The implementation phase of sprint 2 focuses on migrating the inquiry data subservice which is done with an estimated time of 255 hours starting from November 1, 2021, to December 12, 2021, as indicated on Fig. 5 which is an overview of the burndown chart of sprint 2. Inquiry details subservice aims to find transaction data with two types of cases, namely the "INQUIRY" transaction, which has an interpretation with the name case branch. Then "APPROVAL," which represents the case name cc. Fig. 6 shows the flow of the inquiry data subservice starting from the client sending a request then the service processes and performs a database search, then sends the data search result back to the client in the form of an xml response.
- c. Sprint 3 is a sprint that focuses on migrating subservice inquiry details used to find detailed transaction data which is done with an estimated time of 245 hours starting from December 13, 2021, to January 24, 2022, as indicated on Fig. 7 which is an overview of burndown chart of sprint 3. There are three types of cases in inquiry details subservice, namely "INQUIRY" transactions are represented by the name of case inquiry, "APPROVAL," which is represented by the name of case approval, and "REVERSAL," denoted by the name case reversal. Fig. 8 shows the flow of the inquiry details subservice starting from the client sending a request then the service processes and performs a database

search, then sends the data search result back to the client in the form of an xml response.




Fig. 2. Breakdown Chart Sprint 1




Fig. 3. Monolithic architecture-based remis-supply




Fig. 4. Microservice architecture-based remis-supply




Fig. 5. Breakdown Chart Sprint 2




Fig. 6. Service inquiry data workflow




Fig. 7. Burndown Chart Sprint 3




Fig. 8. Service inquiry details workflow

- d. Sprint 4 focuses on migrating the remis-supply request subservice which is done with an estimated time of 306 hours starting from January 24, 2022, to March 5, 2022, as indicated on Fig. 9 which is an overview of the burndown chart of sprint 4. Remis supply request subservice has a function to make a new withdrawal or deposit transactions with two types of cases, namely "REMIS" transactions with functions to make cash deposit transactions and "SUPPLY," which functions to make cash withdrawal transactions. Fig. 10 shows the flow of the remis supply request subservice starting from the client sending a request then the service validate and performs a database search, if the data that are looking is exist in the database, then the next step is the service will send a request data to revalidated by the core service to get a journal number and save the request into database, then send the response xml to the client.




Fig. 9. Service inquiry details workflow




Fig. 10. Service remis-supply request workflow

- e. Then after migrating all remis-supply subservices, the next step is sprint 5 which is to deploy web services on containers and virtual machine. And it is testing the performance of remis-supply web services with an estimated time of 107 hours starting from July 12, 2022, to July 29, 2022, as indicated on Fig. 11 which is an overview of the burndown chart of sprint 5.




Fig. 11. Service remis-supply request workflow

III. TESTING AND ANALYSIS

After running several test scenarios and collecting test results, each architecture and test shows different results based on response time, latency, throughput, and process status.

A. Load Testing Scenario between Monolithic and Microservices Architecture

1) *Monolithic*: The results of load testing on the subservice inquiry data, inquiry details and remis supply request with monolithic architecture showed different results. For example, Fig. 12 is the remis supply subservice which indicates a high response time with an average response time of 1616.06/ms, inquiry data subservice with an average response time of 389.65/ms, and the inquiry details subservice with an average response time of 241.175/ms. The test shows different result for each subservice.

Then the latency test results on the monolithic architecture show a significant difference between the subservice inquiry data and inquiry details. The one that offers the highest derivative is the remis supply request in Fig. 13 this is due to the complexity in the flow of each subservice. The same thing happened to the throughput test results shown in Fig. 14. This indicates that the inquiry details subservice has a higher throughput than the inquiry

data subservice, and remis supply request have the lowest throughput. Based on the tests carried out on the monolithic architecture, it shows that the subservice has good performance, but there are similarities in the response time results of the two, which produce graphs that are not constant.




Fig. 12. Monolithic sample response time test




Fig. 13. Monolithic Average Latency




Fig. 14. Monolithic Throughput

2) *Microservices*: The load testing results on subservice inquiry data, inquiry details and remis supply request with microservices architecture showed significant differences. As shown in Fig. 15, the remis supply request subservice response time is higher than the inquiry data and inquiry details with an average response time of 42404/ms, inquiry data subservice with an average response time of 586/ms, and inquiry details subservice with an average response time of 552/ms. A failure influences this in the process that occurs in the remis supply request subservice. But both inquiry data and inquiry details subservice show non-constant results and tend to decrease in the 100th thread in the inquiry data and inquiry details subservices.

Then the latency results show that the remis supply request subservice has a higher average latency, as shown in Fig. 16 which can be seen that the inquiry data and inquiry

details subservice have almost the same value. The same thing happened to the throughput results, which had differences between the subservice inquiry data, inquiry details, and remis supply request with the lowest throughput listed in Fig. 17.




Fig. 15. Microservices Load Test Performance Throughput




Fig. 16. Microservices load test average latency




Fig. 17. Microservices load test throughput

Based on tests conducted on the microservices architecture, it shows that the remis supply request subservice has lower performance than the inquiry data and inquiry details subservice. The effect is on the remis supply request subservice, which has a more complicated flow and must check the database repeatedly and then save the data to the database. However, there are similarities in the response time results of the two, which produce unstable graphs.

B. Stress Testing Scenario

The stress test implementation aims to discover that the microservices architecture service can handle large requests. In this test, the ramp-up time was 0.1 seconds, and the loop count was 1. Additionally, setting the number of threads to 1000. Stress testing results on subservice inquiry data, inquiry

details, and remis supply request. As shown in Fig. 18, the response time for stress testing is higher than for load testing. It is also affected by some subservices that cannot accept large-scale request loads, which can fail. Remis supply request subservice has a higher result with an average response time of 1616.06/ms, inquiry data with an average response time of 389,65/ms, and inquiry details with an average response time of 241,175/ms.




Fig. 18. Microservices stress test sample

Then the latency results show that the stress testing results have a higher average latency on the remis supply request subservice higher than inquiry data and inquiry details subservices, as shown in Fig. 19.




Fig. 19. Microservices stress test average latency

The same thing happened to the throughput results, where the stress testing results on the remis supply request subservice had a higher throughput than the inquiry data and inquiry details subservice shown in Fig. 20.

The tests conducted on the subservice inquiry data, inquiry details, and remis supply request with microservices architecture using stress testing scenarios show that services perform differently in large-scale handling loads. The occurrence of a failure in the inquiry data subservice and the higher is the remis supply request which show that the remis supply request is unable to handle large-scale request.




Fig. 20. Microservices stress test average latency

IV. CONCLUSION

After analysing the results of each test scenario. Load testing monolithic and microservices architecture, and stress testing on microservices architecture. The conclusion is that both have identical test results that are not constant. In this case study, the testing implementation uses different server specifications, so there are significant differences in test results. On a monolithic architecture with on-premises server specifications, Intel(R) Xeon(R) CPU E5-2680 v3 @ 2.50GHz RAM dev docker 8GB server with IBM enterprise has better performance than a microservices architecture that uses a virtual machine google compute engine with specifications n1-standard-2 (Intel Haswell) 1 vCPU 7.5GB memory and spring boot framework. But in terms of development and maintenance, the microservices architecture is preferred because the system is simpler and unrelated to each other so that each subservice can use different technologies as needed, compared to the monolithic architecture which still unites all subservices into one service.

REFERENCES

- [1] A. Megargel, V. Shankaraman, and D. K. Walker, "Migrating from Monoliths to Cloud-Based Microservices: A Banking Industry Example," in *Computer Communications and Networks Software Engineering in the Era of Cloud Computing*, 1st ed., M. Ramachandran and Z. Mahmood, Eds. Leeds: Springer, 2020, pp. 85–108. doi: https://doi.org/10.1007/978-3-030-33624-0_4.
- [2] Maniah, B. Soewito, F. L. Gaol, and E. Abdurachman, "A systematic literature Review: Risk analysis in cloud migration," *Journal of King Saud University - Computer and Information Sciences*, vol. 34, no. 6, pp. 3111–3120, Feb. 2021, doi: 10.1016/j.jksuci.2021.01.008.
- [3] V. Velepucha and P. Flores, "Monoliths to microservices-Migration Problems and Challenges: A SMS," in *2021 Second International Conference on Information Systems and Software Technologies (ICI2ST)*, Mar. 2021, pp. 135–142. doi: 10.1109/ICI2ST51859.2021.00027.
- [4] L. Baresi and M. Garriga, "Microservices: The evolution and extinction of web services?," in *Microservices: Science and Engineering*, 1st ed., A. Bucchiarone, N. Dragoni, S. Dustar, P. Lago, M. Mazzara, V. Rivera, and A. Sadovykh, Eds. Cham: Springer, 2020, pp. 3–28. doi: 10.1007/978-3-030-31646-4_1.
- [5] G. Liu, B. Huang, Z. Liang, M. Qin, H. Zhou, and Z. Li, "Microservices: Architecture, container, and challenges," in *Proceedings - Companion of the 2020 IEEE 20th International Conference on Software Quality, Reliability, and Security, QRS-C 2020*, Dec. 2020, pp. 629–635. doi: 10.1109/QRS-C51114.2020.00107.
- [6] JRebel, "2022 Java Developer Productivity Report," 2022. Accessed: Jul. 14, 2022. [Online]. Available: <https://www.jrebel.com/resources/java-developer-productivity-report-2022>
- [7] F. Rademacher, S. Sachweh, and A. Zündorf, "A modeling method for systematic architecture reconstruction of microservice-based software systems," in *25th International Conference, EMMSAD 2020*, Apr. 2020, vol. 387 LNBIP, pp. 311–326. doi: 10.1007/978-3-030-49418-6_21.
- [8] F. Tapia, M. ángel Mora, W. Fuertes, H. Aúles, E. Flores, and T. Toulkeridis, "From monolithic systems to microservices: A comparative study of performance," *Applied Sciences (Switzerland)*, vol. 10, no. 17, pp. 1–35, Sep. 2020, doi: 10.3390/app10175797.

PAPER NAME

**01 conference-template-letter COMNETS
AT 2022 - testing micro.docx**

AUTHOR

Alwi Maulana

WORD COUNT

3490 Words

CHARACTER COUNT

19702 Characters

PAGE COUNT

7 Pages

FILE SIZE

1.1MB

SUBMISSION DATE

Oct 13, 2022 10:47 AM GMT+7

REPORT DATE

Oct 13, 2022 10:48 AM GMT+7

● 3% Overall Similarity

The combined total of all matches, including overlapping sources, for each database.

- 1% Internet database
- Crossref database
- 2% Submitted Works database
- 0% Publications database
- Crossref Posted Content database

● Excluded from Similarity Report

- Bibliographic material
- Manually excluded text blocks

Design and Testing on Migration of Remiss-Supply in Banking System to Microservice Architecture

Alwi Maulana
Faculty of Informatics
Institut Teknologi Telkom
Purwokerto
Purwokerto, Indonesia
18102185@ittelkom-pwt.ac.id

Pradana Ananda Raharja
Faculty of Informatics
Institut Teknologi Telkom
Purwokerto
Purwokerto, Indonesia
pradana@ittelkom-pwt.ac.id

Abstract— The architectural migration of the banking service system from a monolithic architecture to a microservices architecture is now comprehensive. However, service applications that adapt to a monolithic architecture have many shortcomings at the time of development. This paper analyses, migration, and testing microservices architecture to meet the needs of banking services at PT. Bank Negara Indonesia with the scrum method. The Scrum method focuses on migration analysis, data inquiry, details inquiry, remis-supply, deployment, and testing. The test results on migrating banking services to microservices can be applied and have non-constant performance.

Keywords— Banking, Microservices, Migration, Remiss-Supply, Testing

I. INTRODUCTION

The acceleration of digital technology in the era of the industrial revolution 4.0 can positively impact the acceleration and innovation of digital services for employees, employees, and partners. The hope is that the efforts made on this acceleration are to build flexible, cloud-based applications. So that service providers can develop services quickly and easily[1][2]. This acceleration coincides with the emergence of development paradigms such as microservices, DevOps, and cloud computing. This technology is a technology adaptation of large companies such as Netflix, Amazon, and Uber to create applications based on microservices that are robust, more adaptive, and can run on cloud and container-based platforms[3][4][5]. Based on a report from JRebel in 2022, the trend of Enterprise Java system architecture which has the most significant percentage of digital service development is microservices architecture at 32%. The second place is monolithic at 22%. The third is modular monolithic. The fourth is SOA, and fifth is the Desktop App, sixth order Serverless, as in Fig. 1[6].

The banking system has adapted the microservices architecture and banking itself has a vital role in controlling the progress of a country's economy. A nation's economic progress depends on its banking system's success and progress. So, the banking system is the blood of the country's economy. Significant banking activity is services in cash

withdrawal and deposit transactions. PT. Bank Negara Indonesia is digitally transforming its services by implementing a microservices architecture to accommodate all complex services and systems. Microservices is a solution to the problems faced by PT Bank Negara Indonesia. Microservices architecture is a distributed approach that implements applications separately into smaller parts according to existing services. Then they do not depend on each other and can be connected through the Application Programming Interface. The application of microservices to services can be developed individually and tested on each service without affecting other services or applications so that services will always be available even though they are in development, in other hand the application can use the current technology as it needs. In practice, microservices will parse applications in business processes as web services. So microservices positively impact developers in developing applications with various programming languages[7].

Main Application Development Architecture




Fig. 1. Main Architectural Survey Results of Application Development

PT. Bank Negara Indonesia has many services, including Service Inquiry Account, Cash Pick Up, Remis Supply Foreign Currency, and Remis Supply Service. Development of Remis Supply Service in the form of business processes which will later become the logical flow of domestic foreign

currency storage services by each branch office. The Remis Supply business process is the result of the identification of the microservices architecture of the Remis Supply service, which previously was still implementing a monolithic architecture. The negative impact of using a monolithic architecture is that if a failure occurs in one service, it will affect other services. Each service must use the same programming language and tools or platform and cause the software to be unreliable when restarted for a development. In this case, we will migrate the remis supply service into a microservices architecture. Remis Supply Service has six subservices in the cash withdrawal deposit flow. There are three other subservices, including Inquiry Data which aims to find complete transaction data. Then, Inquiry Details to view more detailed transaction data and Remis Supply Request for shellfish supply to make a cash withdrawal or deposit request. The service migration process for remis supply using the scrum approach. The choice of this method is easy to handle because it is easy to handle, flexible, contains a comprehensive development strategy, and can complete complex projects with an innovative approach in a short time. The scrum master will guide this method because it applies sprints as a progress achievement target daily and weekly. Implementing the migration process using the Java programming language and PT. Bank Negara Indonesia used it to develop into microservices.

Based on the problem description, it is necessary to migrate the subservice inquiry data, inquiry details, and remis supply request service belonging to PT. Bank Negara Indonesia has become a microservices architecture using the scrum method. It then tests the results of service migration on its performance by measuring the system's reliability under various load conditions [8]. The purpose of testing the web service is with a web-service throughput of 200 threads and 1000 threads per minute and to ensure the data entered the function.

II. METHODOLOGY

A. Existing system

Remis-Supply at PT. Bank Negara Indonesia is a routine activity that aims to process inter-bank transactions. Remis-Supply is technically the stage of someone who makes a transaction to fill a balance in a savings account or take his money back. The banking system at PT Bank Negara Indonesia still uses a monolithic-based architecture that stores nominal data from bank customer activities. This service can also search data based on several parameters stored in the customer's activity history. The customer history in question includes the date of receipt, date of delivery, branch activity including withdrawals or deposits, and activity ID.

B. Scrum

1) Product backlog

This migration stage will use the scrum method. The first step in this method is to determine functional and non-functional requirements based on a priority scale by

compiling the product backlog in Table 1. Five features are a high priority in migrating the Remis-Supply web service at the product backlog stage. The first features are system analysis, database design, and resource collection. Next, at the product backlog stage, subservice migration inquiry data, subservice migration inquiry details, and remis-supply requests for subservice migration. The final product backlog stage is implementation and deployment on virtual machines.

TABLE I. *PRODUCT BACKLOG OF MICROSERVICES MIGRATION*

No	Backlog Name	Priority
1	System analysis, database design, and collection of resources needed in web-service migration.	100
2	Tracking deposit and withdrawal activity logs (Inquiry Data).	100
3	Tracking deposit and withdrawal activity logs with details and denominations (Inquiry Details).	100
4	Request new deposit and withdrawal transactions (Remis-Supply Request).	100
5	Docker implementation and deployment.	70

2) Sprint Planning

Table 2 is the sprint planning stage which aims to carry out the breakdown stage of the product backlog. Based on the backlog, there are four sprints for remis-supply services.

TABLE II. *SPRINT PLANNING OF MICROSERVICES MIGRATION*

Sprint	Backlog Name
<i>System Analysis</i>	Analysis of architecture monolithic and microservice.
	Database design
	Resources collection
<i>Inquiry Data</i>	Creating XML Message request and response schemas
	Coding for service config web-service
	Creating repository entities and database connections
	Code implementation on CC case
	Code implementation in the BRANCH case
Testing <i>service</i>	
<i>Inquiry Details</i>	Creating XML Message request and response schemas
	Making code for service config web-service
	Creating repository entities and database connections
	Code implementation in the "Inquiry" case
	Code implementation in the "Approval" case
	Code implementation in the "Reversal" case
Testing <i>service</i>	
<i>Remis Supply Request</i>	Creating XML Message request and response schemas
	Coding for service config web-service
	Creating repository entities and database connections
	Coding for Cut-Off Time

Sprint	Backlog Name
	Coding to process the request value
	Coding for Core Service connections
	Coding for Invoke Core Service (case "Deposit")
	Coding for Database Log
	Coding to process response data
	Coding for remis response (Deposit)
	coding for the Supply case value set (Withdraw)
	Testing service
Docker Implementation and Deployment	Docker implementation on Inquiry Data subservice
	Docker implementation on the Inquiry Details subservice
	Docker implementation on Remis Supply Request subservice
	Deployment of all subservices

3) Sprint Backlog

The implementation stage of microservices migration on remis-supply services, which consists of four sprints, is as follows.

a) In sprint stage 1, which analyzes the monolithic web services and focuses on system analysis, collection resources, and database design which is done with an estimated time of 104 hours starting from October 11, 2021 to October 29, 2021 as indicated on Fig 2 which is an overview of the burndown chart of sprint 1. Fig. 3 shows the results of the Remis Supply web service flow analysis, which consists of 6 subservices: inquiry data to find transaction data, inquiry details to see more complete transaction data, and remis-supply request to make new withdrawals and deposit transactions. Cash, remis-supply approval to process approval of a new trade, remis-supply reversal to process failed or rejected transactions, and remis-supply response to process responses from eligible transactions. In the microservice architecture of remis-supply based on inquiry data, inquiry details, and remis-supply requests subservices have separate businesses, as well as processes from other subservices which shown in Fig. 4. The procedure for running the remis-supply web service begins with communication using the SOAP API by the user to the main application. Then it will be processed based on the *subservice* used. Then a response will appear after the process is complete.

b) The implementation phase of sprint 2 focuses on migrating the inquiry data subservice which is done with an estimated time of 255 hours starting from November 1, 2021 to December 12, 2021 as indicated on Fig. 5 which is an overview of the burndown chart of sprint 2. Inquiry details subservice aims to find transaction data with two types of cases, namely the "INQUIRY" transaction, which has an

interpretation with the name case branch. Then "APPROVAL," which represents the case name cc. Fig. 6 shows the flow of the inquiry data subservice starting from the client sending a request then the service processes and performs a database search, then sends the data search result back to the client in the form of an xml response.

c) Sprint 3 is a sprint that focuses on migrating subservice inquiry details used to find detailed transaction data which is done with an estimated time of 245 hours starting from December 13, 2021 to January 24, 2022 as indicated on Fig. 7 which is an overview of the burndown chart of sprint 3. There are three types of cases in inquiry details subservice, namely "INQUIRY" transactions are represented by the name of case inquiry, "APPROVAL," which is represented by the name of case approval, and "REVERSAL," denoted by the name case reversal. Fig. 8 shows the flow of the inquiry details subservice starting from the client sending a request then the service processes and performs a database search, then sends the data search result back to the client in the form of an xml response.




Fig. 2. Breakdown Chart Sprint 1




Fig. 3. Monolithic architecture-based remis-supply





Fig. 4. Microservice architecture-based remis-supply



3 Fig. 5. Breakdown Chart Sprint 2





Fig. 6. Service inquiry data workflow



3 Fig. 7. Burndown Chart Sprint 3




Fig. 8. Service inquiry details workflow

d) Sprint 4 focuses on migrating the remis-supply request subservice which is done with an estimated time of 306 hours starting from January 24, 2022 to March 5, 2022 as indicated on Fig. 9 which is an overview of the burndown chart of sprint 4. Remis supply request subservice has a functions to make a new withdrawal or deposit transactions with two types of cases, namely "REMIS" transactions with functions to make cash deposit transactions and "SUPPLY," which functions to make cash withdrawal transactions. Fig. 10 shows the flow of the remis supply request subservice starting from the client sending a request then the service validate and performs a database search, if the data that are looking is exist in the database, then the next step is the service will send a request data to revalidated by the core service to get a journal number and save the request into database, then send the response xml to the client.




Fig. 9. Burndown Chart Sprint 4




Fig. 10. Service remis-supply request workflow

e) Then after migrating all remis-supply subservices, the next step is sprint 5 which is to deploy web services on containers and virtual machine. And it is testing the performance of remis-supply web services with an estimated time of 107 hours starting from July 12, 2022 to July 29, 2022 as indicated on Fig. 11 which is an overview of the burndown chart of sprint 5.




Fig. 11. Burndown Chart Sprint 5

III. TESTING AND ANALYSIS

After running several test scenarios and collecting test results, each architecture and test shows different results based on response time, latency, throughput, and process status.

A. Load Testing Scenario between Monolithic and Microservices Architecture

This test compared monolithic and microservices architecture performance in terms of response time, latency, and throughput. In this test, the ramp-up time was 0.1 seconds, and the loop count was 2. The number of threads was set to 100 and increased to 200. There are three results from the test to be analyzed, namely response time, latency, and throughput. Response time is the time it takes from the request is received until the response is processed. Latency is the time it takes the server to complete the execution of a request that is usually sent by a client. And throughput is defined as the number of requests processed per unit of time.

1) Monolithic

The results of load testing on the subservice inquiry data, inquiry details and remis supply request with monolithic architecture showed different results. For example, Fig. 12 is the remis supply subservice which indicates a high response time with an average response time of 1616.06/ms, inquiry data subservice with an average response time of 389.65/ms, and the inquiry details subservice with an average response time of 241.175/ms. The test shows different result for each subservice.

Then the latency test results on the monolithic architecture show a significant difference between the subservice inquiry data and inquiry details. The one that offers the highest derivative is the remis supply request in

Fig. 13 this is due to the complexity in the flow of each subservice. The same thing happened to the throughput test results shown in Fig. 14. This indicates that the inquiry details subservice has a higher throughput than the inquiry data subservice, and remis supply request have the lowest throughput. Based on the tests carried out on the monolithic architecture, it shows that the subservice has good performance, but there are similarities in the response time results of the two, which produce graphs that are not constant.




Fig. 12. Monolithic sample response time test




Fig. 13. Monolithic Average Latency




Fig. 14. Monolithic throughput

2) Microservices

The load testing results on subservice inquiry data, inquiry details and remis supply request with microservices architecture showed significant differences. As shown in Fig. 15, the remis supply request subservice response time is higher than the inquiry data and inquiry details with an average response time of 42404/ms, inquiry data subservice with an average response time of 586/ms, and inquiry details subservice with an average response time of 552/ms. A failure influences this in the process that occurs in the remis supply request subservice. But both inquiry data and inquiry details subservice show non-constant results and tend to decrease in the 100th thread in the inquiry data and inquiry details subservices.




Fig. 15. Microservices Load Test Performance Throughput

Then the latency results show that the remis supply request subservice has a higher average latency, as shown in Fig. 16 which can be seen that the inquiry data and inquiry details subservice have almost the same value. The same thing happened to the throughput results, which had differences between the subservice inquiry data, inquiry details, and remis supply request with the lowest throughput listed in Fig. 17.




Fig. 16. Microservices load test average latency




Fig. 17. Microservices load test throughput

Based on tests conducted on the microservices architecture, it shows that the remis supply request subservice has lower performance than the inquiry data and inquiry details subservice. The effect is on the remis supply request subservice, which has a more complicated flow and must check the database repeatedly and then save the data to the database. However, there are similarities in the response time results of the two, which produce unstable graphs.

B. Stress Testing Scenario

The stress test implementation aims to discover that the microservices architecture service can handle large requests. In this test, the ramp-up time was 0.1 seconds, and the loop count was 1. Additionally, setting the number of threads to 1000. Stress testing results on subservice inquiry data, inquiry details, and remis supply request. As shown in Fig. 18, the response time for stress testing is higher than for load testing. It is also affected by some subservices that cannot accept large-scale request loads, which can fail. Remis supply request subservice has a higher result with an average response time of 1616.06/ms, inquiry data with an average response time of 389,65/ms, and inquiry details with an average response time of 241,175/ms.




Fig. 18. Microservices stress test sample

Then the latency results show that the stress testing results have a higher average latency on the remis supply request

subservice higher than inquiry data and inquiry details subservices, as shown in Fig. 19.




Fig. 19. Microservices stress test average latency

The same thing happened to the throughput results, where the stress testing results on the remis supply request subservice had a higher throughput than the inquiry data and inquiry details subservice shown in Fig. 20.




Fig. 20. Microservices stress test throughput

The tests conducted on the subservice inquiry data, inquiry details, and remis supply request with microservices architecture using stress testing scenarios show that services perform differently in large-scale handling loads. The occurrence of a failure in the inquiry data subservice and the higher is the remis supply request which show that the remis supply request is unable to handle large-scale request.

IV. CONCLUSION

After analysing the results of each test scenario. Load testing monolithic and microservices architecture, and stress

testing on microservices architecture. The conclusion is that both have identical test results that are not constant. In this case study, the testing implementation uses different server specifications, so there are significant differences in test results. On a monolithic architecture with on-premises server specifications, Intel(R) Xeon(R) CPU E5-2680 v3 @ 2.50GHz RAM dev docker 8GB server with IBM enterprise has better performance than a microservices architecture that uses a virtual machine google compute engine with specifications n1-standard-2 (Intel Haswell) 1 vCPU 7.5GB memory and spring boot framework. But in terms of development and maintenance, the microservices architecture is preferred because the system is simpler and unrelated to each other so that each subservice can use different technologies as needed, compared to the monolithic architecture which still unites all subservices into one service.

REFERENCES

- [1] A. Megargel, V. Shankaraman, and D. K. Walker, "Migrating from Monoliths to Cloud-Based Microservices: A Banking Industry Example," in *Computer Communications and Networks Software Engineering in the Era of Cloud Computing*, 1st ed., M. Ramachandran and Z. Mahmood, Eds. Leeds: Springer, 2020, pp. 85–108. doi: https://doi.org/10.1007/978-3-030-33624-0_4.
- [2] Maniah, B. Soewito, F. L. Gaol, and E. Abdurachman, "A systematic literature Review: Risk analysis in cloud migration," *Journal of King Saud University - Computer and Information Sciences*, vol. 34, no. 6, pp. 3111–3120, Feb. 2021, doi: 10.1016/j.jksuci.2021.01.008.
- [3] V. Velepucha and P. Flores, "Monoliths to microservices-Migration Problems and Challenges: A SMS," in *2021 Second International Conference on Information Systems and Software Technologies (ICI2ST)*, Mar. 2021, pp. 135–142. doi: 10.1109/ICI2ST51859.2021.00027.
- [4] L. Baresi and M. Garriga, "Microservices: The evolution and extinction of web services?," in *Microservices: Science and Engineering*, 1st ed., A. Bucchiarone, N. Dragoni, S. Dustar, P. Lago, M. Mazzara, V. Rivera, and A. Sadovykh, Eds. Cham: Springer, 2020, pp. 3–28. doi: 10.1007/978-3-030-31646-4_1.
- [5] G. Liu, B. Huang, Z. Liang, M. Qin, H. Zhou, and Z. Li, "Microservices: Architecture, container, and challenges," in *Proceedings - Companion of the 2020 IEEE 20th International Conference on Software Quality, Reliability, and Security, QRS-C 2020*, Dec. 2020, pp. 629–635. doi: 10.1109/QRS-C51114.2020.00107.
- [6] JRebel, "2022 Java Developer Productivity Report," 2022. Accessed: Jul. 14, 2022. [Online]. Available: <https://www.jrebel.com/resources/java-developer-productivity-report-2022>
- [7] F. Rademacher, S. Sachweh, and A. Zündorf, "A modeling method for systematic architecture reconstruction of microservice-based software systems," in *25th International Conference, EMMSAD 2020*, Apr. 2020, vol. 387 LNBIP, pp. 311–326. doi: 10.1007/978-3-030-49418-6_21.
- [8] F. Tapia, M. ángel Mora, W. Fuertes, H. Aules, E. Flores, and T. Toulkeridis, "From monolithic systems to microservices: A comparative study of performance," *Applied Sciences (Switzerland)*, vol. 10, no. 17, pp. 1–35, Sep. 2020, doi: 10.3390/app10175797.

3% Overall Similarity

Top sources found in the following databases:

- 1% Internet database
- Crossref database
- 2% Submitted Works database
- 0% Publications database
- Crossref Posted Content database

TOP SOURCES

The sources with the highest number of matches within the submission. Overlapping sources will not be displayed.

1	6am6pm.in Internet	<1%
2	University of Johannesburg on 2021-06-09 Submitted works	<1%
3	University of Melbourne on 2022-05-28 Submitted works	<1%
4	"Software Engineering in the Era of Cloud Computing", Springer Scienc... Crossref	<1%
5	acris.aalto.fi Internet	<1%
6	Softwarica College Of IT & E-Commerce on 2021-09-17 Submitted works	<1%

● Excluded from Similarity Report

- Bibliographic material
- Manually excluded text blocks

EXCLUDED TEXT BLOCKS

Faculty of InformaticsInstitut Teknologi TelkomPurwokertoPurwokerto, Indonesia

Apri Junaidi, Nia Annisa Ferani Tanjung, Sena Wijayanto, Jerry Lasama, Ade Rahmat Iskandar. "Overfitting P...

ittelkom-pwt.ac.idAbstract

Bayu Anggoro Krisnamurti, Yogo Dwi Prasetyo, Condro Kartiko. "Expert System of Land Suitability for Fruit C...