



## **Jurnal Pertahanan**

Media Informasi tentang Kajian dan Strategi Pertahanan  
yang Mengedepankan *Identity*, *Nationalism* dan *Integrity*  
e-ISSN: 2549-9459

<http://jurnal.idu.ac.id/index.php/DefenseJournal>



### **SECURITY ANALYSIS ON WEBSITES USING THE INFORMATION SYSTEM ASSESSMENT FRAMEWORK (ISSAF) AND OPEN WEB APPLICATION SECURITY VERSION 4 (OWASPv4) USING THE PENETRATION TESTING METHOD**

**Ditya Putri Anggraeni**

Institut Teknologi Telkom Purwokerto  
D.I Panjaitan Street No.128, Purwokerto, Central Java, Indonesia 53147  
[18102047@itttelkom-pwt.ac.id](mailto:18102047@itttelkom-pwt.ac.id)

**Bitu Parga Zen**

Institut Teknologi Telkom Purwokerto  
D.I Panjaitan Street No.128, Purwokerto, Central Java, Indonesia 53147  
Corresponding Email: [bitu@itttelkom-pwt.ac.id](mailto:bitu@itttelkom-pwt.ac.id)

**Mega Pranata**

Institut Teknologi Telkom Purwokerto  
D.I Panjaitan Street No.128, Purwokerto, Central Java, Indonesia 53147  
[mega@itttelkom-pwt.ac.id](mailto:mega@itttelkom-pwt.ac.id)

#### **Article Info**

##### **Article history:**

Received : September 13, 2022

Revised : October 19, 2022

Accepted : December 21, 2022

##### **Keywords:**

Penetration Testing

ISSAF

OWASPv4

Cyber Security

Website

#### **Abstract**

At this time in the rapid development of technology, there must be advantages and disadvantages of a system or technology that was created. Within the scope of the website, there are also many security holes that irresponsible parties can enter. The state of the website at the Telkom Purwokerto Institute of Technology, both University and Faculty websites, already uses Hypertext Transfers Protocol Secure (HTTPS). This study used the Information System Security Assessment Framework (ISSAF) and Open Web Application Project (OWASP) frameworks with the Penetration Testing method. This study aims to determine vulnerabilities on the website [s1if.itttelkom-pwt.ac.id](http://s1if.itttelkom-pwt.ac.id). The result of performing vulnerabilities is several vulnerabilities to the Institut Teknologi Telkom Purwokerto (ITTP) Informatics Study Program website, including not updating jquery on the ITTP website. Ten tests have been carried out, five tests using ISSAF and five tests using OWASP version 4. When performing vulnerabilities in the ISSAF framework, found robots files.txt on the S1 Informatics website which is quite crucial for [s1if.itttelkom-pwt.ac.id](http://s1if.itttelkom-pwt.ac.id) website which contains an exploitable sitemap.

DOI:

<http://dx.doi.org/10.33172/jp.v8i3.1777>

© 2022 Published by Indonesia Defense University

## INTRODUCTION

In the modern era, technological developments experience very rapid changes. This can be seen by the number of users and website developers with different interests, such as education, organizations, agencies, and personal needs (Ghafir et al., 2018). Website is one of the information services that is widely accessed by users in the world of information technology that is connected to the internet (Sari & Putra, 2015).

A website is required to be able to meet the demands of many users with good results. In building a website, it is common for security holes to be breached by irresponsible users. In the world of information technology, security is an essential requirement in maintaining and ensuring the confidentiality, integrity, and availability of data or information (Mulyanto, Haryanti, & Jumirah, 2021).

To improve efficiency and reliability, a significant investment has been made by industry and government to build a smarter and more automated/connected power system. With the support of information and communications technology (ICT), power system operators can perform operation and control tasks based on data acquired from remote facilities, for example the advanced automation system isolates a faulted segment by opening switching devices (e.g., circuit breakers and automated reclosers) and sends the fault information back to the control center (Sun, Hahn, & Liu, 2018). Since power grids span a wide geographic area, public and private networks (e.g., fiber optics, RF/microwave, cellular) can provide a communication path between remote sites and a control center. These capabilities also open doors for attackers to access a power grid and cause disruptions to the normal operation of the grid. Cyber attackers also can access power system communication networks and connect to remote access points at a power system infrastructure. This can lead to serious and harmful consequences. As a result, the

cyber security of smart grids has been recognized as a critical issue (Sanjaya, Sasmita, & Arsa, 2020).

Within the website, there are many security holes that can be entered by other parties or hackers. They hack websites by being exposed (disseminated) and not exposed (not disseminated). One of the recent problems is that the security system of Bank Indonesia was hacked by Ransomware. Ransomware is malware and malware has a habit to stop processes on the design and retain data by using an encryption system that can harm the data (Bolanio, Paredes, Yoldan, & Acapulco II, 2021; Darmawan, 2019). The data was taken from one employee's data on laptop loans and event proposals (CNN Indonesia, 2022).

The state of the website at the Telkom Purwokerto Institute of Technology, both University and Faculty websites, already uses Hypertext Transfers Protocol Secure (HTTPS). That way, perform a pre-emptive vulnerability to the website of the Faculty of Informatics (Haeruddin & Kurniadi, 2021). There are several recommended frameworks for conducting penetration testing, including ISSAF (Information System Security Assessment Framework), a structured penetration testing framework that categorizes information system security in various domains and details evaluation criteria or specific tests for each part. Then there is the Open Web Application Security Project (OWASP) which is an organization that focuses on improving software security (Pratama & Wiradarma, 2019).

A previous study entitled Security Assessment Analysis Using the Penetration Testing Method in Maintaining the Security Capability of National Defense Information Technology tries to improve computer system security from illegal data theft with security breaches on computer networks in testing the security enhancement of the firewall defense system (Alfidzar & Zen, 2022). When conducting a penetration test at the security

assessment stage by using the standard OWASP and CVSS (Common Vulnerability Scoring System) vulnerability stages, the most basic things a network needs are routers and servers. In the results of this study, several gaps can be exploited by irresponsible parties (Zen, Gultom, & Reksoprodjo, 2020). The next research is entitled Website Security Analysis With Information System Security Assessment Framework (ISSAF) and Open Web Application Security Project (OWASP) in 2021 by Agus Rochman, Rizal Rohian Salam, and Sandi Agus Maulana. Computer security systems are increasingly needed to avoid cyber crimes by irresponsible parties. The test results can be a solution to overcome problems on the information system web server, where there are several gaps that irresponsible parties can exploit. One of the gaps that can be accessed is the target website activates a public HTML page. This allows direct access to the phpMyAdmin database page without logging into Cpanel (Rochman, Salam, & Maulana, 2021). The purpose of this study is to find out the security gaps on the slif.ittelkom-pwt.ac.id website, and find out the effect of penetration testing on the website slif.ittelkom-pwt.ac.id.

## METHODS

In the flow of this research, this study describes the stages of work to be carried out with the object of research, namely the website slif.ittelkom-pwt.ac.id. In the ISSAF method, there are three stages, namely:

1. Planning and Preparation. This phase contains steps to exchange information, plan, and prepare for tests.
2. Assessment. This phase is the phase of conducting penetration tests. In the assessment phase, a multilevel approach is carried out. Each tier will provide broader access to the desired information assets.
3. Clean-up and Destroy Artefacts. All

information created or stored on the tested system must be deleted.

Then in the OWASP version 4 method, there are several stages as follows:


1. Authentication Testing. Authentication is the act of constructing and confirming something that the claim made is true. Authorization Testing.
2. Authorization is a concept that allows access to resources for those who are allowed to use them.
3. Session Management Testing is defined as the set of all controls that set full state interaction between users and web-based applications.

This research flow will be used as a guideline during the research so that the results of the research carried out do not deviate from the objectives in the background. In this study using the penetration testing method (Prasad, Abraham, Suhas, & Kumar, 2011), before penetration testing the authors conducted vulnerability testing first.

The first stage of the study is the analysis of the problem. Then a literature study is carried out. The next stage is to prepare the device. Next is the system configuration, namely installing and configuring the software that will be used in this study. The next stage is to attack or test the slif.ittelkom-pwt.ac.id website. The next stage is data collection and analysis. Penetration testing is a method for evaluating the security of computer systems and networks. Evaluation is carried out by simulating an attack. The next stage is to conclude.

In this era of sophisticated and all-digital technology, there must be advantages or disadvantages of a system or technology that was created, especially in the scope of the website. The website also has security, one of which is the Open Web Application Security Project (OWASP). The security of this website has different encryption, and also has different security holes that hackers can enter. If the hacker has managed to enter the website's

system or database, then it will take data or illegally hijack the website (Rochman et al., 2021).



**Figure 1.** Research flowchart  
 Source: Processed by the Authors, 2022

Starting from the problem above, there is a method called penetration testing. Penetration testing is a method that can find open security loopholes or loopholes that will be entered by hackers (Haeruddin & Kurniadi, 2021), the attacks carried out in this study are Denial of Service (DoS), SQL Injection and Brute Force attacks. Penetration testing methods can be done using ISSAF and OWASP tools, Information System Security Assessment

Framework (ISSAF) is a structured penetration testing framework that has the advantage of security control with stages of Planning and Preparation, Evaluation, Vulnerability Identification, and Penetration. Open Web Application Security Project (OWASP) aims to create software security from unauthorized parties with stages of Authentication Testing, Authorization Testing. This research uses the penetration testing (pentest) method to test the s1if.itelkom-pwt.ac.id website, the pentest method is also widely used.

**RESULT AND DISCUSSION**

Types of preprocessing that in the results and discussion, the carried out 2 methods, namely testing the Information System Assessment Framework (ISSAF) approach and testing the Open Web Application Security Project (OWASP) method. What is explained in the ISSAF and OWASP methods are the stages of testing. In this case study, the implementation was carried out on the s1if.itelkom-pwt.ac.id website which is known to still have vulnerabilities that can be exploited by irresponsible parties. This method can be done on other websites, to find out the security system of a website.

**Testing the Information System Assessment Framework (ISSAF) Method**

*Planning and Preparation*

**Table 1.** Case Study Information

No	Case	Information
1	The web used In this study	https://s1if.itelkom-pwt.ac.id/
2	Web IP Address	IP 180.250.247.93
3	Date of Testing Web	stages from July 17, 2022, to July 31, 2022.
4	Permission	Have done permission on the agency (Lawful Penetration)

Source: Website S1IF IT Telkom, 2022

Assessment

1. Information Gathering

a. Domain Info

During the stage of searching for domain information by using who.is, 12 findings were obtained, including the following case study information as can be seen in Table 2.

**Table 2.** Domain Information

1	Hosting provider	Rumahweb
2	Domain id	PANDI-D0665256
3	Created on	08-29-2017
4	Last updated	03-09-2021
5	Expiration date	29-08-2022
6	Service provider	Digital registra
7	Service provider URL	www.digitalregistra.co.id
8	Sponsoring address	Jl. Lemponsari no 39C.
9	Sponsoring city	Sleman.
10	Sponsoring province	Yogyakarta.
11	Postal code	55281.
12	Name Server	nsid1.rumahweb.com nsid2.rumahweb.net nsid3.rumahweb.biz nsid4.rumahweb.org

Source: Processed by the Authors, 2022

b. SSL Scan (Secure Sockets Layer Scan)

The results of the SSL Scan using the SSL Labs tool show that the web s1if.itelkom-pwt.ac.id gets an overall rating of B which means good.



**Figure 2.** Results from who.is  
Source: Processed by the Authors, 2022

The certificate on the web s1if.itelkom-pwt.ac.id is very well installed with a 2048 bits RSA certificate (SHA256withRSA).

2. Network Mapping


The results of the network mapping test on the s1if.itelkom-pwt.ac.id web show that the domain has a public IP of 180.250.247.93 with 3 open ports, namely ports 80, 443, and 1723.

Vulnerability Identification

1. Using pentest tools

The results of the vulnerability identification test using pentest-tools.com contained 19 vulnerabilities with details of 1 medium vulnerability, 8 low vulnerability, and 10 info.


→ Scan summary



**Figure 3.** Vulnerability Results Using Pentest Tools

Source: Processed by the Authors through Pentest Tool, 2022

The vulnerability code for this medium is CVE-2019-11358, CVE-2020-11022, and CVE-2020-11023. Where the main problem with this vulnerability is the version of jQuery that has not been updated (Dharma, 2005).



**Figure 4.** Contents of Medium Vulnerabilities

Source: Processed by the Authors through Vulnerabilities, 2022

- a. CVE-2019-11358  
It is a vulnerability in jQuery because jQuery is used under the 3.4.0 version which is commonly used in Drupal, CMS backdrops, etc. This version mishandles jQuery.extend(true, { }, ...).
- b. CVE-2020-11022  
There is a vulnerability in jQuery between version 1.2 and before version 3.5.0 that passes HTML from untrusted sources even after purging to one of jQuery's DOM manipulation methods namely .html(), .append(), and other methods. This vulnerability can be overcome by implementing jQuery version 3.5.0.
- c. CVE-2020-11023  
There is a vulnerability in jQuery versions above 1.0.3 and before version 3.5.0 that passes <option> elements from trusted sources even after purging to one of the DOM (Document Object Model) models like .html(), .append(), etc. This vulnerability can be overcome with jQuery version 3.5.0 and above.

However, there is 1 vulnerability that goes into the low vulnerability. It is very vulnerable to being exposed to attacks. That is the exposure of the robots.txt file which after being investigated contains user-agent data, site sitemaps, and several website usernames.

Figure 5. Contents of Low Vulnerability  
Source: Processed by the Authors through Robot, 2022




Figure 5. Contents of Low Vulnerability  
Source: Processed by the Authors through Robot, 2022

```
User-agent: *
Disallow: /wp-admin/
Allow: /wp-admin/admin-ajax.php

Sitemap: https://s1if.ittelkom-pwt.ac.id/wp-sitemap.xml
```

Figure 6. Contents of File Robots.txt  
Source: Processed by the Authors through Robot, 2022

2. Using acunetix  
Meanwhile, the results of the vulnerability scanning using acunetix, found 1 vulnerability, namely Clickjacking: X-Frame-Options header missing. Clickjacking (User Interface redress attack, UI redress attack, UI redressing) is a malicious technique of tricking Web users into clicking on something different from what the user thinks they are clicking, thereby potentially revealing confidential information or taking control of their computer when they click on a web page that seems harmless.

The server does not return an X-Frame-Options header which means that this website could be at risk of a clickjacking attack.




Figure 7. Threat Vulnerabilities in Acunetix  
Source: Processed by the Authors through Acunetix, 2022

Meanwhile, other findings from acunetix on web s1if are the site structure as can be seen in Figure 8.





Figure 8. Site Structure from Acunetix  
Source: Processed by the Authors through Acunetix, 2022

### Penetration


1. DoS Attack  
The next step is to conduct penetration testing by using the DoS Attack method. DoS is an activity that can hinder a service so that users who are

entitled/interested cannot use the service. The <https://s1if.ittelkom-pwt.ac.id/> website was able to withstand these attacks. This can be known by blocking the attacker's IP automatically after it is indicated that it has flooded the server with many requests in a short time (Samsumar & Gunawan, 2017).



**Figure 9.** DoS attacks using Low Orbit Ion Cannon (LOIC)

Source: Processed by the Authors through LOIC, 2022



**Figure 10.** The attacker's PC can't access the website

Source: Processed by the Authors, 2022



**Figure 11.** The website still can be accessed from other devices

Source: Processed by the Authors through IITP Website, 2022

2. SQL Injection

This type of attack attacks by exploiting security loopholes that appear in databases and applications, for SQL Injection attacks, the s1if website cannot be attacked using this method because there is no vulnerability or bug on the website (Bastian, Sujadi, & Abror, 2020).

3. Brute Force

A brute force is a consequence that can be caused by an attacker that get access rights on the server and the attacker can freely access the information contained in the server (Prasetyo, Idhom, & Wahanani, 2020). For this type of attack, this study uses hydra to attack the logged-in user on the s1if web. As it is known that there is a list of users on the website that allows exploits on the s1if website by using brute-force attacks. This study attacked by initializing the username variable with st3telkomin, and brute force with the wordlist RockYou, but could not find the login password for the usernames st3telkomin, azizah, Bunga, and s1ifadmin.

**Table 3.** ISSAF Test Results

Stages	Tools	Results
Information Gathering	Who. is	Success
	SSL Scan	Success
Network Mapping	Legion	Success
Vulnerability Identification	Pentest	Success
	Tools	
	Acunetix	Success
	DoS Attack	Not Successful
	SQL Injection	Not Successful
	Brute Force	Not Successful
		Successful

Source: Processed by the Authors, 2022

The test results using ISSAF show that the s1if website still has basic weaknesses, especially in JQuery which has not yet received the latest updates which are very



vulnerable to exploiting certain attacks. The s1if website has been equipped with an auto-blocking mechanism if it is found that suspicious website access is simultaneously and in a short time which aims to bring down the website, the attacker's IP will be blocked for a while.

**Testing the Open Web Application Security Project (OWASP) Method**

*Authentication Testing*

This process is trying to authenticate/verify the correct identity of the sender of information. The stages of Authentication Testing carried out by researchers are as (Dirgahayu, Prayudi, & Fajaryanto, 2015).

*Authorization Testing*

Testing for authorization means understanding how the authorization process works and using that information to circumvent authorization mechanisms. Authorization is a process that comes after successful authentication, so the tester will verify this point once he holds a valid identity (Hidayatulloh & Saptadiaji, 2021).

From the Table 4, it can be seen that research using OWASP 4.0 was successfully carried out, but several points were not successfully carried out due to the lack of further information about the contents of the S1if website. Web s1if is considered safe from simple attacks and

**Table 4.** OWASP test results

Stage	Parameter	Tools	Results
Authentication Testing	Testing for Credentials Transported over an Encrypted Channel (OTG-AUTHN-001)	Web Scarab	Success
	Testing for default credentials (OTG-AUTHN-002)	Mozilla Firefox	Success
	Testing for Weak lock-out mechanism (OTG-AUTHN003)	Mozilla Firefox	Not Successful
	Testing for bypassing authentication schema (OTGAUTHN-004)	Web Scarab	Success
	Test remember password functionality (OTG-AUTHN005)	Mozilla	Not Successful
	Testing for Browser cache weakness (OTG-AUTHN006)	Mozilla	Not Successful
	Testing for Weak password policy (OTG-AUTHN-007)	Mozilla	Not Successful
	Testing for Weak security question/answer (OTGAUTHN-008)	Mozilla	Not Successful
	Testing for weak password change or reset functionalities (OTG- AUTHN-009)	Mozilla	Not Successful
	Testing for Weaker authentication in the alternative channel (OTG-AUTHN-010)	-	Not Successful
Authorization Testing	Testing Directory traversal/file includes (OTGAUTHZ-001)	Wfuzz	Success
	Testing for bypassing authorization schema (OTGAUTHZ-002)	-	Not Successful
	Testing for Privilege Escalation (OTG-AUTHZ-003)	-	Not Successful
	Testing for Insecure Direct Object References (OTGAUTHZ-004)	Mozilla Firefox	Success

Source: Processed by the Authors, 2022



bypass security when viewed from the OWASP 4.0 research, but there are several points from OWASP 4.0 that cannot be investigated further.

## CONCLUSIONS, RECOMMENDATION AND LIMITATION

In penetration testing using the ISSAF and OWASP frameworks, it was quite effective in detecting the types of vulnerabilities on the S1 Informatics website. It has been tested for the types of vulnerabilities detected with moderate and low vulnerabilities shown in the discussion above. This study recommends that further research not only use the ISSAF and OWASP frameworks but using other techniques such as using tools MALTEGO, NCRACK, SQLMAP on Kali Linux to find profound weaknesses in the system.

## REFERENCES

- Alfidzar, H., & Zen, B. P. (2022). Implementasi HoneyPy dengan Malicious Traffic Detection System (Maltrail) Menggunakan Analisis Deskriptif guna untuk Mendeteksi Serangan DDOS pada Server. *Journal of Informatics Information System Software Engineering and Applications (INISTA)*, 4(2), 32–45. <https://doi.org/10.20895/inista.v4i2.534>
- Bastian, A., Sujadi, H., & Abror, L. (2020). Analisis Keamanan Aplikasi Data Pokok Pendidikan (Dapodik) Menggunakan Penetration Testing dan SQL Injection. *Infotech Journal*, 6(2), 65–70. <https://doi.org/10.31949/infotech.v6i2.848>
- Bolanio, J. B., Paredes, R. K., Yoldan, J. A. L., & Acapulco II, R. E. (2021). Network Security Policy for Higher Education Institutions based on ISO Standards. *Mediterranean Journal of Basic and Applied Sciences*, 5(1), 1–17. [https://doi.org/10.1016/S1353-4858\(10\)70039-8](https://doi.org/10.1016/S1353-4858(10)70039-8)
- CNN Indonesia. (2022, January 20). Sistem Keamanan Siber BI Ditembus, Berikut Data yang Dicuri. Retrieved November 8, 2022, from <https://www.cnnindonesia.com/teknologi/20220120175527-185-749252/sistem-keamanan-siber-bi-ditembus-berikut-data-yang-dicuri>
- Dharma, M. A. J. (2005). *DOS, DDOS & Cara Penanggulangannya*. Universitas Sriwijaya. <https://fdokumen.com/document/dos-denial-of-service-halaman-utama-viewbisa-di-tebak-situs-yang.html?page=1>
- Darmawan, B. I. (2019). *Simulasi dan Analisis Encryption Based Ransomware untuk Memetakan Evolusi Ransomware*. Universitas Islam Indonesia, Yogyakarta.
- Dirgahayu, R. T., Prayudi, Y., & Fajaryanto, A. (2015). Penerapan Metode ISSAF dan OWASP Versi 4 untuk Uji Kerentanan Web Server. *Network Engineering Research Operation*, 1(3), 190–197. <https://doi.org/10.21107/nero.v1i3.29>
- Ghafir, I., Saleem, J., Hammoudeh, M., Faour, H., Prenosil, V., Jaf, S., ... Baker, T. (2018). Security Threats to Critical Infrastructure: the Human Factor. *Journal of Supercomputing*, 74, 4986–5002. <https://doi.org/10.1007/s11227-018-2337-2/tables/1>
- Haeruddin, & Kurniadi, A. (2021). Analisis Keamanan Jaringan WPA2-PSK Menggunakan Metode Penetration Testing (Studi Kasus: TP-Link Archer A6). *Conference on Management, Business, Innovation, Education and Social Sciences*, 508–515. Batam: Universitas Internasional Batam.
- Hidayatulloh, S., & Saptadiaji, D. (2021). Penetration Testing pada Website Universitas ARS Menggunakan

- Open Web Application Security Project (OWASP). *Jurnal Algoritma*, 18(1), 77–86. <https://doi.org/10.33364/algoritma/v.18-1.827>
- Mulyanto, Y., Haryanti, E., & Jumirah. (2021). Analisis Keamanan Website SMAN 1 Sumbawa Menggunakan Metode Vulnerability Asement. *Jurnal Informatika Teknologi Dan Sains*, 3(3), 394–400. <https://doi.org/10.51401/jinteks.v3i3.1260>
- Prasetyo, K. A., Idhom, M., & Wahanani, H. E. (2020). Sistem Pencegahan Serangan Bruteforce pada Multiple Server dengan Menggunakan Fail2ban. *Jurnal Informatika Dan Sistem Informasi*, 1(3), 709–715. <https://doi.org/10.33005/jifosi.v1i3.205>
- Pratama, I. P. A. E., & Wiradarma, A. A. B. A. (2019). Open Source Intelligence Testing Using the OWASP Version 4 Framework at the Information Gathering Stage (Case Study: X Company). *International Journal of Computer Network and Information Security*, 11(7), 8–12. <https://doi.org/10.5815/ijcnis.2019.07.02>
- Rochman, A., Salam, R. R., & Maulana, S. A. (2021). Analisis Keamanan Website dengan Information System Security Assessment Framework (Issaf) dan Open Web Application Security Project (Owasp) di Rumah Sakit Xyz. *Jurnal Indonesia Sosial Teknologi*, 2(4), 506–519. <https://doi.org/10.36418/jist.v2i4.124>
- Samsumar, L. D., & Gunawan, K. (2017). Analisis dan Evaluasi Tingkat Keamanan Jaringan Komputer Nirkabel (Wireless LAN); Studi Kasus di Kampus STMIK Mataram. *Jurnal Ilmiah Teknologi Infomasi Terapan*, 4(1), 73–82. <https://doi.org/10.33197/jitter.vol4.is1.2017.152>
- Sanjaya, I. G. A. S., Sasmita, G. M. A., & Arsa, D. M. S. (2020). Evaluasi Keamanan Website Lembaga X melalui Penetration Testing Menggunakan Framework ISSAF. *Jurnal Ilmiah Merpati*, 8(2), 113–124. <https://doi.org/10.24843/jim.2020.v08.i02.p05>
- Sari, W. P., & Putra, I. N. A. P. (2015). Analisis Serangan Hacker Menggunakan Honeypot High Interaction. *Jurnal Tiarsie*, 14(1). <https://doi.org/10.32816/tiarsie.v14i1.16>
- Sun, C.-C., Hahn, A., & Liu, C.-C. (2018). Cyber Security of a Power Grid: State-of-the-Art. *International Journal of Electrical Power & Energy Systems*, 99, 45–56. <https://doi.org/10.1016/j.ijepes.2017.12.020>
- Zen, B. P., Gultom, R. A. G., & Reksoprodjo, A. H. S. (2020). Analisis Security Assessment Menggunakan Metode Penetration Testing dalam Menjaga Kapabilitas Keamanan Teknologi Informasi Pertahanan Negara. *Jurnal Teknologi Penginderaan*, 2(1), 105–122. <https://doi.org/10.5121/csit.2018.81714>