

IEEE International Conference on
Communications, Networks and Satellite

COMNETSAT

2021



PROCEEDINGS

PURWOKERTO, INDONESIA
Online Conference, on July 17-18, 2021

Committee

Advisory

Arief Hamdani Gunawan, SMIEEE (Telkom Indonesia)
Dr. Arifin Nugroho, SMIEEE (Chair, IEEE AERS/GRSS Indonesia Joint Chapter)
Prof. Dr. Ir. Gamantyo Hendratoro, Ph.D. (Institut Teknologi Sepuluh November)
Dr. Ing. Wiseto P. Agung (ARS University, Fakultas Teknologi Informasi)
Dr. Muhammad Ary Murti (Telkom University)
Dr. Ing. Wahyudi Hasbi, S.Si., M.Kom. (LAPAN)

General Chair

Dr. Ali Rokhman, M.Si. (Institut Teknologi Telkom Purwokerto)

General Co-Chair

Dr. Anggun Fitriani Isnawati, M. Eng. (Institut Teknologi Telkom Purwokerto)

Secretary

Solichah Larasati, S.T, M.T. (Institut Teknologi Telkom Purwokerto)
Utti Marina Rifanti, S.Si., M.Sc. (Institut Teknologi Telkom Purwokerto)

Treasurer

Citra Wiguna, S.Kom., M.Kom. (Institut Teknologi Telkom Purwokerto)
Khoirun Ni'amah, S.T., M.T. (Institut Teknologi Telkom Purwokerto)

Technical Program Committee (TPC) Chair

Dr. Tenia Wahyuningrum, M. Kom.

Technical Program Committee (TPC) Co-Chair

Dr. Helmy Widyantara, S.Kom.,M.Eng. (Insitut Teknologi Telkom Surabaya)
Dimas Adiputra, B.Sc.,M.Phil.,Ph.D. (Insitut Teknologi Telkom Surabaya)

Publication Chair

Danny Kurnianto, S.T.,M.Eng. (Institut Teknologi Telkom Purwokerto)

Publication Co-Chair

Kukuh Nugroho, S.T., M.T. (Institut Teknologi Telkom Purwokerto)
Agi Prasetiagi, S.Kom., M.Kom. (Institut Teknologi Telkom Purwokerto)
Alfin Hikmaturokhman, S.T, M.T. (Institut Teknologi Telkom Purwokerto)

Event

Hari Widi Utomo, S.Pd., M.Ed. (Institut Teknologi Telkom Purwokerto)
Novanda Alim Setya, S.S., M.Hum. (Institut Teknologi Telkom Purwokerto)

Public Relations

Mas Aly Afandi, S.ST., M.T. (Institut Teknologi Telkom Purwokerto)
Diandra Chika Fransisca, S.Si., M.Sc. (Institut Teknologi Telkom Purwokerto)

Web Master & Graphic Design

Novian Adi Prasetyo, S.Kom, M.Kom. (Institut Teknologi Telkom Purwokerto)
Galih Putra Pamungkas, M.Sn. (Institut Teknologi Telkom Purwokerto)

Visual Editor for Streamlining P4-based Programmable Parser Development

1stMuhammad Fajar Sidiq

Department of Informatics
Institut Teknologi Telkom Purwokerto
 Purwokerto, Indonesia
 fajar@ittelkom-pwt.ac.id

2ndMega Pranata

Department of Informatics
Institut Teknologi Telkom Purwokerto
 Purwokerto, Indonesia
 mega@ittelkom-pwt.ac.id

3rdAkbari Indra Basuki

Research Center for Informatics
Indonesian Institute of Sciences
 Bandung, Indonesia
 akbari.indra.basuki@lipi.go.id

Abstract—P4 language enables new protocol development for advanced networking tasks such as dynamic monitoring, custom tunneling & routing, in-switch attack detection, and soon. Nevertheless, developing a P4 program is challenging for those who either lacking programming skills or advanced networking. This paper proposed a visual editor to ease the development of P4-based programmable parser which is the first and fundamental step in P4 development. The editor offers two functionalities, the creation of custom protocols & protocols parser, and code generation for testing purposes. For evaluations, we run a compatibility test to ensure that P4-switch can parse any packet using bit-by-bit extraction defined by the programmable parser. We develop custom protocols having the same bit structure as the standard protocols, such as Ethernet, IP, TCP, UDP, and MPLS, but use different naming. The result showed that the receiver recognized the custom protocols as the standard ones since the P4-switch treat them based on their bit structure. At last, the proposed program can ease and speed up the development of P4-based parser by providing visual editor, and network tester generator.

Index Terms—visual, editor, P4 SDN, parser, new protocol

I. INTRODUCTION

Software-Defined Networking (SDN) revolutionized network management and developments by proposing two main concepts: central network management and network programmability. OpenFlow is the pilot protocol that behaves as a south-bound protocol for the central controller and the SDN switches. It lets the developer determine what actions to be applied for the matching packets [1]. With a centralized controller such as Onos [2], Ryu [3], and Opendaylight [4], OpenFlow enables central network management by installing the respective flow rules for each switch.

The second phase of SDN is marked by P4 language that enables the programmability of switches behavior covering how to parse and process the network packets [5]. The rise of P4 SDN is driven by the limited functionality of OpenFlow SDN and unsolvable consensus regarding what protocols that must be supported by the SDN switch. Instead of defining a fixed set of protocols, P4 language lets the user choose or develop their preferred protocol and how to process those protocol. Consequently, it satisfies both, the backward compatibility with the

legacy and OpenFlow protocols and the flexibility of developing a new protocol to meet different use-cases. P4-based switch have been widely proposed to solve hard problems in networking, such as In-band network telemetry [6], heavy hitter detection [7], In-switch DDoS detections [8], and soon.

Despite its flexibility, developing a P4 program is hard due to its complexity and the need for extensive testing to ensure that the new protocol is behaving correctly. The complexity of a P4 program is derived from two parts, packet parser, and packet processor. Packet parser requires the user to specifies bit-by-bit protocol structure and how to parse those protocols in the right sequence. The sequence of packet parsers must follow the directed acyclic graphs (DAG) structure to avoid recursive parsing. In packet processing part, the user must determine the match-action table and the states that trigger those tables. Packet processing performs the computation based on the parseable header done by the packet parser. Therefore, it is crucial to ensure that the new packet parser is parsing the packet header correctly.

Refers to the aforementioned problems, it is necessary to ease the development of P4 Programs. Considering that the packet parser is the most critical part of a P4 program, this paper proposes a visual editor that specifically addresses the development of the programmable parser. Particularly in how to test the new parser to work as its purpose. Our proposed visual editor, called Visual Editor for P4-based Programmable Parser (VEP3¹), breakdown the problem into two parts: visual-based protocol & parser editor, and code generator for testing purpose. The visual editor aims to bridge the gap in the programming skill by providing a visual editor for creating a new parser in the form of a DAG-based state machine. It serves as a visual abstraction layer of how a packet parser works. Meanwhile, the code generator provides testing codes to ease the evaluation of the newly developed parser.

Our proposed program focuses on lessening the learning curve of the P4 language by proposing a visual editor approach. Some existing works of P4-based programs have different functional-

¹<https://github.com/acbari/MiTE-SDN/tree/master/VEP3>




Fig. 1. Internal Structure of P4 Programmable Switch

ities compared to our proposed editor. The work in [9] which is called MiTE is our predecessor works that focus on visual topology editor for P4 and OpenFlow networks. Our proposed editor (VEP3) will be packed under the same bundle as MiTE. Other works [10]–[13] focus on the P4 program verification, validation, or cross-checking to find potential bugs and errors. The closest work is presented in [14] where it can craft packets tester given an input of a P4 file. However, the work did not propose visual editing likes ours. Other work as in [15] aims to assist the development of ASIC-based P4 Switch. Our proposed program targets specifically for emulation testbed, not the real hardware one, aiming for better accessibility of learning P4 language

We organize the paper into 4 sections. First we describe the P4 SDN and its complexity. Second, we describes the technical design of our program in chapter III. It pinpoints how the visual editor and code generator works. Chapter IV discusses the implementation results and evaluations. At last, chapter V presents the conclusion.

II. P4 SDN COMPLEXITY

P4 language proposed a programmable switch that can be tailored according to user preferences. The structure consists of three parts, a programmable parser, a programmable processor in the form of match-action pipelines, and a programmable deparser (Fig. 1). Nevertheless, the flexibility and programmability of P4 SDN come at cost of complexity, particularly for those who start to learn SDN or lacking in programming skills.

The authors define three aspects of P4 SDN complexity namely, P4 switch mechanism, the programming of P4 language, and the network testing. Even though the structure of a P4 switch consists of only three parts, the programmable parser becomes the real obstacle for those who do not have a firm knowledge of computer networks. It requires the user to defines which protocols are recognizable by the switch. Thus, the user must define the bit-by-bit sequences of every protocol and how those protocols interact with other protocols under a state machine structure.

The second challenge comes from the programmable packet processor. Besides using a similar match-action structure as the OpenFlow SDN, it has Arithmetic and Logic Units (ALU) that enable more complex arithmetic and logic operations compared

to OpenFlow. If the user never learn OpenFlow SDN, it will be quite challenging to understand the programmable processor.

Programmable deparser is the easiest part yet trickiest one since it must be triggered from the P4 codes. Consequently, it can be considered as the second problem (the programming P4 language).

The first hindrance of programming a P4 switch is how to translate the protocol definition and their state machine structure into P4 language. It might be an easy task that can lead to catastrophic failure if not being carefully validated. Some works have proposed a validation tool to prevent error, bug, and invalid configuration [10]–[13]. In our paper, we minimize the error by guiding and limiting the user preferences through visual-based editing. The program ensures that the created parser always complies to the rules of P4 language. We elaborate this mechanism in Section III.

The second problem of programming a P4 program comes from the diverse types of P4 switches. To support vendor-independent approach, different P4 switch has difference feature that can be utilized by importing the module into the P4 code. Thus, the user should not expect that all P4 switches support similar capabilities and functionalities, such as cryptographic hash or encryption modules. The P4 environment lets the vendor advertises those features as their selling points compared to the others.

The latest problem lies in how to test the program in a running network machine. According to our knowledge, only the work in [14] that supports automatic code generation. Given a P4 program, it generated a packet tester to validate the program. Our work proposed a similar but distinct functionality. Instead of testing the new parser in bidirectional communication, our works proposed a compatibility test to validate that the P4 program can parser any packet based on their bit-by-bit sequence and state machine structure. We test the new parser to prove that a new and custom protocol having the same structure as the standard protocol can communicate to each other. Later on, the users can develop custom protocol precisely tailor for their needs.

III. SYSTEM DESIGN

The flow design of our proposed Parser Editor is shown in Fig. 2. It follows the step of packet parser development that consists of two main stages: parser drafting and testing.

Parser drafting deals with the creation of the underlying building blocks of a parser and how they are being organized as a single parser. Packet parser building blocks consist of two parts: the recognizable protocols, and the extra metadata.

Packet parser editor lets the user organize how the parser will extract the network protocols in bit-by-bit series. The parser editor guarantees the validity of the created parser by ensuring that it works under the rules of a directed acyclic graph (DAG) without a looping pattern. A cyclic parser might result in a never-ending packet parsing or any unintended security threats. To support a




Fig. 2. The flow of programmable parser development and testing

stacked protocol such as MPLS and VLAN, adding a self-loop is permissible. We called the structure of parser editor as DAGSeL, a combination of a directed acyclic graph with self-loop nodes.

Parser testing involves complete testing of packet parser within a real system, either in a hardware P4 switch or in an emulated one. The proposed editor generates two codes for parser testing: a Scapy-based protocol binding class, and a P4 parser code that can be inserted into an existing P4 program. For the testing, we run it using Mininet. The topology is generated using MiTE program [9] while the P4-parser code and Scapy-based packet sender are generated by the editor.

The following sub-sections explain the detail of the parser editor.

A. Building Blocks

The editor consists of two building blocks, the recognizable protocol, and packet metadata. Recognizable protocols refer to which network protocols are recognized and extractable by the P4 switch. For the sake of educational purposes, we simplify the editor by supporting only two types of protocol: fixed-size protocols, and the stacked ones such as MPLS. Meanwhile, the extra metadata functions as a temporary memory to assist packet processing. The user might create new metadata tailored for their purpose in how to process the packet.

We organize the building blocks into two libraries: protocols library, and metadata library (Fig. 3). Users can create new protocols or metadata through the library window.

In P4 language, each protocol is a set of bit-fields with the total size in bytes. For example, an Ethernet protocol is a set of three bit-fields, a 48-bits of source MAC address, a 48-bits of destination MAC address, and a 16-bits of ethernet type. The protocol's size must be divisible by eight. In this case, the total




Fig. 3. The building block of a parser: protocols and metadata




Fig. 4. Protocol drafting window and its visual structure

size of the Ethernet protocol is 112 bits or 14 bytes. Additional padding bits are automatically appended to the new protocol if the total size is not an 8-bit multiplier. To ease new protocol creation, we add the bit-structure visualization into the drafting windows (Fig. 4).

B. Parser Creation (DAGSeL)

The structure of a P4-based packet parser must satisfy a directed acyclic graph structure with an optional self-loop edge for every node (DAGSeL). Our proposed editor enforced the DAG rule during parser creation by forbidding a cyclic interconnection between parser nodes.

Given a directed graph (G) that represents a packet parser, the nodes (V) and edges (E) of G respectively represent the node parsers and the possible transitions between the nodes. Edge e_{ij} is transition between node parser v_i to node parser v_j , where $v_i, v_j \in V$. A node parser v_i specifically parses one network protocol (P_i) with one-to-one projection. A starting node (v_0) is a special node that has zero in-degree and does not represent any network protocol.




Fig. 5. Programmable parser graph: DAG + self-loop link

A packet parser is able to parse a specific protocol (P_i) if there is a directed path (D) between the starting node (v_0) to the node parser v_i that parse protocol P_i . The path D is a set of edges $e_k, k = \{0, 1, 2, \dots, n\}$, where $n = |D| - 1$. The directed path D is considered valid if the edge in D satisfy two requirement as follow. First, the edge $e_k = (v_i, v_j)$ is continues, where $e_k[v_j]$ is equal to $e_{k+1}[v_i]$. Secondly, the edge e_k is a valid parsing transition where $e_k \in E$.

A packet parser is valid if every node parser (v_i) cannot reach itself, except via the self-loop edge (e_{ii}). In another word, there is no such directed path $d_a, |d_a| > 1$ where its starting node $e_0[v_i]$ is the same as its last node $e_n[v_j]$.

Figure 5 depicts the example of a packet parser that can parse five different protocols: Ethernet, MPLS, IP, TCP, and UDP protocol. The parser is a valid one since it does not contain any cyclic path except for MPLS self-loop edge.

The transition between node parser is controlled by the edge attribute (a_k), where each edge or node transition e_k has one attribute a_k . The attribute value is determined by the selector field of the predecessor node. We break down the P4 parsers into two different types: a simple parser, and a selector parser. As its name implies the simple parser does not has a selector field, thus the outgoing edge has a null attribute. Whereas for the selector parser, the user must specify the selector field and all of its transition attributes.

The TCP and UDP nodes in Fig. 5 are the simple node parsers while the rest of the nodes are the selector ones. Ethernet node parser has two outgoing edges to MPLS parser and IP parser with the ethernet type as the selector field. The respective attribute value for both transitions is 0x8847 and 0x800.

C. Parser Testing

The next phase of parser creation is to test the parser in a running setup. We opt for emulation setup by using Mininet. Three configurations are needed to run the emulation: the network topology, sender and receiver program for the hosts, and the forwarding codes for the P4 switches. For the topology, we use a simple topology of one switch and two hosts generated by using MiTE program (Fig. 6).

The remaining two configurations are generated by the proposed editor according to the program stack (Fig. 7). The code




Fig. 6. Simple topology for testing new parser

generator translates the parser structure (DAGSeL) into a protocol binding class by using the Scapy library. The sender and receiver codes for the hosts are crafted by referring to this binding class.

Considering the editor only focuses on the programmable parser, it did not generate the entire P4 program but the parser codes. We modify the existing packet processing codes in [16] to form a fully functional P4 program. The editor replaces the parser code from the tutorial with the generated ones.

Parser testing acts as the ground truth for the new parser whether it had worked correctly or not. To ensure correctness, we use two kinds of testing, positive and negative testing. Positive testing proves that the parser can parse the intended protocols while negative testing proves that the parser is unable to parse unrecognized protocols.

We use five protocols for positive testing namely: Ether, MPLS, IP, TCP, and UDP protocols. For negative testing, we use ARP and ICMP protocols. The editor only generates the positive protocols. As a consequence, the P4 switch only recognized these protocols and cannot parse the ARP and ICMP protocol.

For the host's Scapy codes, we implement custom packet protocol by using protocol binding. We use the same structure as the positive protocol but with different naming. The new names for the custom protocols are in lower case letter as follow: ethernet, mpls, ipv4, tcp, and udp. This step is to test whether the P4-switch will consider the new custom protocol based on their structure or not. If it does, it will treat those protocols as the standard protocols. Thus, it will forward the packet and will be recognized by the receiving host. For compatibility testing, the receiving node (host-2) imports the positive protocols directly from the standard protocol.

IV. RESULT AND EVALUATIONS

A. Visual Editor

The final user interface of the proposed editor is shown in Fig. 8. The left-side pane contains the list of all the created parsers. Underneath, it shows the recognized protocols and custom metadata used by the selected parser.

The right-side pane displays the parser structure (DAGSeL) that shows how the node parsers are interconnected to each other. The right pane also acts as the container for the drafting windows to create new protocols and metadata.




Fig. 7. Program stack for generating the testing codes

B. Packet Forwarding Test

We tested the generated codes by using two routing mechanisms, IP routing, and MPLS forwarding. We modify the routing table of several project in [16] to form as in Table I. For each routing, we sent eight packets from host-1 to host-2. The summary of the forwarding test is listed in Table II. Fig. 9 and Fig. 10 shows the respective result for IP routing and MPLS forwarding. We also debug the setup to ensure that the packet is sent through P4-switch by dumping the ingress interface of the P4 switch (Fig. 11).

For the IP routing test, the P4 switch can parse all protocols except for ARP and ICMP. Consequently, the ARP packets are dropped since the switch cannot parse them. The switch also dropped MPLS packets since IP routing does not implement MPLS forwarding. However, different case is applied to ICMP protocol. In this case, the switch inability to parse ICMP protocol does not affect the routing. The switch can forward the packet by using IP forwarding rules since the ICMP protocol is an overlay protocol for the IP protocol.

In a P4-based programmable parser, there is no such layer numbering. Instead, the overlay structure is determined by the transition edges between the nodes. If protocol A is the *ingress* of protocol B, any routing applied to protocol A will *overshadow* protocol B. In this case, the switch will forward the packet even though the switch cannot parse protocol B.

In the MPLS forwarding test, the P4 switch has the same capabilities in parsing the protocol as in the IP routing test. Nevertheless, the switch cannot forward not only ARP packets but also IP packets. It happened due to MPLS forwarding does not implement IP routing. The switch can forward the MPLS packets to host-2 disregarding the overlay protocol that the packet carries on. This results due to the same consequence of *ingress* edge and *overshadowing* mechanism as in the IP routing test.

V. CONCLUSION

This paper proposed a visual editor for creating a P4-based packet parser that able to parse new protocols based on their bit-by-bit structure. The editor offers visual editing with zero-coding by offering an integrated code generator. It generates a P4-based parser and a set of codes to test the newly generated parser. The editor passed the compatibility test since the generated parser successfully recognizes and routes the packets with custom protocols as long as they have the same structure as the standard protocols.

REFERENCES

[1] The Open Networking Foundation, "openflow-spec-v1.3.0," Available at <https://opennetworking.org/wp-content/uploads/2014/10/openflow-spec-v1.3.0.pdf> (2021/05/01).
 [2] Berde, P., Gerola, M., Hart, J., Higuchi, Y., Kobayashi, M., et al., "ONOS: towards an open, distributed SDN OS", In Proceedings of the third workshop on Hot topics in software defined networking (pp. 1-6), 2014.




Fig. 8. The UI of the visual editor

[3] Tomonori, F. "Introduction to Ryu SDN framework." Open Networking Summit (2013): 1-14.

[4] Medved, J., Varga, R., Tkacik, A., Gray, K., "Opendaylight: Towards a model-driven SDN controller architecture," Proceeding of IEEE International Symposium on a World of Wireless, Mobile and Multimedia Networks 2014, IEEE, 2014.

[5] Bosshart, P., Daly, D., Gibb, G., Izzard, M., McKeown, N., et al., "P4: Programming protocol-independent packet processors," ACM SIGCOMM Computer Communication Review 44.3 (2014): 87-95.

[6] Van Tu, N., Hyun, J., Hong, J. W. K., "Towardsonos-based SDN monitoring using in-band network telemetry," 2017 19th Asia-Pacific Network Operations and Management Symposium (APNOMS), IEEE, 2017.

[7] Sivaraman, V., Narayana, S., Rottenstreich, O., Muthukrishnan, S., Rexford, J., "Heavy-hitter detection entirely in the data plane," Proceedings of the Symposium on SDN Research, 2017.

[8] Friday, K., Kfoury, E., Bou-Harb, E., Crichigno, J., "Towards a unified in-network DDoS detection and mitigation strategy," 2020 6th IEEE Conference on Network Softwareization (NetSoft), IEEE, 2020.

[9] Sidiq, M. F., Basuki, A., Rosiyadi, D., "MiTE: Program Penyunting Topologi Jaringan untuk Pembelajaran SDN," Jurnal RESTI (Rekayasa Sistem Dan Teknologi Informasi) 4.5 (2020): 970-977.

[10] Rakamarić, Z., Emmi, M., "SMACK: Decoupling source language details from verifier implementations," International Conference on Computer Aided Verification, Springer, Cham, 2014.

[11] Liu, J., Hallahan, W., Schlesinger, C., Sharif, M., Lee, J., et al. "P4v: Practical verification for programmable data planes," Proceedings of the 2018 Conference of the ACM Special Interest Group on data communication, 2018.

[12] Neves, M., Freire, L., Schaeffer-Filho, A., Barcellos, M., "Verification of P4 programs in feasible time using assertions," Proceedings of the 14th International Conference on Emerging Networking Experiments and Technologies, 2018.

[13] Stoescu, R., Dumitrescu, D., Popovici, M., Negreanu, L., Raiciu, C., "Debugging P4 programs with Vera." Proceedings of the 2018 Conference of the ACM Special Interest Group on Data Communication. 2018.

[14] Rodriguez, F., Patra, P. G. K., Csikor, L., Rothenberg, C., Laki, P. V. S., et al. "BB-gen: A packet crafter for P4 target evaluation." Proceedings of the ACM SIGCOMM 2018 Conference on Posters and Demos. 2018.

[15] Intel, "Intel@p4studio," Available at <https://www.intel.com/content/www/us/en/products/network-io/programmable-ethernet-switch/p4-suite/p4-studio.html> (2021/05/01).

[16] Osiński, T., "P4-Research/p4-demos: Prototyping networks with P4," Available at <https://github.com/P4-Research/p4-demos> (2021/05/01).

```

Node: h1
root@p4:~/p4-demos/ip-routing# python parser_sender.py
WARNING: No route found for IPv6 destination :: (no default
ult route?)
ethernet / ARP who has 0.0.0.0 says 10.0.10.10
.
Sent 1 packets.
ethernet / ipv4 / ICMP echo-request 0
.
Sent 1 packets.
ethernet / ipv4 / tcp
.
Sent 1 packets.
ethernet / ipv4 / udp
.
Sent 1 packets.
ethernet / mpls / ARP who has 0.0.0.0 says 10.0.10.10
.
Sent 1 packets.
ethernet / mpls / mpls / ipv4
.
Sent 1 packets.
ethernet / mpls / mpls / ipv4 / tcp
.
Sent 1 packets.
ethernet / mpls / mpls / ipv4 / udp
.
Sent 1 packets.
root@p4:~/p4-demos/ip-routing#

Node: h2
root@p4:~/p4-demos/ip-routing# python parser_re
ceiver.py
WARNING: No route found for IPv6 destination ::
(no default route?)
sniffing on eth0
Ether / 10.0.10.10 > 10.0.20.10 icmp / Padding
Ether / 10.0.10.10 > 10.0.20.10 tcp / Padding
Ether / 10.0.10.10 > 10.0.20.10 udp / Padding
    
```

Fig. 9. IP routing from host-1 to host-2

```

Node: h1
root@p4:~/p4-demos/ip-routing# python parser_sender.py
WARNING: No route found for IPv6 destination :: (no default
ult route?)
ethernet / ARP who has 0.0.0.0 says 10.0.10.10
.
Sent 1 packets.
ethernet / ipv4 / ICMP echo-request 0
.
Sent 1 packets.
ethernet / ipv4 / tcp
.
Sent 1 packets.
ethernet / ipv4 / udp
.
Sent 1 packets.
ethernet / mpls / ARP who has 0.0.0.0 says 10.0.10.10
.
Sent 1 packets.
ethernet / mpls / mpls / ipv4
.
Sent 1 packets.
ethernet / mpls / mpls / ipv4 / tcp
.
Sent 1 packets.
ethernet / mpls / mpls / ipv4 / udp
.
Sent 1 packets.
root@p4:~/p4-demos/ip-routing#

Node: h2
root@p4:~/p4-demos/ip-routing# python parser_re
ceiver.py
WARNING: No route found for IPv6 destination ::
(no default route?)
sniffing on eth0
Raw
00:00:00:00:00:02 > 00:00:00:00:00:01 (0x8847) /
Raw
00:00:00:00:00:02 > 00:00:00:00:00:01 (0x8847) /
Raw
00:00:00:00:00:02 > 00:00:00:00:00:01 (0x8847) /
Raw
00:00:00:00:00:02 > 00:00:00:00:00:01 (0x8847) /
Raw
    
```

Fig. 10. MPLS forwarding from host-1 to host-2

TABLE I
ROUTING TABLE CONFIGURATIONS

Tables	Action	Match value	Out
mplslookup_table	forward	label = 100	Port2
ingress.routing_table	ipv4_forward	10.0.20.0/24	Port2

TABLE II
PACKET ROUTING RESULTS

Protocols sequence				Routing	
				IP	MPLS
ethernet	ARP			X	X
ethernet	ipv4	ICMP		V	X
ethernet	ipv4	tcp		V	X
ethernet	ipv4	udp		V	X
ethernet	mpls	mpls	ARP	X	V
ethernet	mpls	mpls	ipv4	ICMP	X
ethernet	mpls	mpls	ipv4	tcp	X
ethernet	mpls	mpls	ipv4	udp	X

```

Node: h1
root@p4:~/p4-demos/ip-routing# python parser_sender.py
WARNING: No route found for IPv6 destination :: (no default
ult route?)
ethernet / ARP who has 0.0.0.0 says 10.0.10.10
.
Sent 1 packets.
ethernet / ipv4 / ICMP echo-request 0
.
Sent 1 packets.
ethernet / ipv4 / tcp
.
Sent 1 packets.
ethernet / ipv4 / udp
.
Sent 1 packets.
ethernet / mpls / ARP who has 0.0.0.0 says 10.0.10.10
.
Sent 1 packets.
ethernet / mpls / mpls / ipv4
.
Sent 1 packets.
ethernet / mpls / mpls / ipv4 / tcp
.
Sent 1 packets.
ethernet / mpls / mpls / ipv4 / udp
.
Sent 1 packets.
root@p4:~/p4-demos/ip-routing#

Node: s1 [root]
root@p4:~/p4-demos/ip-routing# tpdump -ni s1-eth1
tpdump: verbose output suppressed, use -v or -vv for full protocol decode
listening on s1-eth1, Link-type EN10MB (Ethernet), capture size 262144 bytes
01:34:22.042851 00:00:00:00:00:02 > 00:00:00:00:00:01 Null Information, send seq
4, rev seq 0, flags [Response], length 28
.
0x0000: 0001 8800 0604 0001 0000 0000 0001 0a00 .....
0x0010: 0a0a 0000 0000 0000 0000 0000 .....
.
Sent 1 packets.
01:34:22.071032 IPO
01:34:22.094685 IPO
01:34:22.118928 IPO
.
Sent 1 packets.
01:34:22.143687 MPLS (label 101, exp 0, ttl 0) (label 16, exp 4, ttl 0) (label 2
4640, exp 0, ttl 1) (label 0, exp 0, ttl 0) (label 16, exp 5, ttl 0) (label 4112
0, exp 0, ttl 0) (label 0, exp 0, ttl 0) (label 0, exp 0, ttl 0) [MPLS]
01:34:22.157147 MPLS (label 101, exp 0, ttl 0) (label 100, exp 0, [S], ttl 0)
.
0x0000: 0000 0000 0000 0000 0001 0000 0a00 0a0a .....
0x0010: 0a00 140a .....
.
Sent 1 packets.
01:34:22.195580 MPLS (label 101, exp 0, ttl 0) (label 100, exp 0, [S], ttl 0)
.
0x0000: 0000 0000 0000 0000 0006 0000 0a00 0a0a .....
0x0010: 0a00 140a 3033 0016 0000 0000 0000 0000 .....09.....
0x0020: 0000 0000 0000 0000 .....
.
Sent 1 packets.
01:34:22.222795 MPLS (label 101, exp 0, ttl 0) (label 100, exp 0, [S], ttl 0)
.
0x0000: 0000 0000 0000 0000 0011 0000 0a00 0a0a .....
0x0010: 0a00 140a 3033 0016 0000 0000 .....09.....
    
```

Fig. 11. In-switch debugging using Tpdump

Technical Program Committee (TPC) Members

Prof. Abdallah Makhoul (University of Franche-Comté, France)
Prof. Abdelmadjid Bouabdallah (Universite de Technologie – Compiègne, France)
Prof. Adão Silva (Instituto de Telecomunicações (IT)/University of Aveiro, Portugal)
Prof. Ahmed Mehaoua (University of Paris Descartes, France)
Prof. Alvaro Suárez-Sarmiento (University of Las Palmas de Gran Canaria, Spain)
Prof. António Rodrigues (IT / Instituto Superior Técnico, Portugal)
Prof. Arnaldo Oliveira (Universidade de Aveiro – DETI / Instituto de Telecomunicações – Aveiro, Portugal)
Prof. Aws Yonis (Ninevah University, Iraq)
Prof. Bang Chul Jung (Chungnam National University, Korea (South))
Prof. Bernd Wolfinger (University of Hamburg, Germany)
Prof. Bong Jun Choi (Soongsil University, Korea (South))
Prof. Carl Debono (University of Malta, Malta)
Prof. Carla Raffaelli (University of Bologna, Italy)
Prof. Carlos Becker Westphall (Federal University of Santa Catarina, Brazil)
Prof. Chao Fang (Beijing University of Technology, China)
Prof. Chao Shen (Xi'an Jiaotong University, China)
Prof. Chao-Tsun Chang (Hsiuping University of Science & Technology, Taiwan)
Prof. Chia-Ho Ou (National Pingtung University, Taiwan)
Prof. Demosthenes Vouyioukas (University of the Aegean, Greece)
Prof. Dennis Pfisterer (University of Luebeck, Germany)
Prof. Ding Wang (Nankai University, China)
Prof. Domenico Ciuonzo (University of Naples Federico II, IT, Italy)
Prof. Dushantha Nalin K. Jayakody (Tomsk Polytechnic University, Russia)
Prof. Eduard Babulak (Liberty University, USA)
Prof. Eirini Eleni Tsiropoulou (University of New Mexico, USA)
Prof. Eisuke Kudoh (Tohoku Institute of Technology, Japan)
Prof. Eric Renault (LIGM, Université Gustave Eiffel, CNRS, ESIEE Paris, France)
Prof. Fang Yang (Tsinghua University, China)
Prof. Fernando Velez (University of Beira Interior, Portugal)
Prof. Francesco Palmieri (Università di Salerno, Italy)
Prof. Fuhui Zhou (Nanjing University of Aeronautics and Astronautics, China)
Prof. Gamantyo Hendrantoro (Institut Teknologi Sepuluh Nopember, Indonesia)
Prof. Guy Pujolle (Sorbonne University, France)
Prof. Gyu Myoung Lee (Liverpool John Moores University, United Kingdom (Great Britain))
Prof. Hacene Fouchal (Université de Reims Champagne-Ardenne, France)
Prof. Hans-Juergen Zepernick (Blekinge Institute of Technology, Sweden)
Prof. Harald Øverby (Norwegian University of Science and Technology, Norway)
Prof. Harry Skianis (University of the Aegean, Greece)
Prof. Homayoun Nikookar (Netherlands Defence Academy, The Netherlands)
Prof. Ickho Song (Korea Advanced Institute of Science and Technology, Korea (South))
Prof. Ikmo Park (Ajou University, Korea (South))
Prof. Ioannis Moscholios (University of Peloponnese, Greece)
Prof. Jae-Hyun Park (Chung-Ang University, Korea (South))
Prof. Jenhui Chen (Chang Gung University, Taiwan)
Prof. Jiann-Liang Chen (National Taiwan University of Science and Technology, Taiwan)
Prof. Ji-Hoon Yun (Seoul National University of Science and Technology, Korea (South))

Prof. João Rebola (Instituto de Telecomunicações Lisbon, Portugal)
Prof. Joel Rodrigues (Federal University of Piauí (UFPI), Brazil)
Prof. Johann Marquez-Barja (University of Antwerpen & imec, Belgium)
Prof. Joongheon Kim (Korea University, Korea (South))
Prof. Jorge Sá Silva (University of Coimbra, Portugal)
Prof. Junping Geng (Shanghai Jiaotong University, China)
Prof. Kasturi Vasudevan (Indian Institute of Technology Kanpur, India)
Prof. Kazuo Mori (Mie University, Japan)
Prof. Klaus David (University of Kassel, Germany)
Prof. Knud Skouby (Aalborg University, Denmark)
Prof. Koichi Maru (Kagawa University, Japan)
Prof. Konstantin Mikhaylov (University of Oulu, Finland)
Prof. Kuo-Chang Ting (Minghsin University of Science and Technology, Hsinchu, Taiwan)
Prof. Lahcène Mitiche (University of Djelfa, Algeria)
Prof. Li Xu (Chinese Academy of Sciences, China)
Prof. Li Xu (Fujian Normal University, China)
Prof. Liudong Xing (University of Massachusetts, Dartmouth, USA)
Prof. Ljiljana Trajković (Simon Fraser University, Canada)
Prof. Lorenzo Vangelista (University of Padova, Italy)
Prof. Lu Lu (University of Chinese Academy of Sciences, Hong Kong)
Prof. Lyes Khoukhi (ENSICAEN, Normandie University, GREYC CNRS Lab., France)
Prof. Mamoun Alazab (Charles Darwin University, Australia)
Prof. Manoj Bs (Indian Institute of Space Science and Technology, India)
Prof. Marcelo Alencar (Federal University of Campina Grande, Brazil)
Prof. Marco Listanti (University of Rome “La Sapienza”, Italy)
Prof. Mario Tanda (Università di Napoli Federico II, Italy)
Prof. Mariusz Glabowski (Poznan University of Technology, Poland)
Prof. Michele Ruta (Politecnico di Bari, Italy)
Prof. Miguel Franklin de Castro (Federal University of Ceará, Brazil)
Prof. Miodrag Potkonjak (UCLA, USA)
Prof. Mitchai Chongcheawchamnan (Prince of Songkla University, Thailand)
Prof. Mohamad Yusoff Alias (Multimedia University, Malaysia)
Prof. Mohamed Mosbah (CNRS-LaBRI UMR 5800, University Bordeaux, Bordeaux-INP, France)
Prof. Mohammad Matin (North South University, Bangladesh)
Prof. Nabanita Das (Indian Statistical Institute, India)
Prof. Nhu-Ngoc Dao (Sejong University, Korea (South))
Prof. Nuno Pombo (University of Beira Interior, Portugal)
Prof. Pascal Lorenz (University of Haute Alsace, France)
Prof. Paulo de Lira Gondim (Universidade de Brasilia, Brazil)
Prof. Paulo Monteiro (Universidade de Aveiro, Portugal)
Prof. Paulo Pinto (Universidade Nova de Lisboa, Portugal)
Prof. Petra Perner (IBaI Leipzig, Germany)
Prof. Pravati Swain (National Institute of Technology, Goa, India)
Prof. Rafael Caldeirinha (Polytechnic Institute of Leiria, Portugal)
Prof. Richard Lin (National Sun Yat-sen University, Taiwan)
Prof. Ridha Hamila (Qatar University, Qatar)
Prof. Robert Schober (University of British Columbia, Canada)
Prof. Roberto Garelo (Politecnico di Torino, Italy)

Prof. Rogerio Dionisio (Instituto Politecnico de Castelo Branco, Portugal)
Prof. Rosaura Palma-Orozco (Instituto Politécnico Nacional, Mexico)
Prof. Sabrina Sicari (University of Insubria, Italy)
Prof. Salahuddin Mohammad Masum (Southwest Tennessee Community College, USA)
Prof. Satoshi Takahashi (Hiroshima City University, Japan)
Prof. Seiji Fukushima (Kagoshima University, Japan)
Prof. Shashikant Patil (SVKMs NMiMS Mumbai India, India)
Prof. Simon Pietro Romano (University of Napoli Federico II, Italy)
Prof. Takuya Asaka (Tokyo Metropolitan University, Japan)
Prof. Telmo Fernandes (IPLeiria / Institute of Telecommunications, Portugal)
Prof. Theo Swart (University of Johannesburg, South Africa)
Prof. Vicente Casares-Giner (Universitat Politècnica de València, Spain)
Prof. William Lehr (Massachusetts Institute of Technology, USA)
Prof. Xiaochuan Sun (NCST, China)
Prof. Yi Shang (University of Missouri, USA)
Prof. Yi-Han Chiang (Osaka Prefecture University, Japan)
Prof. Yiu-Wing Leung (Hong Kong Baptist University, Hong Kong)
Prof. Yoon-Ho Choi (Pusan National University, Korea (South))
Prof. You-Chiun Wang (National Sun Yat-Sen University, Taiwan)
Prof. Yousaf Bin Zikria (Yeungnam University, Korea (South))
Prof. Zalan Heszberger (Budapest University of Technology and Ec., Hungary)
Dr. Aashish Mathur (Indian Institute of Technology Jodhpur, India)
Dr. Abderrahmen Mtibaa (University of Missouri St. Louis, USA)
Dr. Adriaan van Wijngaarden (Bell Laboratories, Nokia, USA)
Dr. Adrian Kliks (Poznan University of Technology, Poland)
Dr. Ajay Singh (Indian Institute of Technology Jammu, India)
Dr. Ala Khalifeh (German University of Jordan, Jordan)
Dr. Alban Duverdier (Centre National D'Etudes Spatiales (CNES), France)
Dr. Alberto Gotta (ISTI-CNR, Italy)
Dr. Alessandro Carrega (CNIT, Italy)
Dr. Alexandru Vulpe (University Politehnica of Bucharest, Romania)
Dr. Amitava Mukherjee (Globsyn Business School, Kolkata, India)
Dr. Angelos Liveris (Wavelab Inc, USA)
Dr. Anna Antonyová (University of Prešov in Prešov, Slovakia)
Dr. Anwer Al-Dulaimi (EXFO Inc., Canada)
Dr. Argyrios Kyrgiazos (University of Surrey, United Kingdom (Great Britain))
Dr. Arianna D'Ulizia (CNR, Italy)
Dr. Atef Abdrabou (UAE University, United Arab Emirates)
Dr. Aweek Das (Palo Alto Networks, USA)
Dr. Barry Evans (University of Surrey, United Kingdom (Great Britain))
Dr. Bongkyo Moon (Quantum Informatics Research (QIR), Korea (South))
Dr. Bramah Hazela (Amity University Uttar Pradesh India, India)
Dr. Carlo Augusto Grazia (University of Modena and Reggio Emilia, Italy)
Dr. Cedric Adjih (INRIA, France)
Dr. Chaker Abdelaziz Kerrache (University of Laghouat, Algeria)
Dr. Chau Yuen (Singapore University of Technology and Design, Singapore)
Dr. Chayan Bhar (National Institute of Technology Warangal, India)
Dr. Chi-Fu Huang (National Chung Cheng University, Taiwan)

Dr. Chih-Lin Hu (National Central University, Taiwan)
Dr. Chinmoy Kundu (University College Dublin, Ireland)
Dr. Chongwen Huang (Zhejiang University, China)
Dr. Chunqiang Hu (Chongqing University, China)
Dr. Cicek Cavdar (KTH Royal Institute of Technology, Sweden)
Dr. Dariusz Wiecek (National Institute of Telecommunications, Poland)
Dr. De Mi (University of Surrey, United Kingdom (Great Britain))
Dr. Debashis De (West Bengal University of Technology, India)
Dr. Deepak Mishra (IIST, India)
Dr. Deyun Gao (Beijing Jiaotong University, China)
Dr. Dimitri Papadimitriou (University of Antwerp – imec, Belgium)
Dr. Dimitris Chatzopoulos (Hong Kong University of Science and Technology, Hong Kong)
Dr. Donghyun Kim (Georgia State University, USA)
Dr. Ekasit Nugoolcharoenlap (Rajamangala University of Technology Rattanakosin, Thailand)
Dr. Elyas Rakhshani (Delft University of Technology, TU Delft, The Netherlands)
Dr. Felice Manlio Bacco (National Research Council (CNR), Italy)
Dr. Felipe Cruz-Pérez (Cinvestav-IPN, Mexico)
Dr. Fernando Guiomar (Instituto de Telecomunicações, Portugal)
Dr. Floriano De Rango (University of Calabria, Italy)
Dr. Francesco Gringoli (CNIT/University of Brescia, Italy)
Dr. Gang Wang (PCTEL, Inc., USA)
Dr. Ghadah Aldabbagh (King Abdulaziz University, USA)
Dr. Giuseppe Ruggeri (University of Reggio Calabria, Italy)
Dr. Go Hasegawa (Tohoku University, Japan)
Dr. Guixin Ye (Northwest University, China)
Dr. Gustavo Marfia (Università di Bologna, Italy)
Dr. Haibo Dai (Nanjing University of Posts and Telecommunications, China)
Dr. Hang Li (University of Technology Sydney, Australia)
Dr. Hemant Purohit (Jodhpur Institute of Engineering & Technology, India)
Dr. Hing Keung Lau (Hong Kong Institute of Vocational Education (Tuen Mun), Hong Kong)
Dr. Hiromasa Habuchi (Ibaraki University, Japan)
Dr. Honghai Zhang (Google, USA)
Dr. Hyung Jae Chang (Troy University – Montgomery, USA)
Dr. Ibrahim Develi (Erciyes University, Turkey)
Dr. Ilija Basicovic (University of Novi Sad, Serbia)
Dr. Ioakeim Samaras (Intracom Telecom, Greece)
Dr. Jad Nasreddine (Rafik Hariri University, Lebanon)
Dr. Javier Gozalvez (Universidad Miguel Hernandez de Elche, Spain)
Dr. Jean-Marc Kelif (Orange Labs, France)
Dr. Jia Hu (University of Exeter, United Kingdom (Great Britain))
Dr. Jin Cao (Xidian University, China)
Dr. Jing Chen (Wuhan University, China)
Dr. Jingjing Cui (University of Southampton, United Kingdom (Great Britain))
Dr. John Vardakas (IQUADRAT Informatica S. L. Barcelona, Spain)
Dr. Joong-Lyul Lee (University of North Carolina at Pembroke, USA)
Dr. Jose Santa (Technical University of Cartagena, Spain)
Dr. José Luis Hernandez Ramos (European Commission – Joint Research Centre (JRC), Belgium)
Dr. Jukka Lempiainen (Tampere University of Technology, Finland)

Dr. Kandasamy Selvaradjou (Pondicherry Engineering College, India)
Dr. Keping Yu (Waseda University, Japan)
Dr. Kevin (Qixiang) Pang (Lakehead University, Canada)
Dr. Khoirul Anwar (Telkom University, Indonesia)
Dr. Kiho Lim (William Paterson University of New Jersey, USA)
Dr. Kostas Peppas (University of Peloponnese, Greece)
Dr. Kuntal Deka (IIT Goa, India)
Dr. Lei Cao (The University of Mississippi, USA)
Dr. Lei Mo (INRIA, France)
Dr. Lexi Xu (China Unicom Network Technology Research Institute, China)
Dr. Lifeng Lai (University of California, Davis, USA)
Dr. Linawati Linawati (Universitas Udayana, Indonesia)
Dr. Luca Caviglione (National Research Council (CNR), Italy)
Dr. Luca Reggiani (Politecnico di Milano, Italy)
Dr. M Sabarimalai Manikandan (Indian Institute of Technology Bhubaneswar, India)
Dr. M Arif Khan (Charles Sturt University, Australia)
Dr. Maggie Mashaly (German University in Cairo, Egypt)
Dr. Majed Haddad (University of Avignon, France)
Dr. Marcin Piotr Pawlowski (Expeditus, Poland)
Dr. Marco Baldi (Università Politecnica delle Marche, Italy)
Dr. Mardeni Roslee (MMU, Malaysia)
Dr. Marie-Jose Montpetit (Concordia University, Canada)
Dr. Mariusz Zal (Poznan University of Technology, Poland)
Dr. Mauro Fonseca (UTFPR, Brazil)
Dr. Máximo Morales-Céspedes (Universidad Carlos III de Madrid, Spain)
Dr. Michele Albano (Aalborg University, Denmark)
Dr. Mingzhe Chen (Princeton University, USA)
Dr. Minoru Okada (Nara Institute of Science and Technology, Japan)
Dr. Mohamed Moustafa (Egyptian Russian University, Egypt)
Dr. Montree Kumngern (King Mongkut's Institute of Technology Ladkrabang, Thailand)
Dr. Muhammad Reza Kahar Aziz (Institut Teknologi Sumatera, Indonesia)
Dr. Mukesh Singhal (University of California at Merced, USA)
Dr. Mustafa Akbaş (Embry-Riddle Aeronautical University, USA)
Dr. N Nasimuddin (Institute for Infocomm Research, Singapore)
Dr. Nanda Kishore Chavali (Mathworks India Pvt Ltd., India)
Dr. Natarajan Meghanathan (Jackson State University, USA)
Dr. Nicola Calabretta (COBRA Research Institute, The Netherlands)
Dr. Nur Abdul Razak (Universiti Teknologi MARA, Malaysia)
Dr. Oluwakayode Onireti (University of Glasgow, United Kingdom (Great Britain))
Dr. Omar Al saif (Northern Technical University, Iraq)
Dr. Paolo Crippa (Università Politecnica delle Marche, Italy)
Dr. Pasquale Dottorato (Lab ID, Italy)
Dr. Paul Mitchell (University of York, United Kingdom (Great Britain))
Dr. Paula Fraga-Lamas (University of A Coruña, Spain)
Dr. Pavel Loskot (ZJU-UIUC Institute, China)
Dr. Peiyong Zhang (China University of Petroleum (East China), China)
Dr. Peng-Yong Kong (Khalifa University, United Arab Emirates)
Dr. Petros Bithas (National and Kapodistrian University of Athens, Greece)

Dr. Philippe Owezarski (LAAS-CNRS, France)
Dr. Pietro Cassarà (National Research Council (CNR) at Pisa, Italy)
Dr. Ping Zhou (Apple, USA)
Dr. Prima Kristalina (Politeknik Elektronika Negeri Surabaya (PENS), Indonesia)
Dr. Punnarumol Temdee (Mae Fah Luang University, Thailand)
Dr. Pushpendu Kar (University of Nottingham Ningbo China, China)
Dr. Qasim Ahmed (University of Huddersfield, United Kingdom (Great Britain))
Dr. Qin Hu (IUPUI, USA)
Dr. R Prasad (Delft University of Technology, The Netherlands)
Dr. Rafael Asorey-Cacheda (Technical University of Cartagena, Spain)
Dr. Rakesh T (Monash University, Australia)
Dr. Rallis Papademetriou (University of Portsmouth, United Kingdom (Great Britain))
Dr. Ram Bilas Pachori (Indian Institute of Technology Indore, India)
Dr. Ramiz Sabbagh (University of Kent, United Kingdom (Great Britain))
Dr. Rashmi Chaudhry (International Institute of Information Technology, Italy)
Dr. Ratul Baruah (Tezpur University, India)
Dr. Ravi Hegde (IIT Gandhinagar, India)
Dr. Ravikant Saini (Indian Institute of Technology Jammu, India)
Dr. Riadh Dhaou (IRIT/ENSEEIH, University of Toulouse, France)
Dr. Riccardo Colella (University of Salento, Italy)
Dr. Roberto Di Pietro (Hamad Bin Khalifa University, Qatar)
Dr. Rodrigo Campos Bortoletto (Instituto Federal de São Paulo, Brazil)
Dr. Rosdiadee Nordin (Universiti Kebangsaan Malaysia, Malaysia)
Dr. Samir Medjiah (LAAS-CNRS, France)
Dr. Sanjay Dhar Roy (National Institute of Technology Durgapur, India)
Dr. Sanjay Singh (Manipal Institute of Technology, India)
Dr. Sanjeev Gurugopinath (PES University, India)
Dr. Sanya Anees (Indian Institute of Information Technology – Guwahati, India)
Dr. Scabin Kumar (Amity University Lucknow Campus (UP) India, India)
Dr. Seemanti Saha (National Institute of Technology Patna, India)
Dr. Sherali Zeadally (University of Kentucky, USA)
Dr. Shuai Zhao (Tencent America LLC, USA)
Dr. Sirikan Chucherd (Mae Fah Luang University, Thailand)
Dr. Sonali Chouhan (Indian Institute of Technology Guwahati, India)
Dr. Song Xing (California State University, Los Angeles, USA)
Dr. Stylianos Basagiannis (United Technologies Research Centre, Ireland)
Dr. Sudhir Kumar (Indian Institute of Technology Patna, India)
Dr. Sumiko Miyata (Shibaura Institute of Technology, Japan)
Dr. Sunantha Sodsee (King Mongkut's University of Technology North Bangkok, Thailand)
Dr. Surapong Uttama (Mae Fah Luang University, Thailand)
Dr. Taeshik Shon (Ajou University, Korea (South))
Dr. Tariq Umer (COMSATS University Islamabad Lahore Campus, Pakistan)
Dr. Theofilos Chrysikos (University of Patras, Greece)
Dr. Thomas Lagkas (International Hellenic University, Kavala Campus, Greece)
Dr. Thumrongrat Amornraksa (King Mongkut's University of Technology Thonburi, Thailand)
Dr. Tianhua Xu (Tianjin University, China)
Dr. Tomoki Yoshihisa (Osaka University, Japan)
Dr. Trong-Minh Hoang (Posts and Telecommunications Institute of Technology, Vietnam)

Dr. Vandana Rohokale (SPPU Pune, Maharashtra, India)
Dr. Vanlin Sathya (University of Chicago, USA)
Dr. Vasilis Friderikos (King's College London, United Kingdom (Great Britain))
Dr. Vladimir Dyo (University of Bedfordshire, United Kingdom (Great Britain))
Dr. Wael Jaafar (Carleton University, Canada)
Dr. Watcharapan Suwansantisuk (King Mongkut's University of Technology Thonburi, Thailand)
Dr. Wei Feng (Tsinghua University, China)
Dr. Weili (lily) Wu (University of Texas at Dallas, USA)
Dr. Weiwen Zhang (Guangdong University of Technology, China)
Dr. Wenjun Xu (Beijing University of Posts and Telecommunications, China)
Dr. Worasak Rueangsirarak (School of Information Technology, Mae Fah Luang University, Thailand)
Dr. Xianbin Yu (Zhejiang University, China)
Dr. Xiang Gui (Massey University, New Zealand)
Dr. Xianliang Jiang (Ningbo University, China)
Dr. Xiao Zhang (South-Central University for Nationalities, China)
Dr. Xiaohua (Edward) Li (State University of New York at Binghamton, USA)
Dr. Xiaoyu Tang (Zhejiang University, China)
Dr. Yafei Hou (Okayama University, Japan)
Dr. Yang Wang (La Salle University, USA)
Dr. Yangyang Li (China Academy of Electronics and Information Technology, China)
Dr. Yasin Kabalci (Nigde Omer Halisdemir University, Turkey)
Dr. Yatish Joshi (Cisco Systems, USA)
Dr. Yee-Jin Cheon (Korea Aerospace Research Institute, Korea (South))
Dr. Ying Mao (Fordham University, USA)
Dr. Yong Guan (Iowa State University, USA)
Dr. Yongxu Zhu (South Bank University, United Kingdom (Great Britain))
Dr. Yu Zhang (Zhejiang University of Technology, China)
Dr. Yuansong Qiao (Athlone Institute of Technology, Ireland)
Dr. Yun-Wei Lin (National Chiao Tung University, Taiwan)
Dr. Yusuf Nur Wijayanto (Indonesian Institute of Sciences (LIPI), Indonesia)
Dr. Yvon Gourhant (Orange Labs, France)
Dr. Zeeshan Kaleem (COMSATS University Islamabad, Wah Campus, Pakistan)
Dr. Zengpeng Li (Lancaster University, United Kingdom (Great Britain))
Dr. Zheng Chu (University of Surrey, United Kingdom (Great Britain))
Dr. Zhi Lin (Army Engineering University of PLA, China)
Dr. Zhiyuan Zheng (Pinterest, USA)
Dr. Zongyang Zhang (Beihang University, China)

Table of Contents

Title Page

Welcome Message from General Chair

Committee

Program Schedule

Table of Contents

Keynote Speech

Keynote 1

End-to-End Learning Framework for Future Wireless and Satellite Networks using AutoEncoder

Prof. Mathini Sellathurai

Keynote 2

D2D-MEC Systems for Video Streaming

Prof. Ridha Hamila

Keynote 3

Enabling Future Superconnectivity: Internet of Things as a Melting Pot of Communication and Intelligence

Assoc. Prof. Dr. Agustian Taufiq Asyhari

Keynote 4

Microwave Remote Sensing and the Applications for Environmental Monitoring

Prof. Josaphat Tetuko Sri Sumantyo

1570718105	Traffic-aware Link Assignment in GEO Satellite Communication Networks	1
	Letian Li (No. 38 Research Institute, China Electronics Technology Group Corporation, China); Wenlong Wei (Shanghai Institute of Satellite Engineering, China); Kaiwei Wang (No 38 Research Institute, China Electronics Technology Group Corporation, China); Weilong Ren (No. 38 Research Institute China Electronics Technology Group Corporation, China); Shuo Wang (No. 38 Research Institute China Electronics Technology Group Corporation, China)	
1570721008	Orbit Shifting Analysis Satellite Telkom 4 with Cowell and Encke Method Caused by Perturbation	6
	Ahmad Fahrizal Ramadhan, Solichah Larasati and Imam Muhammadi PB (Institut Teknologi Telkom Purwokerto, Indonesia)	
1570723450	A Novel Elman Network based INS/GPS Fusion Filter to Enhance Tracking Accuracy in UAVs	16
	Arya Viswanath, and Sameer Saheerudeen Mohammed (National Institute of Technology Calicut, India)	

1570723971	Techno-Economic of the Ka-Band HTS to Minimize Broadband Services Gap for Indonesian Government Ignatius Daru Kristiadi, Muhammad Imam Nashiruddin ,and Miftadi Sudjai (Telkom University, Indonesia)	21
1570725914	Implementation of Layer 2 MPLS VPN on the SDN Hybrid Network using Ansible and ONOS Controllers Kukuh Nugroho (Institut Teknologi Telkom Purwokerto, Indonesia)	27
1570718886	Mapping of Business Intelligence Research Themes: Four Decade Review Agung Purnomo (Bina Nusantara University, Indonesia); Mega Firdaus (Universitas Nahdlatul Ulama Sidoarjo, Indonesia); Dian Sutiksno (Politeknik Negeri Ambon, Indonesia); Riyan Putra (Nahdlatul Ulama University of Surabaya, Indonesia); Uswatun Hasanah (Universitas Trunojoyo Madura, Indonesia)	32
1570720122	Expert System of Land Suitability for Fruit Cultivation Using Case-Based Reasoning Method Bayu Anggoro Krisnamurti, Yogo Dwi Prasetyo, Condro Kartiko (Institut Teknologi Telkom Purwokerto, Indonesia)	38
1570722407	Performance Comparison of Swarm Intelligence Algorithms for Web Caching Strategy Mulki Indana Zulfa (Universitas Gadjah Mada & Universitas Jenderal Soedirman, Indonesia); Rudy Hartanto, and Adhistya Permanasari (Universitas Gadjah Mada, Indonesia)	45
1570722560	Implementation of Constant-Q Transform (CQT) and Mel Spectrogram to converting Bird's Sound Silvester Dian Handy Permana (Universitas Trilogi, Indonesia); Ketut Bayu Yogha (Universitas Trilogi, Indonesia)	52
1570723265	Fuzzy Logic Implementation on Motion of Tennis Ball Picker Robot Faizah, Aris Triwiyatno, and R. Isnanto (Diponegoro University, Indonesia)	57
1570723704	Personality Detection on Social Media Twitter Using Long Short-Term Memory with Word2Vec Rachma Indira and Warih Maharani (Telkom University, Indonesia)	64
1570722145	5G D2D Transmission Mode Selection Performance & Cluster Limits Evaluation of DAI and ML Techniques Iacovos Ioannou (University of Cyprus, Cyprus & CYENS Center of Excellence, Cyprus); Christophoros Christophorou (CYENS Centre of Excellence & CITARD Services LTD, Cyprus); Vasos Vassiliou (University of Cyprus & CYENS Center of Excellence, Cyprus); Andreas Pitsillides (University of Cyprus, Cyprus)	70
1570723135	Collaborative Traffic Measurement Using Sketches for Software Defined Networks	81

	Cheng-Chieh Peng, Pi-Chung Wang and Kuo-Shiang Hsu (National Chung Hsing University, Taiwan)	
1570723159	Adaptive Replication for Real-Time Applications based on Mobile Edge Computing Kuo-Shiang Hsu, Wan-Chi Chang, Wei-Hsun Huang and Pi-Chung Wang (National Chung Hsing University, Taiwan)	88
1570723965	Utilizing 2100 MHz for 4G LTE-A Network Deployment to Addressing Spectrum Scarcity in Urban Area Pinasthika Aulia Fadhila, Muhammad Imam Nashiruddin, and Muhammad Adam Nugraha (Telkom University, Indonesia)	95
1570724372	Intelligent Augmented Video Streaming Services Using Lightweight QR Code Scanner Xuan-Vinh Nguyen, Gia-Huy Lam, Quang-Nhat Le, Quoc-Loc Duong, The-Manh Nguyen and Bao-Long Le (University of Information Technology, and Vietnam National University, Ho Chi Minh City, Vietnam); Quang Dieu Tran (Ho Chi Minh National Academy of Politics Hanoi, Vietnam); Trong-Hop Do (University of Information Technology, and Vietnam National University, Ho Chi Minh City, Vietnam); Nhu-Ngoc Dao (Sejong University, South Korea)	103
1570726122	Multi-Device Task Offloading with Scheduling in an Edge Cloud Platform Moch Yasin, Tohari Ahmad, and Royyana Mulisn Ijtihadie (Institut Teknologi Sepuluh Nopember, Indonesia)	108
1570718706	Design of LoRaWAN for Smart Factories in Industrial Estates Hanin Nafi'ah and Puspa Rahmawati (Institut Teknologi Telkom Purwokerto, Indonesia); Alfin Hikmaturokhman (Institut Teknologi Telkom Purwokerto & Universitas Indonesia, Indonesia); Solichah Larasati (Institut Teknologi Telkom Purwokerto, Indonesia)	116
1570722106	Concatenated Coset Coding in a Multi-tone DHA FH OFDMA System with Order Statistics-based Reception Dmitry Osipov (Kharkevich Institute for Information Transmission Problems of the RAS Moscow, Russia & National Research University Higher School of Economics Moscow, Russia)	123
1570726191	Evaluation of Low-density parity-check code with 16-QAM OFDM in a time-varying channel Ali Y. Kuti and A. E. Abdelkareem (College of Information Engineering (COIE) Al-Nahrain University, Iraq)	128
1570726611	Analysis of GFDM-OQAM Performance Using Zero Forcing Equalization Elsa Nur Oktaviar, Anggun Fitriani Isnawati, and Khoirun Ni'amah (Institut Teknologi Telkom Purwokerto, Indonesia)	135

1570726618	Performance Analysis GFDM Using MMSE Equalization in Audio Transmission	141
	Wiwit Indah Sari and Anggun Fitriani Isnawati (Institut Teknologi Telkom Purwokerto, Indonesia); Khoirun Ni'amah (Institut Teknologi Telkom Purwokerto & Telkom University, Indonesia)	
1570731252	Minimizing the additional costs due to Router Outage in IP-over-EON using Adaptive Routing	146
	Ridwansyah (Universitas Negeri Makassar & Universitas Hasanuddin, Indonesia); Syafruddin Syarif, Dewiani, and Wardi (Universitas Hasanuddin, Indonesia)	
1570723827	Sorting Algorithm for Medium and Large Data Sets Based on Multi-Level Independent Subarrays	152
	Kiaksar Shirvani Moghaddam (Iran University of Science and Technology, Iran); Shahriar Shirvani Moghaddam (Shahid Rajaee Teacher Training University, Iran)	
1570723829	Classification Hoax News of Covid-19 on Instagram Using K-Nearest Neighbor	157
	Indra Malik Akbar F, Yaddarabullah, and Silvester Dian Handy Permana (Universitas Trilogi, Indonesia)	
1570723909	Steganalysis of Adaptive Image Steganography using Convolution Neural Network and Blocks Selection	162
	Saeed Mohammed Hashim (College of IT University of Babylon, Iraq); Dhia Abdullahusein Zubaydi (College of Science University of Almustansiriyah, Iraq)	
1570723979	Classification Auction Motorcycle and Car In South Jakarta District Attorney Using Naïve Bayes	168
	Fransisca Kristina Mega, Yaddarabullah, and Silvester Dian Handy Permana (Universitas Trilogi, Indonesia)	
1570724464	A Network of Object-Oriented Software Metrics' Parameters	172
	Marwah M. A. Dabdawb, and Basim Mahmood (University of Mosul, Iraq)	
1570724891	Indicators on the Feasibility of Curfew on Pandemics Outbreaks in Metropolitan/Micropolitan Cities	179
	Basim Mahmood (University of Mosul, Iraq)	
1570725374	Artificial Potential Field Algorithm for Obstacle Avoidance in UAV Quadrotor for Dynamic Environment	184
	Alfian Ma'arif (Universitas Ahmad Dahlan, Indonesia); Wahyu Rahmaniari (National Central University, Taiwan); Marco Antonio Márquez Vera (Universidad Politécnica de Pachuca, Carr. Pachuca-Sahagún Km. 20, México, Mexico); Rania Majdoubi (Mohammed V University in Rabat & LCS Laboratory, Faculty of Sciences, Mohammed V University in Rabat, Morocco); Abdullah Çakan (Konya Technical University, Turkey)	

1570726675	Prediction of the Unemployment and Bank Interest Rates on Changes in the Stock Price Index with Efficient Regression Berlian Al Kindhi, Rista Anisa Dewi, Noviyanti Santoso, Akhmad Yuzfa Salvian Idris, Afrizandy Bayu Yudhistira, Felya Mayora Putri (Institut Teknologi Sepuluh Nopember, Indonesia)	190
1570725848	Data Efficient Video Transformer for Violence Detection Almaamoon Abdali (Ministry of Education, Iraq)	195
1570726714	Network Science as a Forgery Detection Tool in Digital Forensics Alaa Amjed, and Basim Mahmood (University of Mosul, Iraq); Khalid A. K. AlMukhtar (Ministry of Interior, Iraq)	200
1570727040	Data Quality Management Maturity: Case Study National Narcotics Board Henny Sri Indriany, Achmad Nizar Hidayanto, Lellyana Juliet Wantania (Universitas Indoesia, Indonesia); Budy Santoso, Widha Utami Putri, and Welly Pinuri (National Narcotics Board, Indonesia)	206
1570726784	Solar Cell Based Integrated Sensor System Monitoring on Smart IoT Berlian Al Kindhi, Josaphat Pramudijanto, Ilham Surya Pratama, Lucky Putri Rahayu, Fauzi I. Adhim, and Joko Susila (Institut Teknologi Sepuluh Nopember, Indonesia)	213
1570726820	Real-Time Examination System For New Students At Pandemic Time Covid 19 Using Fuzzy Logic Lukman Medriavin Silalahi, Setiyo Budiyo, Imelda Uli Vistalina Simanjuntak, and Freddy Artadima Silaban (Universitas Mercu Buana, Indonesia); Agus Dendi Rochendi (Lembaga Ilmu Pengetahuan Indonesia, Indonesia); Wafi Akhlaqil Karimah (Universitas Mercu Buana, Indonesia)	219
1570727034	Visual Editor for Streamlining P4-based Programmable Parser Development Muhammad Fajar Sidiq, and Mega Pranata (Institut Teknologi Telkom Purwokerto, Indonesia); Akbari Indra Basuki (Indonesian Institute of Sciences, Indonesia)	225
1570727053	SimRouter: Message routing based on Similarity and Relative Probable Positions of nodes in DTNs Gaurav Kumar, and Yatindra Nath Singh (Indian Institute of Technology Kanpur, India)	231
1570728769	A Fast Sub-Optimum Access Point Selection in Ultra-Dense Networks Kiaksar Shirvani Moghaddam (Iran University of Science and Technology, Iran); Shahriar Shirvani Moghaddam (Shahid Rajaee Teacher Training University (SRTTU), Iran)	239
1570731555	Integrated Strategy Framework To Improve Quality Of Network on The BMKG Communication Network System Budi Dwinanto, and Ajib Setyo Arifin (Universitas Indonesia, Indonesia)	244

1570727672	The Analysis of High Power Amplifier Distortion on the MIMO-GFDM Systems Ari Endang Jayati, and Budiani Destyningtias (Universitas Semarang, Indonesia)	252
1570728090	Experimental Characterization of Miniaturized Meander Line-Based 4×4 Butler Matrix Zulfi (Institut Teknologi Bandung and Telkom University, Indonesia); Achmad Munir (Institut Teknologi Bandung, Indonesia)	258
1570728572	Outage Probability Analysis of Full-Duplex UAV-assisted Wireless System over Rician Fading Channel Kalavagunta Dilip Kumar, and Anandpushparaj Jeganathan (National Institute of Technology, Trichy, India); Mitali Gupta (Indian Telephone Industries Limited (ITI Ltd), INDIA, India); Muthuchidambaranathan P (National Institute of Technology, Trichy, India)	263
1570728949	Design GUI Filter Infinite Impulse Response (IIR) for Noise Reduction While Real-Time using LabVIEW Rheza Andika F, Ahmad Al Afif, and Putri Wulandari (Universitas Al Azhar Jakarta, Indonesia);	269
1570731404	Spectrum Fee License Analysis on 3.5, 26, and 28 GHz Frequency For 5G Implementation in Indonesia Ade Wahyudin (Sekolah Tinggi Multimedia (MMTC) Yogyakarta, Indonesia); Alfin Hikmaturokhman, and Dinar Ahmad Harish (Institut Teknologi Telkom Purwokerto, Indonesia)	274
1570731767	Segmenting the Subscribers of An Indonesian 4G Service Operator Using RFM Method Joko Tri Wibowo, and Muhammad Suryanegara (Universitas Indonesia, Indonesia)	280
1570728738	A Comparison of Several Approaches for Image Recognition used in Food Recommendation System Quang-Linh Tran, Gia-Huy Lam, Quang-Nhat Le, Trung-Hieu Tran, and Trong-Hop Do (University of Information Technology, Ho Chi Minh City & Vietnam National University, Ho Chi Minh City, Vietnam)	284
1570730064	Interpolation Effect on FBP-Based Image Reconstruction of Measured L-Band Microwave Tomography Achmad Munir, Fauzia Sekarningrum, and Nurul Amalia Amri (Institut Teknologi Bandung, Indonesia); Bakhtiar Abubakar, and Slamet Risnanto (Universitas Sangga Buana & Indonesia, Indonesia); Mohammad Ridwan Effendi (Institut Teknologi Bandung, Indonesia)	290
1570730118	Experimental Approach of L-Band Microwave Tomography and Its Image Reconstruction Using CS Method	294

Achmad Munir, Sri Mulyani, Dian Kurnia Imanda, and Ricky Willyantho (Institut Teknologi Bandung, Indonesia); Sofia Sa'idah, and Edwar (Telkom University, Indonesia);

- | | | |
|-------------------|--|------------|
| 1570732529 | <p>Designing a tourism recommendation system using a hybrid method (Collaborative Filtering and Content-Based Filtering)</p> <p>Ni Wayan Priscila Yuni Praditya, Adhistya Erna Permanasari, and Indriana Hidayah (Universitas Gadjah Mada, Indonesia)</p> | 298 |
| 1570732934 | <p>A Study on Diacritic Restoration Problem in Vietnamese Text using Deep Learning based Models</p> <p>Quang-Linh Tran, Gia-Huy Lam, Van-Binh Duong and Trong-Hop Do (University of Information Technology, Ho Chi Minh City & Vietnam National University, Ho Chi Minh City, Vietnam)</p> | 306 |
| 1570733047 | <p>30VNFoods: A Dataset for Vietnamese Foods Recognition</p> <p>Trong-Hop Do, Duc-Duy-Anh Nguyen, Hoang-Quan Dang, Hoang-Nhan Nguyen, Phu-Phuoc Pham and Duc-Tri Nguyen (University of Information Technology, Ho Chi Minh City & Vietnam National University, Ho Chi Minh City, Vietnam)</p> | 311 |
| 1570733322 | <p>Face Recognition for Identification and Verification in Attendance System: A Systematic Review</p> <p>Ahmad Anshari, Sulistyono Aris Hirtranusi, Dana Indra Sensuse, Kautsarina Kautsarina (Universitas Indonesia, Indonesia); Ryan Randy Suryono (Universitas Teknokrat Indonesia, Indonesia)</p> | 316 |
| 1570733412 | <p>Image Classification for Egg Incubator using Transfer Learning of VGG16 and VGG19</p> <p>Apri Junaidi, Jerry Lasama, Faisal Dharma Adhinata (Institut Teknologi Telkom Purwokerto, Indonesia); Ade Rahmat Iskandar (Akademi Teknik Telekomunikasi Sandhy Putra, Indonesia)</p> | 324 |
| 1570731609 | <p>Cloud-RAN and Coverage Gap in Rural Areas</p> <p>Ida Sémévo TOGNISSE (Institut de Mathématiques et Sciences Physiques, Benin); Ahmed Dooguy KORA (Ecole Supérieure Multinationale de Télécommunications, Senegal); Jules DEGILA (Institut de Mathématiques et Sciences Physiques, Benin)</p> | 329 |
| 1570731911 | <p>Real-time Signboards using Panels P5 RGB and NodeMCU esp8266 with Library PxMatrix</p> <p>Prasetyo Yuliantoro, Shinta Romadhona, and Alfin Hikmaturokhman (Institut Teknologi Telkom Purwokerto, Indonesia)</p> | 337 |
| 1570733136 | <p>Prototype Smart Door Lock By Using Wireless Network Based on Arduino Uno</p> <p>Kholidiyah Masykuroh, Fikra Titan Syifa, Gatot Rizky Setiyanto, Afifah Dwi Ramadhani, Danny Kurnianto, and Nanda Iryani (Institut Teknologi Telkom Purwokerto, Indonesia)</p> | 342 |

1570733366	SOLSR Protocol Performance Analysis For Voip Application In Mesh Topology	348
	Aditya Wijayanto, Rifki Adhitama, and Auliya Burhanuddin (Institut Teknologi Telkom Purwokerto, Indonesia)	
1570731816	Development and Characterization of Narrowband BPF Made of Substrate Integrated Waveguide	354
	Hardi Nusantara (Institut Teknologi Bandung, Indonesia); Arief Budi Santiko (Indonesia Institute of Science LIPI, Indonesia); Zulfi and Achmad Munir (Institut Teknologi Bandung, Indonesia); Kusmadi and Nina Lestari (Universitas Sangga Buana, Indonesia)	
1570731866	Design of a Compact Circular Patch Antenna Operating at ISM-Band for the WiMAX Communication Systems	358
	Rashedul Islam, Fardeen Mahbub, Shouherdho Banerjee Akash, Imtiaz Ahmed Prince, Farhan Tasnim, Nafisa Tabassum Navia (American International University-Bangladesh, Bangladesh)	
1570731965	Design and Characterization of ADM-based Dual-band SIW Bandpass Filter	363
	Ahmad Ikhyari, Ahmad Izzuddin and Achmad Munir (Institut Teknologi Bandung, Indonesia)	
1570733029	A Design of Extreme Learning Machine Based Receiver for 2×2 MIMO-OFDM System	367
	M. Rezwatul Mahmood and Mohammad A Matin (North South University, Bangladesh)	
1570733359	Secret and Trustable Communication Channel over Blockchain Public Ledger	371
	Muhammad Fajar Sidiq, Fahrudin Mukti Wibowo and Merlinda Wibowo (Institut Teknologi Telkom Purwokerto, Indonesia); Akbari Indra Basuki, Iwan Setiawan and Didi Rosiyadi (Indonesian Institute of Sciences, Indonesia)	